





### Min emission bandwidth



#### Test Result B4



TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant6	5745	16.33	5736.83	5753.17	0.5	PASS
		5785	16.33	5776.83	5793.17	0.5	PASS
		5825	16.33	5816.83	5833.17	0.5	PASS
11N20SISO	Ant6	5745	17.55	5736.22	5753.78	0.5	PASS
		5785	17.53	5776.22	5793.76	0.5	PASS
		5825	17.55	5816.22	5833.78	0.5	PASS
11N40SISO	Ant6	5755	36.32	5736.76	5773.08	0.5	PASS
		5795	36.28	5776.80	5813.08	0.5	PASS
11AC80SISO	Ant6	5775	75.92	5737.08	5813.00	0.5	PASS





Test Graphs B4













## Maximum power spectral density



### Test Result



TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant6	5180	1.89	≤11.00	PASS
		5220	1.85	≤11.00	PASS
		5240	1.69	≤11.00	PASS
		5260	2.14	≤11.00	PASS
		5300	2.59	≤11.00	PASS
		5320	1.94	≤11.00	PASS
		5500	1.06	≤11.00	PASS
		5580	1.98	≤11.00	PASS
		5700	2.97	≤11.00	PASS
		5745	1	≤30.00	PASS
		5785	0.17	≤30.00	PASS
		5825	0.03	≤30.00	PASS
11N20SISO	Ant6	5180	1.92	≤11.00	PASS
		5220	1.84	≤11.00	PASS
		5240	1.69	≤11.00	PASS
		5260	2.1	≤11.00	PASS
		5300	2.65	≤11.00	PASS
		5320	2.03	≤11.00	PASS
		5500	1.2	≤11.00	PASS
		5580	1.99	≤11.00	PASS
		5700	-0.29	≤11.00	PASS
		5745	0.99	≤30.00	PASS
		5785	0.32	≤30.00	PASS
		5825	0.07	≤30.00	PASS
11N40SISO	Ant6	5190	-5.13	≤11.00	PASS
		5230	-5.07	≤11.00	PASS
		5270	-4.51	≤11.00	PASS
		5310	-4.28	≤11.00	PASS
		5510	-5.06	≤11.00	PASS
		5550	-4.55	≤11.00	PASS
		5670	-3.4	≤11.00	PASS
		5755	-5.74	≤30.00	PASS
		5795	-6.3	≤30.00	PASS
11AC80SISO	Ant6	5210	-8.68	≤11.00	PASS
		5290	-7.88	≤11.00	PASS
		5530	-8.88	≤11.00	PASS
		5775	-9.47	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
 2.The Duty Cycle Factor and is compensated in the graph.







### Test Graphs

































































## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Buck	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.150	57.22	-8.78	66.00	37.20	9.55	10.47	QP
2	0.150	39.52	-16.48	56.00	19.50	9.55	10.47	Average
3	0.162	55.22	-10.16	65.38	35.20	9.55	10.47	QP
4	0.162	38.22	-17.16	55.38	18.20	9.55	10.47	Average
5	0.199	48.83	-14.84	63.67	28.80	9.55	10.48	QP
6	0.199	30.53	-23.14	53.67	10.50	9.55	10.48	Average
7	0.213	48.95	-14.15	63.10	28.90	9.57	10.48	QP
8	0.213	32.35	-20.75	53.10	12.30	9.57	10.48	Average
9	0.272	45.64	-15.43	61.07	25.50	9.66	10.48	QP
10	0.272	29.04	-22.03	51.07	8.90	9.66	10.48	Average
11	0.489	43.40	-12.79	56.19	23.30	9.59	10.51	QP
12	0.489	30.00	-16.19	46.19	9.90	9.59	10.51	Average
13	6.878	41.49	-18.51	60.00	21.20	9.72	10.57	QP
14	6.878	30.09	-19.91	50.00	9.80	9.72	10.57	Average
15	21.373	44.01	-15.99	60.00	23.60	9.89	10.52	QP
16	21.373	32.21	-17.79	50.00	11.80	9.89	10.52	Average



Test Engineer :	Buck	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.152	52.53	-13.34	65.87	32.50	9.56	10.47	QP
2	0.152	38.93	-16.94	55.87	18.90	9.56	10.47	Average
3	0.187	48.85	-15.30	64.15	28.79	9.58	10.48	QP
4	0.187	30.90	-23.25	54.15	10.84	9.58	10.48	Average
5	0.229	45.32	-17.16	62.48	25.20	9.64	10.48	QP
6	0.229	29.62	-22.86	52.48	9.50	9.64	10.48	Average
7	0.276	42.92	-18.02	60.94	22.81	9.63	10.48	QP
8	0.276	29.82	-21.12	50.94	9.71	9.63	10.48	Average
9	2.133	40.24	-15.76	56.00	19.90	9.80	10.54	QP
10	2.133	26.88	-19.12	46.00	6.54	9.80	10.54	Average
11	5.505	43.47	-16.53	60.00	23.30	9.63	10.54	QP
12	5.505	29.77	-20.23	50.00	9.60	9.63	10.54	Average
13	13.623	41.40	-18.60	60.00	21.10	9.73	10.57	QP
14	13.623	30.80	-19.20	50.00	10.50	9.73	10.57	Average
15	21.715	38.53	-21.47	60.00	18.20	9.81	10.52	QP
16	21.715	31.83	-18.17	50.00	11.50	9.81	10.52	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



**Appendix C Radiated Spurious Emission Test Data**

Test Engineer :	Jerry Xu	Relative Humidity :	41~ 42%
		Temperature :	22~ 23°C

**Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	6	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	6	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	6	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	6	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	6	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	6	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	6	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	6	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	6	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	6	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	6	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	6	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	6	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	6	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	6	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	6	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	6	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	6	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	6	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	6	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	6	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	6	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	6	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	6	802.11n HT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	6	802.11n HT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	6	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	6	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	6	802.11ac VHT80	106	5530	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	6	802.11a	149	5745	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	6	802.11a	157	5785	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	6	802.11a	165	5825	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	6	802.11ac VHT20	149	5745	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	6	802.11ac VHT20	157	5785	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	6	802.11ac VHT20	165	5825	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	6	802.11n HT40	151	5755	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	6	802.11n HT40	159	5795	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	6	802.11ac VHT80	155	5775	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	47.68	54.00	-6.32	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	44.11	54.00	-9.89	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	43.91	54.00	-10.09	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	44.20	54.00	-9.80	H	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	45.03	54.00	-8.97	H	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	47.63	54.00	-6.37	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.10	47.20	54.00	-6.80	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	47.61	54.00	-6.39	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5456.24	43.24	54.00	-10.76	H	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	61.51	68.20	-6.69	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	63.07	68.20	-5.13	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.16	64.05	68.20	-4.15	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	48.24	54.00	-5.76	V	AVERAGE	Pass	Harmonic
10	802.11n HT20	36	5149.80	49.63	54.00	-4.37	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	15540.00	45.31	54.00	-8.69	H	AVERAGE	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	15660.00	44.06	54.00	-9.94	H	AVERAGE	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	15720.00	44.10	54.00	-9.90	H	AVERAGE	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	15780.00	46.36	54.00	-7.64	H	AVERAGE	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	49.19	54.00	-4.81	H	AVERAGE	Pass	Harmonic
15	802.11n HT20	64	5350.10	48.33	54.00	-5.67	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	49.62	54.00	-4.38	H	AVERAGE	Pass	Harmonic
16	802.11n HT20	100	5457.04	43.88	54.00	-10.12	H	AVERAGE	Pass	Band Edge
16	802.11n HT20	100	16500.00	62.00	68.20	-6.20	H	PEAK	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	62.43	68.20	-5.77	H	PEAK	Pass	Harmonic
18	802.11n HT20	140	5729.00	64.72	68.20	-3.48	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	11400.00	47.12	54.00	-6.88	V	AVERAGE	Pass	Harmonic
19	802.11n HT40	38	5149.92	46.59	54.00	-7.41	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	15570.00	37.25	54.00	-16.75	V	AVERAGE	Pass	Harmonic
20	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11n HT40	46	10460.00	45.43	68.20	-22.77	H	PEAK	Pass	Harmonic
21	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11n HT40	54	15810.00	43.47	54.00	-10.53	H	AVERAGE	Pass	Harmonic
22	802.11n HT40	62	5350.20	46.21	54.00	-7.79	H	AVERAGE	Pass	Band Edge







22	802.11n HT40	62	15930.00	44.60	54.00	-9.40	H	AVERAGE	Pass	Harmonic
23	802.11n HT40	102	5459.92	43.95	54.00	-10.05	H	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	11020.00	41.95	54.00	-12.05	V	AVERAGE	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	11100.00	43.45	54.00	-10.55	V	AVERAGE	Pass	Harmonic
25	802.11n HT40	134	5355.12	43.93	54.00	-10.07	H	AVERAGE	Pass	Band Edge
25	802.11n HT40	134	11340.00	44.72	54.00	-9.28	V	AVERAGE	Pass	Harmonic
26	802.11ac VHT80	42	5149.60	50.04	54.00	-3.96	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	45.06	68.20	-23.14	H	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5350.10	47.17	54.00	-6.83	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	10580.00	44.59	68.20	-23.61	V	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5458.80	47.35	54.00	-6.65	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	16590.00	46.39	68.20	-21.81	H	PEAK	Pass	Harmonic
30	802.11a	149	5626.40	53.85	68.20	-14.35	V	PEAK	Pass	Band Edge
30	802.11a	149	17235.00	61.13	68.20	-7.07	H	PEAK	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
31	802.11a	157	11570.00	46.26	54.00	-7.74	V	AVERAGE	Pass	Harmonic
32	802.11a	165	4660.00	47.00	54.00	-7.00	H	Average	Pass	Band Edge
32	802.11a	165	17475.00	58.76	68.20	-9.44	H	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5643.20	53.69	68.20	-14.51	V	PEAK	Pass	Band Edge
33	802.11ac VHT20	149	17235.00	60.49	68.20	-7.71	H	PEAK	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	11570.00	45.47	54.00	-8.53	V	AVERAGE	Pass	Harmonic
35	802.11ac VHT20	165	4660.00	46.84	54.00	-7.16	H	Average	Pass	Band Edge
35	802.11ac VHT20	165	11650.00	43.36	54.00	-10.64	V	AVERAGE	Pass	Harmonic
36	802.11n HT40	151	5934.60	54.84	68.20	-13.36	V	PEAK	Pass	Band Edge
36	802.11n HT40	151	11510.00	44.17	54.00	-9.83	V	AVERAGE	Pass	Harmonic
37	802.11n HT40	159	5974.80	56.31	68.20	-11.89	H	PEAK	Pass	Band Edge
37	802.11n HT40	159	11590.00	42.60	54.00	-11.40	V	AVERAGE	Pass	Harmonic
38	802.11ac VHT80	155	5629.60	55.25	68.20	-12.95	H	PEAK	Pass	Band Edge
38	802.11ac VHT80	155	17325.00	47.57	68.20	-20.63	V	PEAK	Pass	Harmonic



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.30</td> <td>61.86</td> <td>74.00</td> <td>-12.14</td> <td>49.83</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>108</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.30	61.86	74.00	-12.14	49.83	34.20	9.95	32.12	0.00	108	270	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>103.68</td> <td>-----</td> <td>-----</td> <td>91.51</td> <td>34.28</td> <td>10.00</td> <td>32.11</td> <td>0.00</td> <td>108</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	103.68	-----	-----	91.51	34.28	10.00	32.11	0.00	108	270	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.30	61.86	74.00	-12.14	49.83	34.20	9.95	32.12	0.00	108	270	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	103.68	-----	-----	91.51	34.28	10.00	32.11	0.00	108	270	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>47.68</td> <td>54.00</td> <td>-6.32</td> <td>35.65</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>108</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	47.68	54.00	-6.32	35.65	34.20	9.95	32.12	0.00	108	270	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>95.60</td> <td>-----</td> <td>-----</td> <td>83.46</td> <td>34.26</td> <td>9.99</td> <td>32.11</td> <td>0.00</td> <td>108</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	95.60	-----	-----	83.46	34.26	9.99	32.11	0.00	108	270	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5150.00	47.68	54.00	-6.32	35.65	34.20	9.95	32.12	0.00	108	270	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	95.60	-----	-----	83.46	34.26	9.99	32.11	0.00	108	270	AVERAGE																																																																														



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.10</td> <td>55.99</td> <td>74.00</td> <td>-18.01</td> <td>43.92</td> <td>34.28</td> <td>9.91</td> <td>32.12</td> <td>0.00</td> <td>273</td> <td>78 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5110.10	55.99	74.00	-18.01	43.92	34.28	9.91	32.12	0.00	273	78 PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.78</td> <td>-----</td> <td>-----</td> <td>88.64</td> <td>34.26</td> <td>9.99</td> <td>32.11</td> <td>0.00</td> <td>273</td> <td>78 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.78	-----	-----	88.64	34.26	9.99	32.11	0.00	273	78 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5110.10	55.99	74.00	-18.01	43.92	34.28	9.91	32.12	0.00	273	78 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	100.78	-----	-----	88.64	34.26	9.99	32.11	0.00	273	78 PEAK																																																																													
Avg	 <table border="1" data-bbox="263 1836 774 1971"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>45.78</td> <td>54.00</td> <td>-8.22</td> <td>33.75</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>273</td> <td>78 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	45.78	54.00	-8.22	33.75	34.20	9.95	32.12	0.00	273	78 AVERAGE	 <table border="1" data-bbox="901 1836 1412 1971"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>91.85</td> <td>-----</td> <td>-----</td> <td>79.71</td> <td>34.26</td> <td>9.99</td> <td>32.11</td> <td>0.00</td> <td>273</td> <td>78 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	91.85	-----	-----	79.71	34.26	9.99	32.11	0.00	273	78 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	45.78	54.00	-8.22	33.75	34.20	9.95	32.12	0.00	273	78 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	91.85	-----	-----	79.71	34.26	9.99	32.11	0.00	273	78 AVERAGE																																																																													



Mode	1																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																												
ANT	6																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>43.92</td> <td>68.20</td> <td>-24.28</td> <td>59.27</td> <td>37.46</td> <td>14.24</td> <td>67.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>55.43</td> <td>74.00</td> <td>-18.57</td> <td>62.66</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>43.35</td> <td>54.00</td> <td>-10.65</td> <td>50.58</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	43.92	68.20	-24.28	59.27	37.46	14.24	67.05	0.00	---	---	PEAK	2	15540.00	55.43	74.00	-18.57	62.66	40.20	17.65	65.08	0.00	100	239	PEAK	3	15540.00	43.35	54.00	-10.65	50.58	40.20	17.65	65.08	0.00	100	239	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>54.33</td> <td>68.20</td> <td>-13.87</td> <td>69.68</td> <td>37.46</td> <td>14.24</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>55.40</td> <td>74.00</td> <td>-18.60</td> <td>62.63</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>51.34</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	54.33	68.20	-13.87	69.68	37.46	14.24	67.05	0.00	100	245	PEAK	2	15540.00	55.40	74.00	-18.60	62.63	40.20	17.65	65.08	0.00	100	305	PEAK	3	15540.00	44.11	54.00	-9.89	51.34	40.20	17.65	65.08	0.00	100	305
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10360.00	43.92	68.20	-24.28	59.27	37.46	14.24	67.05	0.00	---	---	PEAK																																																																																																																																	
2	15540.00	55.43	74.00	-18.57	62.66	40.20	17.65	65.08	0.00	100	239	PEAK																																																																																																																																	
3	15540.00	43.35	54.00	-10.65	50.58	40.20	17.65	65.08	0.00	100	239	AVERAGE																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10360.00	54.33	68.20	-13.87	69.68	37.46	14.24	67.05	0.00	100	245	PEAK																																																																																																																																	
2	15540.00	55.40	74.00	-18.60	62.63	40.20	17.65	65.08	0.00	100	305	PEAK																																																																																																																																	
3	15540.00	44.11	54.00	-9.89	51.34	40.20	17.65	65.08	0.00	100	305	AVERAGE																																																																																																																																	



Mode	2																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10444.10</td> <td>49.39</td> <td>68.20</td> <td>-18.81</td> <td>64.58</td> <td>37.59</td> <td>14.29</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>55.35</td> <td>74.00</td> <td>-18.65</td> <td>62.43</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>43.91</td> <td>54.00</td> <td>-10.09</td> <td>50.99</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10444.10	49.39	68.20	-18.81	64.58	37.59	14.29	67.07	0.00	---	---	Peak	2	15660.00	55.35	74.00	-18.65	62.43	40.26	17.70	65.04	0.00	100	234	PEAK	3	15660.00	43.91	54.00	-10.09	50.99	40.26	17.70	65.04	0.00	100	234	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>54.62</td> <td>68.20</td> <td>-13.58</td> <td>69.82</td> <td>37.58</td> <td>14.29</td> <td>67.07</td> <td>0.00</td> <td>100</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>54.72</td> <td>74.00</td> <td>-19.28</td> <td>61.80</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>42.40</td> <td>54.00</td> <td>-11.60</td> <td>49.48</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	54.62	68.20	-13.58	69.82	37.58	14.29	67.07	0.00	100	288	PEAK	2	15660.00	54.72	74.00	-19.28	61.80	40.26	17.70	65.04	0.00	100	304	PEAK	3	15660.00	42.40	54.00	-11.60	49.48	40.26	17.70	65.04	0.00	100	304	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10444.10	49.39	68.20	-18.81	64.58	37.59	14.29	67.07	0.00	---	---	Peak																																																																																																																																		
2	15660.00	55.35	74.00	-18.65	62.43	40.26	17.70	65.04	0.00	100	234	PEAK																																																																																																																																		
3	15660.00	43.91	54.00	-10.09	50.99	40.26	17.70	65.04	0.00	100	234	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10440.00	54.62	68.20	-13.58	69.82	37.58	14.29	67.07	0.00	100	288	PEAK																																																																																																																																		
2	15660.00	54.72	74.00	-19.28	61.80	40.26	17.70	65.04	0.00	100	304	PEAK																																																																																																																																		
3	15660.00	42.40	54.00	-11.60	49.48	40.26	17.70	65.04	0.00	100	304	AVERAGE																																																																																																																																		



Mode	3																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																										
ANT	6																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.43</td> <td>68.20</td> <td>-18.77</td> <td>64.54</td> <td>37.66</td> <td>14.31</td> <td>67.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>55.80</td> <td>74.00</td> <td>-18.20</td> <td>62.73</td> <td>40.36</td> <td>17.73</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>44.20</td> <td>54.00</td> <td>-9.80</td> <td>51.12</td> <td>40.36</td> <td>17.73</td> <td>65.01</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10480.00	49.43	68.20	-18.77	64.54	37.66	14.31	67.08	0.00	---	---	PEAK	2	15720.00	55.80	74.00	-18.20	62.73	40.36	17.73	65.02	0.00	100	235	PEAK	3	15720.00	44.20	54.00	-9.80	51.12	40.36	17.73	65.01	0.00	100	235	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>53.86</td> <td>68.20</td> <td>-14.34</td> <td>68.97</td> <td>37.66</td> <td>14.31</td> <td>67.08</td> <td>0.00</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>50.50</td> <td>74.00</td> <td>-23.50</td> <td>57.43</td> <td>40.36</td> <td>17.73</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>124</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>39.28</td> <td>54.00</td> <td>-14.72</td> <td>46.20</td> <td>40.36</td> <td>17.73</td> <td>65.01</td> <td>0.00</td> <td>100</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10480.00	53.86	68.20	-14.34	68.97	37.66	14.31	67.08	0.00	100	289	PEAK	2	15720.00	50.50	74.00	-23.50	57.43	40.36	17.73	65.02	0.00	100	124	PEAK	3	15720.00	39.28	54.00	-14.72	46.20	40.36	17.73	65.01	0.00	100	124
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																		
1	10480.00	49.43	68.20	-18.77	64.54	37.66	14.31	67.08	0.00	---	---	PEAK																																																																																																																															
2	15720.00	55.80	74.00	-18.20	62.73	40.36	17.73	65.02	0.00	100	235	PEAK																																																																																																																															
3	15720.00	44.20	54.00	-9.80	51.12	40.36	17.73	65.01	0.00	100	235	AVERAGE																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																		
1	10480.00	53.86	68.20	-14.34	68.97	37.66	14.31	67.08	0.00	100	289	PEAK																																																																																																																															
2	15720.00	50.50	74.00	-23.50	57.43	40.36	17.73	65.02	0.00	100	124	PEAK																																																																																																																															
3	15720.00	39.28	54.00	-14.72	46.20	40.36	17.73	65.01	0.00	100	124	AVERAGE																																																																																																																															



Mode	4																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.45</td> <td>68.20</td> <td>-19.75</td> <td>63.46</td> <td>37.74</td> <td>14.33</td> <td>67.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>57.80</td> <td>74.00</td> <td>-16.20</td> <td>64.50</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>45.03</td> <td>54.00</td> <td>-8.97</td> <td>51.73</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	48.45	68.20	-19.75	63.46	37.74	14.33	67.08	0.00	---	---	PEAK	2	15780.00	57.80	74.00	-16.20	64.50	40.54	17.75	64.99	0.00	100	233	PEAK	3	15780.00	45.03	54.00	-8.97	51.73	40.54	17.75	64.99	0.00	100	233	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>54.35</td> <td>68.20</td> <td>-13.85</td> <td>69.36</td> <td>37.74</td> <td>14.33</td> <td>67.08</td> <td>0.00</td> <td>100</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>60.22</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>42.44</td> <td>54.00</td> <td>-11.56</td> <td>49.14</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	54.35	68.20	-13.85	69.36	37.74	14.33	67.08	0.00	100	288	PEAK	2	15780.00	53.52	74.00	-20.48	60.22	40.54	17.75	64.99	0.00	100	118	PEAK	3	15780.00	42.44	54.00	-11.56	49.14	40.54	17.75	64.99	0.00	100	118	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	48.45	68.20	-19.75	63.46	37.74	14.33	67.08	0.00	---	---	PEAK																																																																																																																																		
2	15780.00	57.80	74.00	-16.20	64.50	40.54	17.75	64.99	0.00	100	233	PEAK																																																																																																																																		
3	15780.00	45.03	54.00	-8.97	51.73	40.54	17.75	64.99	0.00	100	233	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	54.35	68.20	-13.85	69.36	37.74	14.33	67.08	0.00	100	288	PEAK																																																																																																																																		
2	15780.00	53.52	74.00	-20.48	60.22	40.54	17.75	64.99	0.00	100	118	PEAK																																																																																																																																		
3	15780.00	42.44	54.00	-11.56	49.14	40.54	17.75	64.99	0.00	100	118	AVERAGE																																																																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.45</td> <td>68.20</td> <td>-19.75</td> <td>63.46</td> <td>37.74</td> <td>14.33</td> <td>67.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>57.80</td> <td>74.00</td> <td>-16.20</td> <td>64.50</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>45.03</td> <td>54.00</td> <td>-8.97</td> <td>51.73</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	48.45	68.20	-19.75	63.46	37.74	14.33	67.08	0.00	---	---	PEAK	2	15780.00	57.80	74.00	-16.20	64.50	40.54	17.75	64.99	0.00	100	233	PEAK	3	15780.00	45.03	54.00	-8.97	51.73	40.54	17.75	64.99	0.00	100	233	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>54.35</td> <td>68.20</td> <td>-13.85</td> <td>69.36</td> <td>37.74</td> <td>14.33</td> <td>67.08</td> <td>0.00</td> <td>100</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>60.22</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>42.44</td> <td>54.00</td> <td>-11.56</td> <td>49.14</td> <td>40.54</td> <td>17.75</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	54.35	68.20	-13.85	69.36	37.74	14.33	67.08	0.00	100	288	PEAK	2	15780.00	53.52	74.00	-20.48	60.22	40.54	17.75	64.99	0.00	100	118	PEAK	3	15780.00	42.44	54.00	-11.56	49.14	40.54	17.75	64.99	0.00	100	118	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	48.45	68.20	-19.75	63.46	37.74	14.33	67.08	0.00	---	---	PEAK																																																																																																																																		
2	15780.00	57.80	74.00	-16.20	64.50	40.54	17.75	64.99	0.00	100	233	PEAK																																																																																																																																		
3	15780.00	45.03	54.00	-8.97	51.73	40.54	17.75	64.99	0.00	100	233	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	54.35	68.20	-13.85	69.36	37.74	14.33	67.08	0.00	100	288	PEAK																																																																																																																																		
2	15780.00	53.52	74.00	-20.48	60.22	40.54	17.75	64.99	0.00	100	118	PEAK																																																																																																																																		
3	15780.00	42.44	54.00	-11.56	49.14	40.54	17.75	64.99	0.00	100	118	AVERAGE																																																																																																																																		



Mode	5																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																				
ANT	6																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>50.71</td> <td>74.00</td> <td>-23.29</td> <td>65.48</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>347 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>41.68</td> <td>54.00</td> <td>-12.32</td> <td>56.45</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>347 AVERAGE</td> </tr> <tr> <td>3 15900.00</td> <td>59.05</td> <td>74.00</td> <td>-14.95</td> <td>65.39</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>101</td> <td>235 PEAK</td> </tr> <tr> <td>4 15900.00</td> <td>47.63</td> <td>54.00</td> <td>-6.37</td> <td>53.97</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>101</td> <td>235 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 10600.00	50.71	74.00	-23.29	65.48	37.90	14.38	67.05	0.00	100	347 PEAK	2 10600.00	41.68	54.00	-12.32	56.45	37.90	14.38	67.05	0.00	100	347 AVERAGE	3 15900.00	59.05	74.00	-14.95	65.39	40.80	17.81	64.95	0.00	101	235 PEAK	4 15900.00	47.63	54.00	-6.37	53.97	40.80	17.81	64.95	0.00	101	235 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>52.95</td> <td>74.00</td> <td>-21.05</td> <td>67.72</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>43.92</td> <td>54.00</td> <td>-10.08</td> <td>58.69</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>246 AVERAGE</td> </tr> <tr> <td>3 15900.00</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>58.42</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>100</td> <td>124 PEAK</td> </tr> <tr> <td>4 15900.00</td> <td>41.49</td> <td>54.00</td> <td>-12.51</td> <td>47.83</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>100</td> <td>124 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 10600.00	52.95	74.00	-21.05	67.72	37.90	14.38	67.05	0.00	100	246 PEAK	2 10600.00	43.92	54.00	-10.08	58.69	37.90	14.38	67.05	0.00	100	246 AVERAGE	3 15900.00	52.08	74.00	-21.92	58.42	40.80	17.81	64.95	0.00	100	124 PEAK	4 15900.00	41.49	54.00	-12.51	47.83	40.80	17.81	64.95	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																											
1 10600.00	50.71	74.00	-23.29	65.48	37.90	14.38	67.05	0.00	100	347 PEAK																																																																																																																											
2 10600.00	41.68	54.00	-12.32	56.45	37.90	14.38	67.05	0.00	100	347 AVERAGE																																																																																																																											
3 15900.00	59.05	74.00	-14.95	65.39	40.80	17.81	64.95	0.00	101	235 PEAK																																																																																																																											
4 15900.00	47.63	54.00	-6.37	53.97	40.80	17.81	64.95	0.00	101	235 AVERAGE																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																											
1 10600.00	52.95	74.00	-21.05	67.72	37.90	14.38	67.05	0.00	100	246 PEAK																																																																																																																											
2 10600.00	43.92	54.00	-10.08	58.69	37.90	14.38	67.05	0.00	100	246 AVERAGE																																																																																																																											
3 15900.00	52.08	74.00	-21.92	58.42	40.80	17.81	64.95	0.00	100	124 PEAK																																																																																																																											
4 15900.00	41.49	54.00	-12.51	47.83	40.80	17.81	64.95	0.00	100	124 AVERAGE																																																																																																																											



Mode	6																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>59.16</td> <td>74.00</td> <td>-14.84</td> <td>46.42</td> <td>34.60</td> <td>10.15</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	59.16	74.00	-14.84	46.42	34.60	10.15	32.01	0.00	100	269	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>90.45</td> <td>34.48</td> <td>10.12</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	103.00	-----	-----	90.45	34.48	10.12	31.97	0.00	100	269	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.00	59.16	74.00	-14.84	46.42	34.60	10.15	32.01	0.00	100	269	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	103.00	-----	-----	90.45	34.48	10.12	31.97	0.00	100	269	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>47.20</td> <td>54.00</td> <td>-6.80</td> <td>34.47</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	47.20	54.00	-6.80	34.47	34.60	10.15	32.02	0.00	100	269	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.13</td> <td>-----</td> <td>-----</td> <td>81.51</td> <td>34.46</td> <td>10.12</td> <td>31.96</td> <td>0.00</td> <td>100</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	94.13	-----	-----	81.51	34.46	10.12	31.96	0.00	100	269	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.10	47.20	54.00	-6.80	34.47	34.60	10.15	32.02	0.00	100	269	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	94.13	-----	-----	81.51	34.46	10.12	31.96	0.00	100	269	AVERAGE																																																																														



Mode	6																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>57.30</td> <td>74.00</td> <td>-16.70</td> <td>44.57</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>303</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	57.30	74.00	-16.70	44.57	34.60	10.15	32.02	0.00	303	77 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>87.76</td> <td>34.48</td> <td>10.12</td> <td>31.97</td> <td>0.00</td> <td>303</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	100.39	-----	-----	87.76	34.48	10.12	31.97	0.00	303	77 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.20	57.30	74.00	-16.70	44.57	34.60	10.15	32.02	0.00	303	77 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	100.39	-----	-----	87.76	34.48	10.12	31.97	0.00	303	77 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>45.52</td> <td>54.00</td> <td>-8.48</td> <td>32.79</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>303</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	45.52	54.00	-8.48	32.79	34.60	10.15	32.02	0.00	303	77 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>90.02</td> <td>-----</td> <td>-----</td> <td>77.37</td> <td>34.50</td> <td>10.13</td> <td>31.98</td> <td>0.00</td> <td>303</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	90.02	-----	-----	77.37	34.50	10.13	31.98	0.00	303	77 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.10	45.52	54.00	-8.48	32.79	34.60	10.15	32.02	0.00	303	77 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	90.02	-----	-----	77.37	34.50	10.13	31.98	0.00	303	77 AVERAGE																																																																													



Mode	6																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																				
ANT	6																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>50.42</td> <td>74.00</td> <td>-23.58</td> <td>65.16</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>100</td> <td>346 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>41.01</td> <td>54.00</td> <td>-12.99</td> <td>55.75</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>100</td> <td>346 AVERAGE</td> </tr> <tr> <td>3 15960.00</td> <td>58.57</td> <td>74.00</td> <td>-15.43</td> <td>64.81</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>233 PEAK</td> </tr> <tr> <td>4 15960.00</td> <td>47.61</td> <td>54.00</td> <td>-6.39</td> <td>53.85</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>233 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 10640.00	50.42	74.00	-23.58	65.16	37.90	14.40	67.04	0.00	100	346 PEAK	2 10640.00	41.01	54.00	-12.99	55.75	37.90	14.40	67.04	0.00	100	346 AVERAGE	3 15960.00	58.57	74.00	-15.43	64.81	40.86	17.83	64.93	0.00	100	233 PEAK	4 15960.00	47.61	54.00	-6.39	53.85	40.86	17.83	64.93	0.00	100	233 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>51.42</td> <td>74.00</td> <td>-22.58</td> <td>66.16</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>100</td> <td>246 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>42.56</td> <td>54.00</td> <td>-11.44</td> <td>57.30</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>100</td> <td>246 AVERAGE</td> </tr> <tr> <td>3 15960.00</td> <td>56.43</td> <td>74.00</td> <td>-17.57</td> <td>62.67</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>118 PEAK</td> </tr> <tr> <td>4 15960.00</td> <td>44.54</td> <td>54.00</td> <td>-9.46</td> <td>50.78</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>118 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 10640.00	51.42	74.00	-22.58	66.16	37.90	14.40	67.04	0.00	100	246 PEAK	2 10640.00	42.56	54.00	-11.44	57.30	37.90	14.40	67.04	0.00	100	246 AVERAGE	3 15960.00	56.43	74.00	-17.57	62.67	40.86	17.83	64.93	0.00	100	118 PEAK	4 15960.00	44.54	54.00	-9.46	50.78	40.86	17.83	64.93	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																											
1 10640.00	50.42	74.00	-23.58	65.16	37.90	14.40	67.04	0.00	100	346 PEAK																																																																																																																											
2 10640.00	41.01	54.00	-12.99	55.75	37.90	14.40	67.04	0.00	100	346 AVERAGE																																																																																																																											
3 15960.00	58.57	74.00	-15.43	64.81	40.86	17.83	64.93	0.00	100	233 PEAK																																																																																																																											
4 15960.00	47.61	54.00	-6.39	53.85	40.86	17.83	64.93	0.00	100	233 AVERAGE																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																											
1 10640.00	51.42	74.00	-22.58	66.16	37.90	14.40	67.04	0.00	100	246 PEAK																																																																																																																											
2 10640.00	42.56	54.00	-11.44	57.30	37.90	14.40	67.04	0.00	100	246 AVERAGE																																																																																																																											
3 15960.00	56.43	74.00	-17.57	62.67	40.86	17.83	64.93	0.00	100	118 PEAK																																																																																																																											
4 15960.00	44.54	54.00	-9.46	50.78	40.86	17.83	64.93	0.00	100	118 AVERAGE																																																																																																																											



Mode	7																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																														
ANT	6																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.64</td> <td>54.26</td> <td>74.00</td> <td>-19.74</td> <td>41.54</td> <td>34.60</td> <td>10.19</td> <td>32.07</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>55.52</td> <td>68.20</td> <td>-12.68</td> <td>42.62</td> <td>34.76</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5386.64	54.26	74.00	-19.74	41.54	34.60	10.19	32.07	0.00	100	310	PEAK	2	5468.56	55.52	68.20	-12.68	42.62	34.76	10.26	32.12	0.00	100	310	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>98.97</td> <td>-----</td> <td>-----</td> <td>86.12</td> <td>34.71</td> <td>10.28</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	98.97	-----	-----	86.12	34.71	10.28	32.14	0.00	100	310	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5386.64	54.26	74.00	-19.74	41.54	34.60	10.19	32.07	0.00	100	310	PEAK																																																																																			
2	5468.56	55.52	68.20	-12.68	42.62	34.76	10.26	32.12	0.00	100	310	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	98.97	-----	-----	86.12	34.71	10.28	32.14	0.00	100	310	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.24</td> <td>43.24</td> <td>54.00</td> <td>-10.76</td> <td>30.32</td> <td>34.79</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5456.24	43.24	54.00	-10.76	30.32	34.79	10.25	32.12	0.00	100	310	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>90.21</td> <td>-----</td> <td>-----</td> <td>77.36</td> <td>34.71</td> <td>10.28</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	90.21	-----	-----	77.36	34.71	10.28	32.14	0.00	100	310	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5456.24	43.24	54.00	-10.76	30.32	34.79	10.25	32.12	0.00	100	310	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	90.21	-----	-----	77.36	34.71	10.28	32.14	0.00	100	310	AVERAGE																																																																																			



Mode	7																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																		
ANT	6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5373.04</td> <td>53.42</td> <td>74.00</td> <td>-20.58</td> <td>40.70</td> <td>34.60</td> <td>10.17</td> <td>32.05</td> </tr> <tr> <td>2</td> <td>5465.68</td> <td>53.07</td> <td>68.20</td> <td>-15.13</td> <td>40.16</td> <td>34.77</td> <td>10.26</td> <td>32.12</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5373.04	53.42	74.00	-20.58	40.70	34.60	10.17	32.05	2	5465.68	53.07	68.20	-15.13	40.16	34.77	10.26	32.12	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>98.04</td> <td>-----</td> <td>-----</td> <td>85.19</td> <td>34.70</td> <td>10.29</td> <td>32.14</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	98.04	-----	-----	85.19	34.70	10.29	32.14
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1	5373.04	53.42	74.00	-20.58	40.70	34.60	10.17	32.05																																																																											
2	5465.68	53.07	68.20	-15.13	40.16	34.77	10.26	32.12																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1	5500.00	98.04	-----	-----	85.19	34.70	10.29	32.14																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>43.10</td> <td>54.00</td> <td>-10.90</td> <td>30.37</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5350.80	43.10	54.00	-10.90	30.37	34.60	10.15	32.02	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>88.90</td> <td>-----</td> <td>-----</td> <td>76.05</td> <td>34.71</td> <td>10.28</td> <td>32.14</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	88.90	-----	-----	76.05	34.71	10.28	32.14									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1	5350.80	43.10	54.00	-10.90	30.37	34.60	10.15	32.02																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1	5500.00	88.90	-----	-----	76.05	34.71	10.28	32.14																																																																											



Mode	7																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																
ANT	6																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>43.98</td> <td>74.00</td> <td>-30.02</td> <td>58.38</td> <td>37.90</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>61.51</td> <td>68.20</td> <td>-6.69</td> <td>67.71</td> <td>41.41</td> <td>18.27</td> <td>65.88</td> <td>0.00</td> <td>100</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	43.98	74.00	-30.02	58.38	37.90	14.60	66.90	0.00	---	---	PEAK	2	16500.00	61.51	68.20	-6.69	67.71	41.41	18.27	65.88	0.00	100	250	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>52.00</td> <td>74.00</td> <td>-22.00</td> <td>66.40</td> <td>37.90</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>100</td> <td>111</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>42.38</td> <td>54.00</td> <td>-11.62</td> <td>56.78</td> <td>37.90</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>100</td> <td>100</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>57.12</td> <td>68.20</td> <td>-11.08</td> <td>63.36</td> <td>41.39</td> <td>18.25</td> <td>65.88</td> <td>0.00</td> <td>100</td> <td>236</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	52.00	74.00	-22.00	66.40	37.90	14.60	66.90	0.00	100	111	PEAK	2	11000.00	42.38	54.00	-11.62	56.78	37.90	14.60	66.90	0.00	100	100	AVERAGE	3	16500.00	57.12	68.20	-11.08	63.36	41.39	18.25	65.88	0.00	100	236	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11000.00	43.98	74.00	-30.02	58.38	37.90	14.60	66.90	0.00	---	---	PEAK																																																																																																																					
2	16500.00	61.51	68.20	-6.69	67.71	41.41	18.27	65.88	0.00	100	250	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11000.00	52.00	74.00	-22.00	66.40	37.90	14.60	66.90	0.00	100	111	PEAK																																																																																																																					
2	11000.00	42.38	54.00	-11.62	56.78	37.90	14.60	66.90	0.00	100	100	AVERAGE																																																																																																																					
3	16500.00	57.12	68.20	-11.08	63.36	41.39	18.25	65.88	0.00	100	236	PEAK																																																																																																																					






Mode	8																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>45.36</td> <td>74.00</td> <td>-28.64</td> <td>59.48</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>63.07</td> <td>68.20</td> <td>-5.13</td> <td>68.35</td> <td>41.50</td> <td>18.46</td> <td>65.24</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11160.00	45.36	74.00	-28.64	59.48	37.96	14.74	66.82	0.00	---	---	PEAK	2	16740.00	63.07	68.20	-5.13	68.35	41.50	18.46	65.24	0.00	100	259	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>55.46</td> <td>74.00</td> <td>-18.54</td> <td>69.58</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>44.94</td> <td>54.00</td> <td>-9.06</td> <td>59.06</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>56.24</td> <td>68.20</td> <td>-11.96</td> <td>61.52</td> <td>41.50</td> <td>18.46</td> <td>65.24</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11160.00	55.46	74.00	-18.54	69.58	37.96	14.74	66.82	0.00	100	118	PEAK	2	11160.00	44.94	54.00	-9.06	59.06	37.96	14.74	66.82	0.00	100	118	AVERAGE	3	16740.00	56.24	68.20	-11.96	61.52	41.50	18.46	65.24	0.00	100	233	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11160.00	45.36	74.00	-28.64	59.48	37.96	14.74	66.82	0.00	---	---	PEAK																																																																																																													
2	16740.00	63.07	68.20	-5.13	68.35	41.50	18.46	65.24	0.00	100	259	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11160.00	55.46	74.00	-18.54	69.58	37.96	14.74	66.82	0.00	100	118	PEAK																																																																																																													
2	11160.00	44.94	54.00	-9.06	59.06	37.96	14.74	66.82	0.00	100	118	AVERAGE																																																																																																													
3	16740.00	56.24	68.20	-11.96	61.52	41.50	18.46	65.24	0.00	100	233	PEAK																																																																																																													



Mode	9																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																							
ANT	6																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.16</td> <td>64.05</td> <td>68.20</td> <td>-4.15</td> <td>51.23</td> <td>34.50</td> <td>10.49</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>264 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.16	64.05	68.20	-4.15	51.23	34.50	10.49	32.17	0.00	100	264 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.30</td> <td>-----</td> <td>-----</td> <td>90.46</td> <td>34.50</td> <td>10.47</td> <td>32.13</td> <td>0.00</td> <td>100</td> <td>264 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.30	-----	-----	90.46	34.50	10.47	32.13	0.00	100	264 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5725.16	64.05	68.20	-4.15	51.23	34.50	10.49	32.17	0.00	100	264 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	103.30	-----	-----	90.46	34.50	10.47	32.13	0.00	100	264 PEAK																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>93.86</td> <td>-----</td> <td>-----</td> <td>81.03</td> <td>34.50</td> <td>10.47</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>264 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.86	-----	-----	81.03	34.50	10.47	32.14	0.00	100	264 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	93.86	-----	-----	81.03	34.50	10.47	32.14	0.00	100	264 AVERAGE																																																																													



Mode	9																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.00</td> <td>63.69</td> <td>68.20</td> <td>-4.51</td> <td>50.87</td> <td>34.50</td> <td>10.49</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>325 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.00	63.69	68.20	-4.51	50.87	34.50	10.49	32.17	0.00	100	325 PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>97.24</td> <td>-----</td> <td>-----</td> <td>84.41</td> <td>34.50</td> <td>10.47</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>325 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	97.24	-----	-----	84.41	34.50	10.47	32.14	0.00	100	325 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5727.00	63.69	68.20	-4.51	50.87	34.50	10.49	32.17	0.00	100	325 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	97.24	-----	-----	84.41	34.50	10.47	32.14	0.00	100	325 PEAK																																																																													
Avg	Blank	 <table border="1" data-bbox="901 1836 1412 1960"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>87.77</td> <td>-----</td> <td>-----</td> <td>74.94</td> <td>34.50</td> <td>10.48</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>325 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	87.77	-----	-----	74.94	34.50	10.48	32.15	0.00	100	325 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	87.77	-----	-----	74.94	34.50	10.48	32.15	0.00	100	325 AVERAGE																																																																													



Mode	9																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>51.35</td> <td>74.00</td> <td>-22.65</td> <td>64.98</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>100</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>41.61</td> <td>54.00</td> <td>-12.39</td> <td>55.24</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>100</td> <td>78</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>60.18</td> <td>68.20</td> <td>-8.02</td> <td>65.03</td> <td>41.11</td> <td>18.73</td> <td>64.69</td> <td>0.00</td> <td>100</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	51.35	74.00	-22.65	64.98	38.10	14.96	66.69	0.00	100	78	PEAK	2	11400.00	41.61	54.00	-12.39	55.24	38.10	14.96	66.69	0.00	100	78	AVERAGE	3	17100.00	60.18	68.20	-8.02	65.03	41.11	18.73	64.69	0.00	100	258	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>58.49</td> <td>74.00</td> <td>-15.51</td> <td>72.12</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>48.24</td> <td>54.00</td> <td>-5.76</td> <td>61.87</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>56.52</td> <td>68.20</td> <td>-11.68</td> <td>61.42</td> <td>41.00</td> <td>18.73</td> <td>64.71</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	58.49	74.00	-15.51	72.12	38.10	14.96	66.69	0.00	100	115	PEAK	2	11400.00	48.24	54.00	-5.76	61.87	38.10	14.96	66.69	0.00	100	115	AVERAGE	3	17100.00	56.52	68.20	-11.68	61.42	41.00	18.73	64.71	0.00	100	240	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11400.00	51.35	74.00	-22.65	64.98	38.10	14.96	66.69	0.00	100	78	PEAK																																																																																																																																		
2	11400.00	41.61	54.00	-12.39	55.24	38.10	14.96	66.69	0.00	100	78	AVERAGE																																																																																																																																		
3	17100.00	60.18	68.20	-8.02	65.03	41.11	18.73	64.69	0.00	100	258	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11400.00	58.49	74.00	-15.51	72.12	38.10	14.96	66.69	0.00	100	115	PEAK																																																																																																																																		
2	11400.00	48.24	54.00	-5.76	61.87	38.10	14.96	66.69	0.00	100	115	AVERAGE																																																																																																																																		
3	17100.00	56.52	68.20	-11.68	61.42	41.00	18.73	64.71	0.00	100	240	PEAK																																																																																																																																		



Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.70</td> <td>63.67</td> <td>74.00</td> <td>-10.33</td> <td>51.64</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>106</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.70	63.67	74.00	-10.33	51.64	34.20	9.95	32.12	0.00	106	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.01</td> <td>-----</td> <td>-----</td> <td>91.84</td> <td>34.28</td> <td>10.00</td> <td>32.11</td> <td>0.00</td> <td>106</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.01	-----	-----	91.84	34.28	10.00	32.11	0.00	106	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.70	63.67	74.00	-10.33	51.64	34.20	9.95	32.12	0.00	106	268	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	104.01	-----	-----	91.84	34.28	10.00	32.11	0.00	106	268	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.80</td> <td>49.63</td> <td>54.00</td> <td>-4.37</td> <td>37.60</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>106</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.80	49.63	54.00	-4.37	37.60	34.20	9.95	32.12	0.00	106	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>95.47</td> <td>-----</td> <td>-----</td> <td>83.30</td> <td>34.28</td> <td>10.00</td> <td>32.11</td> <td>0.00</td> <td>106</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	95.47	-----	-----	83.30	34.28	10.00	32.11	0.00	106	268	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.80	49.63	54.00	-4.37	37.60	34.20	9.95	32.12	0.00	106	268	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	95.47	-----	-----	83.30	34.28	10.00	32.11	0.00	106	268	AVERAGE																																																																														



Mode	10																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>58.93</td> <td>74.00</td> <td>-15.07</td> <td>46.90</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>273</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	58.93	74.00	-15.07	46.90	34.20	9.95	32.12	0.00	273	79 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.62</td> <td>-----</td> <td>-----</td> <td>88.50</td> <td>34.25</td> <td>9.98</td> <td>32.11</td> <td>0.00</td> <td>273</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.62	-----	-----	88.50	34.25	9.98	32.11	0.00	273	79 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.60	58.93	74.00	-15.07	46.90	34.20	9.95	32.12	0.00	273	79 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	100.62	-----	-----	88.50	34.25	9.98	32.11	0.00	273	79 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>47.20</td> <td>54.00</td> <td>-6.80</td> <td>35.17</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>273</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	47.20	54.00	-6.80	35.17	34.20	9.95	32.12	0.00	273	79 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>91.72</td> <td>-----</td> <td>-----</td> <td>79.58</td> <td>34.26</td> <td>9.99</td> <td>32.11</td> <td>0.00</td> <td>273</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	91.72	-----	-----	79.58	34.26	9.99	32.11	0.00	273	79 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	47.20	54.00	-6.80	35.17	34.20	9.95	32.12	0.00	273	79 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	91.72	-----	-----	79.58	34.26	9.99	32.11	0.00	273	79 AVERAGE																																																																													



Mode	10																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10367.10</td> <td>48.22</td> <td>68.20</td> <td>-19.98</td> <td>63.55</td> <td>37.47</td> <td>14.25</td> <td>67.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>57.53</td> <td>74.00</td> <td>-16.47</td> <td>64.76</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>229</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>45.31</td> <td>54.00</td> <td>-8.69</td> <td>52.54</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10367.10	48.22	68.20	-19.98	63.55	37.47	14.25	67.05	0.00	---	---	Peak	2	15540.00	57.53	74.00	-16.47	64.76	40.20	17.65	65.08	0.00	100	229	PEAK	3	15540.00	45.31	54.00	-8.69	52.54	40.20	17.65	65.08	0.00	100	229	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>52.41</td> <td>68.20</td> <td>-15.79</td> <td>67.76</td> <td>37.46</td> <td>14.24</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>55.58</td> <td>74.00</td> <td>-18.42</td> <td>62.81</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>44.53</td> <td>54.00</td> <td>-9.47</td> <td>51.76</td> <td>40.20</td> <td>17.65</td> <td>65.08</td> <td>0.00</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	52.41	68.20	-15.79	67.76	37.46	14.24	67.05	0.00	100	244	PEAK	2	15540.00	55.58	74.00	-18.42	62.81	40.20	17.65	65.08	0.00	100	306	PEAK	3	15540.00	44.53	54.00	-9.47	51.76	40.20	17.65	65.08	0.00	100	306	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10367.10	48.22	68.20	-19.98	63.55	37.47	14.25	67.05	0.00	---	---	Peak																																																																																																																																		
2	15540.00	57.53	74.00	-16.47	64.76	40.20	17.65	65.08	0.00	100	229	PEAK																																																																																																																																		
3	15540.00	45.31	54.00	-8.69	52.54	40.20	17.65	65.08	0.00	100	229	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10360.00	52.41	68.20	-15.79	67.76	37.46	14.24	67.05	0.00	100	244	PEAK																																																																																																																																		
2	15540.00	55.58	74.00	-18.42	62.81	40.20	17.65	65.08	0.00	100	306	PEAK																																																																																																																																		
3	15540.00	44.53	54.00	-9.47	51.76	40.20	17.65	65.08	0.00	100	306	AVERAGE																																																																																																																																		