



Mode	11																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																										
ANT	6																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10441.90</td> <td>49.08</td> <td>68.20</td> <td>-19.12</td> <td>64.28</td> <td>37.58</td> <td>14.29</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>56.71</td> <td>74.00</td> <td>-17.29</td> <td>63.79</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>44.06</td> <td>54.00</td> <td>-9.94</td> <td>51.13</td> <td>40.26</td> <td>17.70</td> <td>65.03</td> <td>0.00</td> <td>100</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10441.90	49.08	68.20	-19.12	64.28	37.58	14.29	67.07	0.00	---	---	Peak	2	15660.00	56.71	74.00	-17.29	63.79	40.26	17.70	65.04	0.00	100	226	PEAK	3	15660.00	44.06	54.00	-9.94	51.13	40.26	17.70	65.03	0.00	100	226	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10436.40</td> <td>51.82</td> <td>68.20</td> <td>-16.38</td> <td>67.04</td> <td>37.57</td> <td>14.28</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>52.35</td> <td>74.00</td> <td>-21.65</td> <td>59.43</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>41.11</td> <td>54.00</td> <td>-12.89</td> <td>48.19</td> <td>40.26</td> <td>17.70</td> <td>65.04</td> <td>0.00</td> <td>100</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10436.40	51.82	68.20	-16.38	67.04	37.57	14.28	67.07	0.00	---	---	Peak	2	15660.00	52.35	74.00	-21.65	59.43	40.26	17.70	65.04	0.00	100	126	PEAK	3	15660.00	41.11	54.00	-12.89	48.19	40.26	17.70	65.04	0.00	100	126
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																			
1	10441.90	49.08	68.20	-19.12	64.28	37.58	14.29	67.07	0.00	---	---	Peak																																																																																																																															
2	15660.00	56.71	74.00	-17.29	63.79	40.26	17.70	65.04	0.00	100	226	PEAK																																																																																																																															
3	15660.00	44.06	54.00	-9.94	51.13	40.26	17.70	65.03	0.00	100	226	AVERAGE																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																			
1	10436.40	51.82	68.20	-16.38	67.04	37.57	14.28	67.07	0.00	---	---	Peak																																																																																																																															
2	15660.00	52.35	74.00	-21.65	59.43	40.26	17.70	65.04	0.00	100	126	PEAK																																																																																																																															
3	15660.00	41.11	54.00	-12.89	48.19	40.26	17.70	65.04	0.00	100	126	AVERAGE																																																																																																																															





Mode	12																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>44.70</td> <td>68.20</td> <td>-23.50</td> <td>59.81</td> <td>37.66</td> <td>14.31</td> <td>67.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>55.50</td> <td>74.00</td> <td>-18.50</td> <td>62.43</td> <td>40.36</td> <td>17.73</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>44.10</td> <td>54.00</td> <td>-9.90</td> <td>51.02</td> <td>40.36</td> <td>17.73</td> <td>65.01</td> <td>0.00</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	44.70	68.20	-23.50	59.81	37.66	14.31	67.08	0.00	---	---	PEAK	2	15720.00	55.50	74.00	-18.50	62.43	40.36	17.73	65.02	0.00	100	238	PEAK	3	15720.00	44.10	54.00	-9.90	51.02	40.36	17.73	65.01	0.00	100	238	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>55.06</td> <td>68.20</td> <td>-13.14</td> <td>70.17</td> <td>37.66</td> <td>14.31</td> <td>67.08</td> <td>0.00</td> <td>106</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>51.97</td> <td>74.00</td> <td>-22.03</td> <td>58.90</td> <td>40.36</td> <td>17.73</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>123</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>40.92</td> <td>54.00</td> <td>-13.08</td> <td>47.85</td> <td>40.36</td> <td>17.73</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>123</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	55.06	68.20	-13.14	70.17	37.66	14.31	67.08	0.00	106	288	PEAK	2	15720.00	51.97	74.00	-22.03	58.90	40.36	17.73	65.02	0.00	100	123	PEAK	3	15720.00	40.92	54.00	-13.08	47.85	40.36	17.73	65.02	0.00	100	123	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10480.00	44.70	68.20	-23.50	59.81	37.66	14.31	67.08	0.00	---	---	PEAK																																																																																																																																		
2	15720.00	55.50	74.00	-18.50	62.43	40.36	17.73	65.02	0.00	100	238	PEAK																																																																																																																																		
3	15720.00	44.10	54.00	-9.90	51.02	40.36	17.73	65.01	0.00	100	238	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10480.00	55.06	68.20	-13.14	70.17	37.66	14.31	67.08	0.00	106	288	PEAK																																																																																																																																		
2	15720.00	51.97	74.00	-22.03	58.90	40.36	17.73	65.02	0.00	100	123	PEAK																																																																																																																																		
3	15720.00	40.92	54.00	-13.08	47.85	40.36	17.73	65.02	0.00	100	123	AVERAGE																																																																																																																																		







Mode	13																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>10520.00</td><td>44.87</td><td>68.20</td><td>-23.33</td><td>59.88</td><td>37.74</td><td>14.33</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr> <td>2</td><td>15780.00</td><td>58.90</td><td>74.00</td><td>-15.10</td><td>65.60</td><td>40.54</td><td>17.75</td><td>64.99</td><td>0.00</td><td>100</td><td>223</td><td>PEAK</td></tr> <tr> <td>3</td><td>15780.00</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>53.06</td><td>40.54</td><td>17.75</td><td>64.99</td><td>0.00</td><td>100</td><td>223</td><td>AVERAGE</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	44.87	68.20	-23.33	59.88	37.74	14.33	67.08	0.00	---	---	PEAK	2	15780.00	58.90	74.00	-15.10	65.60	40.54	17.75	64.99	0.00	100	223	PEAK	3	15780.00	46.36	54.00	-7.64	53.06	40.54	17.75	64.99	0.00	100	223	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>10520.00</td><td>48.71</td><td>68.20</td><td>-19.49</td><td>63.72</td><td>37.74</td><td>14.33</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr> <td>2</td><td>15780.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>60.99</td><td>40.54</td><td>17.75</td><td>64.99</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr> <tr> <td>3</td><td>15780.00</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>49.73</td><td>40.54</td><td>17.75</td><td>64.99</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	48.71	68.20	-19.49	63.72	37.74	14.33	67.08	0.00	---	---	PEAK	2	15780.00	54.29	74.00	-19.71	60.99	40.54	17.75	64.99	0.00	100	116	PEAK	3	15780.00	43.03	54.00	-10.97	49.73	40.54	17.75	64.99	0.00	100	116	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	44.87	68.20	-23.33	59.88	37.74	14.33	67.08	0.00	---	---	PEAK																																																																																																																																		
2	15780.00	58.90	74.00	-15.10	65.60	40.54	17.75	64.99	0.00	100	223	PEAK																																																																																																																																		
3	15780.00	46.36	54.00	-7.64	53.06	40.54	17.75	64.99	0.00	100	223	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	48.71	68.20	-19.49	63.72	37.74	14.33	67.08	0.00	---	---	PEAK																																																																																																																																		
2	15780.00	54.29	74.00	-19.71	60.99	40.54	17.75	64.99	0.00	100	116	PEAK																																																																																																																																		
3	15780.00	43.03	54.00	-10.97	49.73	40.54	17.75	64.99	0.00	100	116	AVERAGE																																																																																																																																		







Mode	14																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11n_HT20_CH60_5300MHz																																																																																																																																																															
ANT	6																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>50.17</td> <td>74.00</td> <td>-23.83</td> <td>64.94</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>329 PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>40.79</td> <td>54.00</td> <td>-13.21</td> <td>55.56</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>329 AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>60.15</td> <td>74.00</td> <td>-13.85</td> <td>66.49</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>100</td> <td>225 PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>49.19</td> <td>54.00</td> <td>-4.81</td> <td>55.53</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>100</td> <td>225 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	50.17	74.00	-23.83	64.94	37.90	14.38	67.05	0.00	100	329 PEAK	2	10600.00	40.79	54.00	-13.21	55.56	37.90	14.38	67.05	0.00	100	329 AVERAGE	3	15900.00	60.15	74.00	-13.85	66.49	40.80	17.81	64.95	0.00	100	225 PEAK	4	15900.00	49.19	54.00	-4.81	55.53	40.80	17.81	64.95	0.00	100	225 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>52.59</td> <td>74.00</td> <td>-21.41</td> <td>67.36</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>285 PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>42.77</td> <td>54.00</td> <td>-11.23</td> <td>57.54</td> <td>37.90</td> <td>14.38</td> <td>67.05</td> <td>0.00</td> <td>100</td> <td>285 AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>56.14</td> <td>74.00</td> <td>-17.86</td> <td>62.48</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>100</td> <td>223 PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>51.44</td> <td>40.80</td> <td>17.81</td> <td>64.95</td> <td>0.00</td> <td>100</td> <td>223 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	52.59	74.00	-21.41	67.36	37.90	14.38	67.05	0.00	100	285 PEAK	2	10600.00	42.77	54.00	-11.23	57.54	37.90	14.38	67.05	0.00	100	285 AVERAGE	3	15900.00	56.14	74.00	-17.86	62.48	40.80	17.81	64.95	0.00	100	223 PEAK	4	15900.00	45.10	54.00	-8.90	51.44	40.80	17.81	64.95	0.00	100	223 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	10600.00	50.17	74.00	-23.83	64.94	37.90	14.38	67.05	0.00	100	329 PEAK																																																																																																																																																					
2	10600.00	40.79	54.00	-13.21	55.56	37.90	14.38	67.05	0.00	100	329 AVERAGE																																																																																																																																																					
3	15900.00	60.15	74.00	-13.85	66.49	40.80	17.81	64.95	0.00	100	225 PEAK																																																																																																																																																					
4	15900.00	49.19	54.00	-4.81	55.53	40.80	17.81	64.95	0.00	100	225 AVERAGE																																																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	10600.00	52.59	74.00	-21.41	67.36	37.90	14.38	67.05	0.00	100	285 PEAK																																																																																																																																																					
2	10600.00	42.77	54.00	-11.23	57.54	37.90	14.38	67.05	0.00	100	285 AVERAGE																																																																																																																																																					
3	15900.00	56.14	74.00	-17.86	62.48	40.80	17.81	64.95	0.00	100	223 PEAK																																																																																																																																																					
4	15900.00	45.10	54.00	-8.90	51.44	40.80	17.81	64.95	0.00	100	223 AVERAGE																																																																																																																																																					



Mode	15																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal between 5300 and 5400 MHz. A red limit line is labeled 'U-NII-1-U-NII-2A-U-NII-2C'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.30</td> <td>62.93</td> <td>74.00</td> <td>-11.07</td> <td>50.20</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.30	62.93	74.00	-11.07	50.20	34.60	10.15	32.02	0.00	100	269	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is labeled 'U-NII-1-U-NII-2A-U-NII-2C'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.80</td> <td>-----</td> <td>-----</td> <td>90.15</td> <td>34.50</td> <td>10.13</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.80	-----	-----	90.15	34.50	10.13	31.98	0.00	100	269	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5352.30	62.93	74.00	-11.07	50.20	34.60	10.15	32.02	0.00	100	269	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	102.80	-----	-----	90.15	34.50	10.13	31.98	0.00	100	269	PEAK																																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows an average signal between 5300 and 5400 MHz. A red limit line is labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>35.60</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	48.33	54.00	-5.67	35.60	34.60	10.15	32.02	0.00	100	269	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows an average signal between 1000 and 7000 MHz. A red limit line is labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.00</td> <td>-----</td> <td>-----</td> <td>81.46</td> <td>34.46</td> <td>10.12</td> <td>31.96</td> <td>0.00</td> <td>100</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	94.00	-----	-----	81.46	34.46	10.12	31.96	0.00	100	269	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.10	48.33	54.00	-5.67	35.60	34.60	10.15	32.02	0.00	100	269	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	94.00	-----	-----	81.46	34.46	10.12	31.96	0.00	100	269	AVERAGE																																																																														



Mode	15																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>60.32</td> <td>74.00</td> <td>-13.68</td> <td>47.59</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>275</td> <td>69 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	60.32	74.00	-13.68	47.59	34.60	10.15	32.02	0.00	275	69 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.68</td> <td>-----</td> <td>-----</td> <td>86.06</td> <td>34.46</td> <td>10.12</td> <td>31.96</td> <td>0.00</td> <td>275</td> <td>69 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	98.68	-----	-----	86.06	34.46	10.12	31.96	0.00	275	69 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.20	60.32	74.00	-13.68	47.59	34.60	10.15	32.02	0.00	275	69 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	98.68	-----	-----	86.06	34.46	10.12	31.96	0.00	275	69 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>45.88</td> <td>54.00</td> <td>-8.12</td> <td>33.14</td> <td>34.60</td> <td>10.15</td> <td>32.01</td> <td>0.00</td> <td>275</td> <td>69 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	45.88	54.00	-8.12	33.14	34.60	10.15	32.01	0.00	275	69 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>91.31</td> <td>-----</td> <td>-----</td> <td>78.68</td> <td>34.48</td> <td>10.12</td> <td>31.97</td> <td>0.00</td> <td>275</td> <td>69 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	91.31	-----	-----	78.68	34.48	10.12	31.97	0.00	275	69 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.00	45.88	54.00	-8.12	33.14	34.60	10.15	32.01	0.00	275	69 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	91.31	-----	-----	78.68	34.48	10.12	31.97	0.00	275	69 AVERAGE																																																																													







Mode	15																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																																							
ANT	6																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>59.10</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>62.91</td> <td>74.00</td> <td>-11.09</td> <td>69.15</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>49.62</td> <td>54.00</td> <td>-4.38</td> <td>55.86</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10640.00	44.36	74.00	-29.64	59.10	37.90	14.40	67.04	0.00	---	---	PEAK	2	15960.00	62.91	74.00	-11.09	69.15	40.86	17.83	64.93	0.00	100	224	PEAK	3	15960.00	49.62	54.00	-4.38	55.86	40.86	17.83	64.93	0.00	100	224	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>51.21</td> <td>74.00</td> <td>-22.79</td> <td>65.95</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>100</td> <td>286</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>41.63</td> <td>54.00</td> <td>-12.37</td> <td>56.37</td> <td>37.90</td> <td>14.40</td> <td>67.04</td> <td>0.00</td> <td>100</td> <td>286</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>58.19</td> <td>74.00</td> <td>-15.81</td> <td>64.43</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>46.34</td> <td>54.00</td> <td>-7.66</td> <td>52.58</td> <td>40.86</td> <td>17.83</td> <td>64.93</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10640.00	51.21	74.00	-22.79	65.95	37.90	14.40	67.04	0.00	100	286	PEAK	2	10640.00	41.63	54.00	-12.37	56.37	37.90	14.40	67.04	0.00	100	286	AVERAGE	3	15960.00	58.19	74.00	-15.81	64.43	40.86	17.83	64.93	0.00	100	113	PEAK	4	15960.00	46.34	54.00	-7.66	52.58	40.86	17.83	64.93	0.00	100	113
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																
1	10640.00	44.36	74.00	-29.64	59.10	37.90	14.40	67.04	0.00	---	---	PEAK																																																																																																																																												
2	15960.00	62.91	74.00	-11.09	69.15	40.86	17.83	64.93	0.00	100	224	PEAK																																																																																																																																												
3	15960.00	49.62	54.00	-4.38	55.86	40.86	17.83	64.93	0.00	100	224	AVERAGE																																																																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																
1	10640.00	51.21	74.00	-22.79	65.95	37.90	14.40	67.04	0.00	100	286	PEAK																																																																																																																																												
2	10640.00	41.63	54.00	-12.37	56.37	37.90	14.40	67.04	0.00	100	286	AVERAGE																																																																																																																																												
3	15960.00	58.19	74.00	-15.81	64.43	40.86	17.83	64.93	0.00	100	113	PEAK																																																																																																																																												
4	15960.00	46.34	54.00	-7.66	52.58	40.86	17.83	64.93	0.00	100	113	AVERAGE																																																																																																																																												



Mode	16																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																						
ANT	6																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.96</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>40.70</td> <td>34.60</td> <td>10.17</td> <td>32.04</td> <td>0.00</td> <td>110</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>57.48</td> <td>68.20</td> <td>-10.72</td> <td>44.58</td> <td>34.76</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>110</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5366.96	53.43	74.00	-20.57	40.70	34.60	10.17	32.04	0.00	110	311	PEAK	2	5469.68	57.48	68.20	-10.72	44.58	34.76	10.26	32.12	0.00	110	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.55</td> <td>-----</td> <td>-----</td> <td>87.70</td> <td>34.71</td> <td>10.28</td> <td>32.14</td> <td>0.00</td> <td>110</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	100.55	-----	-----	87.70	34.71	10.28	32.14	0.00	110	311	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5366.96	53.43	74.00	-20.57	40.70	34.60	10.17	32.04	0.00	110	311	PEAK																																																																																											
2	5469.68	57.48	68.20	-10.72	44.58	34.76	10.26	32.12	0.00	110	311	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	100.55	-----	-----	87.70	34.71	10.28	32.14	0.00	110	311	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.04</td> <td>43.88</td> <td>54.00</td> <td>-10.12</td> <td>30.96</td> <td>34.79</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>110</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.04	43.88	54.00	-10.12	30.96	34.79	10.25	32.12	0.00	110	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>91.39</td> <td>-----</td> <td>-----</td> <td>78.54</td> <td>34.70</td> <td>10.29</td> <td>32.14</td> <td>0.00</td> <td>110</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	91.39	-----	-----	78.54	34.70	10.29	32.14	0.00	110	311	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5457.04	43.88	54.00	-10.12	30.96	34.79	10.25	32.12	0.00	110	311	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	91.39	-----	-----	78.54	34.70	10.29	32.14	0.00	110	311	AVERAGE																																																																																											



Mode	16																																																																							
	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																							
ANT	6																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	 <table border="1" data-bbox="263 1131 774 1288"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>Apos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5376.72</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>40.48</td> <td>34.60</td> <td>10.18</td> <td>32.06</td> <td>0.00</td> <td>286 76 PEAK</td> </tr> <tr> <td>2 5467.44</td> <td>54.02</td> <td>68.20</td> <td>-14.18</td> <td>41.11</td> <td>34.77</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>286 76 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5376.72	53.20	74.00	-20.80	40.48	34.60	10.18	32.06	0.00	286 76 PEAK	2 5467.44	54.02	68.20	-14.18	41.11	34.77	10.26	32.12	0.00	286 76 PEAK	 <table border="1" data-bbox="901 1131 1412 1288"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>Apos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>97.43</td> <td>-----</td> <td>-----</td> <td>84.57</td> <td>34.70</td> <td>10.30</td> <td>32.14</td> <td>0.00</td> <td>286 76 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	97.43	-----	-----	84.57	34.70	10.30	32.14	0.00	286 76 PEAK
	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5376.72	53.20	74.00	-20.80	40.48	34.60	10.18	32.06	0.00	286 76 PEAK																																																															
2 5467.44	54.02	68.20	-14.18	41.11	34.77	10.26	32.12	0.00	286 76 PEAK																																																															
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5500.00	97.43	-----	-----	84.57	34.70	10.30	32.14	0.00	286 76 PEAK																																																															
Avg	 <table border="1" data-bbox="263 1814 774 1971"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>Apos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.16</td> <td>43.54</td> <td>54.00</td> <td>-10.46</td> <td>30.63</td> <td>34.78</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>286 76 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.16	43.54	54.00	-10.46	30.63	34.78	10.25	32.12	0.00	286 76 AVERAGE	 <table border="1" data-bbox="901 1814 1412 1971"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>Apos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>89.64</td> <td>-----</td> <td>-----</td> <td>76.79</td> <td>34.71</td> <td>10.28</td> <td>32.14</td> <td>0.00</td> <td>286 76 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	89.64	-----	-----	76.79	34.71	10.28	32.14	0.00	286 76 AVERAGE										
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5458.16	43.54	54.00	-10.46	30.63	34.78	10.25	32.12	0.00	286 76 AVERAGE																																																															
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	Apos Factor	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5500.00	89.64	-----	-----	76.79	34.71	10.28	32.14	0.00	286 76 AVERAGE																																																															



Mode	16																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																
ANT	6																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>43.98</td> <td>74.00</td> <td>-30.02</td> <td>58.38</td> <td>37.90</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>62.00</td> <td>-6.20</td> <td>68.24</td> <td>41.40</td> <td>18.26</td> <td>65.90</td> <td>0.00</td> <td>100</td> <td>261</td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	43.98	74.00	-30.02	58.38	37.90	14.60	66.90	0.00	---	---	PEAK	2	16500.00	62.00	-6.20	68.24	41.40	18.26	65.90	0.00	100	261		PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>53.36</td> <td>74.00</td> <td>-20.64</td> <td>67.76</td> <td>37.90</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>57.83</td> <td>37.90</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>59.70</td> <td>68.20</td> <td>-8.50</td> <td>65.93</td> <td>41.40</td> <td>18.26</td> <td>65.89</td> <td>0.00</td> <td>100</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	53.36	74.00	-20.64	67.76	37.90	14.60	66.90	0.00	100	115	PEAK	2	11000.00	43.43	54.00	-10.57	57.83	37.90	14.60	66.90	0.00	100	115	AVERAGE	3	16500.00	59.70	68.20	-8.50	65.93	41.40	18.26	65.89	0.00	100	346	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11000.00	43.98	74.00	-30.02	58.38	37.90	14.60	66.90	0.00	---	---	PEAK																																																																																																																					
2	16500.00	62.00	-6.20	68.24	41.40	18.26	65.90	0.00	100	261		PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11000.00	53.36	74.00	-20.64	67.76	37.90	14.60	66.90	0.00	100	115	PEAK																																																																																																																					
2	11000.00	43.43	54.00	-10.57	57.83	37.90	14.60	66.90	0.00	100	115	AVERAGE																																																																																																																					
3	16500.00	59.70	68.20	-8.50	65.93	41.40	18.26	65.89	0.00	100	346	PEAK																																																																																																																					



Mode	17																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																																											
ANT	6																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.60</td> <td>74.00</td> <td>-24.40</td> <td>63.72</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>38</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>40.52</td> <td>54.00</td> <td>-13.48</td> <td>54.64</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>38</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>62.43</td> <td>68.20</td> <td>-5.77</td> <td>67.73</td> <td>41.50</td> <td>18.46</td> <td>65.26</td> <td>0.00</td> <td>105</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11160.00	49.60	74.00	-24.40	63.72	37.96	14.74	66.82	0.00	100	38	PEAK	2	11160.00	40.52	54.00	-13.48	54.64	37.96	14.74	66.82	0.00	100	38	AVERAGE	3	16740.00	62.43	68.20	-5.77	67.73	41.50	18.46	65.26	0.00	105	260	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>57.87</td> <td>74.00</td> <td>-16.13</td> <td>71.99</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>46.77</td> <td>54.00</td> <td>-7.23</td> <td>60.89</td> <td>37.96</td> <td>14.74</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>57.08</td> <td>68.20</td> <td>-11.12</td> <td>62.37</td> <td>41.50</td> <td>18.46</td> <td>65.25</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11160.00	57.87	74.00	-16.13	71.99	37.96	14.74	66.82	0.00	100	114	PEAK	2	11160.00	46.77	54.00	-7.23	60.89	37.96	14.74	66.82	0.00	100	114	AVERAGE	3	16740.00	57.08	68.20	-11.12	62.37	41.50	18.46	65.25	0.00	100	237	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																			
1	11160.00	49.60	74.00	-24.40	63.72	37.96	14.74	66.82	0.00	100	38	PEAK																																																																																																																																
2	11160.00	40.52	54.00	-13.48	54.64	37.96	14.74	66.82	0.00	100	38	AVERAGE																																																																																																																																
3	16740.00	62.43	68.20	-5.77	67.73	41.50	18.46	65.26	0.00	105	260	PEAK																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																			
1	11160.00	57.87	74.00	-16.13	71.99	37.96	14.74	66.82	0.00	100	114	PEAK																																																																																																																																
2	11160.00	46.77	54.00	-7.23	60.89	37.96	14.74	66.82	0.00	100	114	AVERAGE																																																																																																																																
3	16740.00	57.08	68.20	-11.12	62.37	41.50	18.46	65.25	0.00	100	237	PEAK																																																																																																																																



Mode	18																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																					
ANT	6																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.00</td> <td>64.72</td> <td>68.20</td> <td>-3.48</td> <td>51.90</td> <td>34.50</td> <td>10.50</td> <td>32.18</td> <td>0.00</td> <td>101</td> <td>265 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5729.00	64.72	68.20	-3.48	51.90	34.50	10.50	32.18	0.00	101	265 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.82</td> <td>-----</td> <td>-----</td> <td>89.98</td> <td>34.50</td> <td>10.47</td> <td>32.13</td> <td>0.00</td> <td>101</td> <td>265 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	102.82	-----	-----	89.98	34.50	10.47	32.13	0.00	101	265 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5729.00	64.72	68.20	-3.48	51.90	34.50	10.50	32.18	0.00	101	265 PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	102.82	-----	-----	89.98	34.50	10.47	32.13	0.00	101	265 PEAK																																																																												
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>92.37</td> <td>-----</td> <td>-----</td> <td>79.53</td> <td>34.50</td> <td>10.47</td> <td>32.13</td> <td>0.00</td> <td>101</td> <td>265 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	92.37	-----	-----	79.53	34.50	10.47	32.13	0.00	101	265 AVERAGE																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	92.37	-----	-----	79.53	34.50	10.47	32.13	0.00	101	265 AVERAGE																																																																												







Mode	18																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																					
ANT	6																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.16</td> <td>59.07</td> <td>68.20</td> <td>-9.13</td> <td>46.25</td> <td>34.50</td> <td>10.49</td> <td>32.17</td> <td>0.00</td> <td>107</td> <td>326 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.16	59.07	68.20	-9.13	46.25	34.50	10.49	32.17	0.00	107	326 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>96.07</td> <td>-----</td> <td>-----</td> <td>83.24</td> <td>34.50</td> <td>10.47</td> <td>32.14</td> <td>0.00</td> <td>107</td> <td>326 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.07	-----	-----	83.24	34.50	10.47	32.14	0.00	107	326 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5727.16	59.07	68.20	-9.13	46.25	34.50	10.49	32.17	0.00	107	326 PEAK																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5700.00	96.07	-----	-----	83.24	34.50	10.47	32.14	0.00	107	326 PEAK																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>86.84</td> <td>-----</td> <td>-----</td> <td>74.01</td> <td>34.50</td> <td>10.47</td> <td>32.14</td> <td>0.00</td> <td>107</td> <td>326 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	86.84	-----	-----	74.01	34.50	10.47	32.14	0.00	107	326 AVERAGE																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5700.00	86.84	-----	-----	74.01	34.50	10.47	32.14	0.00	107	326 AVERAGE																																																																											



Mode	18																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																					
ANT	6																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.40</td> <td>74.00</td> <td>-25.60</td> <td>62.03</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>300</td> <td>207 PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>38.72</td> <td>54.00</td> <td>-15.28</td> <td>52.35</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>300</td> <td>207 AVERAGE</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>60.51</td> <td>68.20</td> <td>-7.69</td> <td>65.38</td> <td>41.10</td> <td>18.73</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>257 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11400.00	48.40	74.00	-25.60	62.03	38.10	14.96	66.69	0.00	300	207 PEAK	2	11400.00	38.72	54.00	-15.28	52.35	38.10	14.96	66.69	0.00	300	207 AVERAGE	3	17100.00	60.51	68.20	-7.69	65.38	41.10	18.73	64.70	0.00	100	257 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>70.07</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>47.12</td> <td>54.00</td> <td>-6.88</td> <td>60.75</td> <td>38.10</td> <td>14.96</td> <td>66.69</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>57.51</td> <td>68.20</td> <td>-10.69</td> <td>62.36</td> <td>41.11</td> <td>18.73</td> <td>64.69</td> <td>0.00</td> <td>305</td> <td>311 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11400.00	56.44	74.00	-17.56	70.07	38.10	14.96	66.69	0.00	100	115 PEAK	2	11400.00	47.12	54.00	-6.88	60.75	38.10	14.96	66.69	0.00	100	115 AVERAGE	3	17100.00	57.51	68.20	-10.69	62.36	41.11	18.73	64.69	0.00	305	311 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																													
1	11400.00	48.40	74.00	-25.60	62.03	38.10	14.96	66.69	0.00	300	207 PEAK																																																																																																																											
2	11400.00	38.72	54.00	-15.28	52.35	38.10	14.96	66.69	0.00	300	207 AVERAGE																																																																																																																											
3	17100.00	60.51	68.20	-7.69	65.38	41.10	18.73	64.70	0.00	100	257 PEAK																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																													
1	11400.00	56.44	74.00	-17.56	70.07	38.10	14.96	66.69	0.00	100	115 PEAK																																																																																																																											
2	11400.00	47.12	54.00	-6.88	60.75	38.10	14.96	66.69	0.00	100	115 AVERAGE																																																																																																																											
3	17100.00	57.51	68.20	-10.69	62.36	41.11	18.73	64.69	0.00	305	311 PEAK																																																																																																																											







Mode	18	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	18																																																																																																																																																																																																																															
	30-1G																																																																																																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																																																																																																															
ANT	6																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>22.47</td><td>40.00</td><td>-17.53</td><td>29.21</td><td>24.86</td><td>0.47</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>107.24</td><td>24.58</td><td>43.50</td><td>-18.92</td><td>38.35</td><td>16.81</td><td>1.45</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>132.70</td><td>24.66</td><td>43.50</td><td>-18.84</td><td>37.51</td><td>17.58</td><td>1.60</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>200.48</td><td>27.24</td><td>43.50</td><td>-16.26</td><td>42.38</td><td>14.94</td><td>1.99</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>300.87</td><td>26.85</td><td>46.00</td><td>-19.15</td><td>37.17</td><td>19.32</td><td>2.44</td><td>32.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>567.26</td><td>27.13</td><td>46.00</td><td>-18.87</td><td>29.90</td><td>26.19</td><td>3.35</td><td>32.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	22.47	40.00	-17.53	29.21	24.86	0.47	32.07	0.00	---	---	Peak	2	107.24	24.58	43.50	-18.92	38.35	16.81	1.45	32.03	0.00	---	---	Peak	3	132.70	24.66	43.50	-18.84	37.51	17.58	1.60	32.03	0.00	---	---	Peak	4	200.48	27.24	43.50	-16.26	42.38	14.94	1.99	32.07	0.00	---	---	Peak	5	300.87	26.85	46.00	-19.15	37.17	19.32	2.44	32.08	0.00	---	---	Peak	6	567.26	27.13	46.00	-18.87	29.90	26.19	3.35	32.31	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.24</td><td>30.48</td><td>40.00</td><td>-9.52</td><td>39.14</td><td>22.85</td><td>0.53</td><td>32.04</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>57.28</td><td>32.02</td><td>40.00</td><td>-7.98</td><td>51.01</td><td>12.22</td><td>0.85</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>89.66</td><td>29.98</td><td>43.50</td><td>-13.52</td><td>46.14</td><td>14.63</td><td>1.28</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>172.23</td><td>24.24</td><td>43.50</td><td>-19.26</td><td>39.17</td><td>15.29</td><td>1.83</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>281.59</td><td>27.73</td><td>46.00</td><td>-18.27</td><td>38.49</td><td>18.95</td><td>2.36</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>565.68</td><td>26.00</td><td>46.00</td><td>-20.00</td><td>28.76</td><td>26.20</td><td>3.35</td><td>32.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	34.24	30.48	40.00	-9.52	39.14	22.85	0.53	32.04	0.00	---	---	Peak	2	57.28	32.02	40.00	-7.98	51.01	12.22	0.85	32.06	0.00	---	---	Peak	3	89.66	29.98	43.50	-13.52	46.14	14.63	1.28	32.07	0.00	---	---	Peak	4	172.23	24.24	43.50	-19.26	39.17	15.29	1.83	32.05	0.00	---	---	Peak	5	281.59	27.73	46.00	-18.27	38.49	18.95	2.36	32.07	0.00	---	---	Peak	6	565.68	26.00	46.00	-20.00	28.76	26.20	3.35	32.31	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	30.00	22.47	40.00	-17.53	29.21	24.86	0.47	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
2	107.24	24.58	43.50	-18.92	38.35	16.81	1.45	32.03	0.00	---	---	Peak																																																																																																																																																																																																																				
3	132.70	24.66	43.50	-18.84	37.51	17.58	1.60	32.03	0.00	---	---	Peak																																																																																																																																																																																																																				
4	200.48	27.24	43.50	-16.26	42.38	14.94	1.99	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
5	300.87	26.85	46.00	-19.15	37.17	19.32	2.44	32.08	0.00	---	---	Peak																																																																																																																																																																																																																				
6	567.26	27.13	46.00	-18.87	29.90	26.19	3.35	32.31	0.00	---	---	Peak																																																																																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	34.24	30.48	40.00	-9.52	39.14	22.85	0.53	32.04	0.00	---	---	Peak																																																																																																																																																																																																																				
2	57.28	32.02	40.00	-7.98	51.01	12.22	0.85	32.06	0.00	---	---	Peak																																																																																																																																																																																																																				
3	89.66	29.98	43.50	-13.52	46.14	14.63	1.28	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
4	172.23	24.24	43.50	-19.26	39.17	15.29	1.83	32.05	0.00	---	---	Peak																																																																																																																																																																																																																				
5	281.59	27.73	46.00	-18.27	38.49	18.95	2.36	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
6	565.68	26.00	46.00	-20.00	28.76	26.20	3.35	32.31	0.00	---	---	Peak																																																																																																																																																																																																																				



Mode	19																																																																			
	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.92</td> <td>58.94</td> <td>-15.06</td> <td>46.90</td> <td>34.21</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>105</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5149.92	58.94	-15.06	46.90	34.21	9.95	32.12	0.00	105	268	PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>98.81</td> <td>-----</td> <td>86.59</td> <td>34.30</td> <td>10.02</td> <td>32.10</td> <td>0.00</td> <td>105</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5190.00	98.81	-----	86.59	34.30	10.02	32.10	0.00	105	268	PEAK
	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5149.92	58.94	-15.06	46.90	34.21	9.95	32.12	0.00	105	268	PEAK																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5190.00	98.81	-----	86.59	34.30	10.02	32.10	0.00	105	268	PEAK																																																										
Avg	 <table border="1" data-bbox="263 1836 774 1971"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.92</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>34.56</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>105</td> <td>268 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5149.92	46.59	54.00	-7.41	34.56	34.20	9.95	32.12	0.00	105	268 AVERAGE	 <table border="1" data-bbox="901 1836 1412 1971"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>90.19</td> <td>-----</td> <td>77.97</td> <td>34.30</td> <td>10.02</td> <td>32.10</td> <td>0.00</td> <td>105</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5190.00	90.19	-----	77.97	34.30	10.02	32.10	0.00	105	268	AVERAGE
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5149.92	46.59	54.00	-7.41	34.56	34.20	9.95	32.12	0.00	105	268 AVERAGE																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5190.00	90.19	-----	77.97	34.30	10.02	32.10	0.00	105	268	AVERAGE																																																										



Mode	19																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5306.56</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>40.80</td> <td>34.60</td> <td>10.19</td> <td>32.07</td> <td>0.00</td> <td>105</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5306.56	53.52	74.00	-20.48	40.80	34.60	10.19	32.07	0.00	105	268	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5306.56	53.52	74.00	-20.48	40.80	34.60	10.19	32.07	0.00	105	268	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.89</td> <td>43.69</td> <td>54.00</td> <td>-10.31</td> <td>30.95</td> <td>34.60</td> <td>10.16</td> <td>32.02</td> <td>0.00</td> <td>105</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.89	43.69	54.00	-10.31	30.95	34.60	10.16	32.02	0.00	105	268	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.89	43.69	54.00	-10.31	30.95	34.60	10.16	32.02	0.00	105	268	AVERAGE																																	



Mode	19																																																																																							
	Band Edge - L																																																																																							
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.44</td> <td>56.91</td> <td>74.00</td> <td>-17.09</td> <td>44.88</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.44	56.91	74.00	-17.09	44.88	34.20	9.95	32.12	0.00	300	79 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>95.39</td> <td>-----</td> <td>-----</td> <td>83.19</td> <td>34.30</td> <td>10.01</td> <td>32.11</td> <td>0.00</td> <td>300</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	95.39	-----	-----	83.19	34.30	10.01	32.11	0.00	300	79 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.44	56.91	74.00	-17.09	44.88	34.20	9.95	32.12	0.00	300	79 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5190.00	95.39	-----	-----	83.19	34.30	10.01	32.11	0.00	300	79 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>45.63</td> <td>54.00</td> <td>-8.37</td> <td>33.60</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	45.63	54.00	-8.37	33.60	34.20	9.95	32.12	0.00	300	79 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>85.94</td> <td>-----</td> <td>-----</td> <td>73.72</td> <td>34.30</td> <td>10.02</td> <td>32.10</td> <td>0.00</td> <td>300</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	85.94	-----	-----	73.72	34.30	10.02	32.10	0.00	300	79 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.60	45.63	54.00	-8.37	33.60	34.20	9.95	32.12	0.00	300	79 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5190.00	85.94	-----	-----	73.72	34.30	10.02	32.10	0.00	300	79 AVERAGE																																																																													



Mode	19																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5403.57</td> <td>54.14</td> <td>74.00</td> <td>-19.86</td> <td>41.42</td> <td>34.61</td> <td>10.20</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.57	54.14	74.00	-19.86	41.42	34.61	10.20	32.09	0.00	300	79	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5403.57	54.14	74.00	-19.86	41.42	34.61	10.20	32.09	0.00	300	79	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.16</td> <td>43.79</td> <td>54.00</td> <td>-10.21</td> <td>30.93</td> <td>34.74</td> <td>10.23</td> <td>32.11</td> <td>0.00</td> <td>300</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.16	43.79	54.00	-10.21	30.93	34.74	10.23	32.11	0.00	300	79	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5435.16	43.79	54.00	-10.21	30.93	34.74	10.23	32.11	0.00	300	79	AVERAGE																																	



Mode	19																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																																										
ANT	6																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>44.53</td> <td>68.20</td> <td>-23.67</td> <td>59.86</td> <td>37.48</td> <td>14.25</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>47.54</td> <td>74.00</td> <td>-26.46</td> <td>54.75</td> <td>40.20</td> <td>17.66</td> <td>65.07</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>37.19</td> <td>54.00</td> <td>-16.81</td> <td>44.40</td> <td>40.20</td> <td>17.66</td> <td>65.07</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10380.00	44.53	68.20	-23.67	59.86	37.48	14.25	67.06	0.00	---	---	PEAK	2	15570.00	47.54	74.00	-26.46	54.75	40.20	17.66	65.07	0.00	100	0	PEAK	3	15570.00	37.19	54.00	-16.81	44.40	40.20	17.66	65.07	0.00	100	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>45.24</td> <td>68.20</td> <td>-22.96</td> <td>60.57</td> <td>37.48</td> <td>14.25</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>48.00</td> <td>74.00</td> <td>-26.00</td> <td>55.21</td> <td>40.20</td> <td>17.66</td> <td>65.07</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>37.25</td> <td>54.00</td> <td>-16.75</td> <td>44.45</td> <td>40.20</td> <td>17.66</td> <td>65.06</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10380.00	45.24	68.20	-22.96	60.57	37.48	14.25	67.06	0.00	---	---	PEAK	2	15570.00	48.00	74.00	-26.00	55.21	40.20	17.66	65.07	0.00	300	360	PEAK	3	15570.00	37.25	54.00	-16.75	44.45	40.20	17.66	65.06	0.00	300	360
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																			
1	10380.00	44.53	68.20	-23.67	59.86	37.48	14.25	67.06	0.00	---	---	PEAK																																																																																																																															
2	15570.00	47.54	74.00	-26.46	54.75	40.20	17.66	65.07	0.00	100	0	PEAK																																																																																																																															
3	15570.00	37.19	54.00	-16.81	44.40	40.20	17.66	65.07	0.00	100	0	AVERAGE																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																			
1	10380.00	45.24	68.20	-22.96	60.57	37.48	14.25	67.06	0.00	---	---	PEAK																																																																																																																															
2	15570.00	48.00	74.00	-26.00	55.21	40.20	17.66	65.07	0.00	300	360	PEAK																																																																																																																															
3	15570.00	37.25	54.00	-16.75	44.45	40.20	17.66	65.06	0.00	300	360	AVERAGE																																																																																																																															



Mode	20																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																																																																		
ANT	6																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>45.43</td> <td>68.20</td> <td>-22.77</td> <td>60.59</td> <td>37.62</td> <td>14.30</td> <td>67.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>47.01</td> <td>74.00</td> <td>-26.99</td> <td>54.04</td> <td>40.29</td> <td>17.71</td> <td>65.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	45.43	68.20	-22.77	60.59	37.62	14.30	67.08	0.00	---	---	PEAK	2	15690.00	47.01	74.00	-26.99	54.04	40.29	17.71	65.03	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>45.13</td> <td>68.20</td> <td>-23.07</td> <td>60.29</td> <td>37.62</td> <td>14.30</td> <td>67.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>46.04</td> <td>74.00</td> <td>-27.16</td> <td>53.87</td> <td>40.29</td> <td>17.71</td> <td>65.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	45.13	68.20	-23.07	60.29	37.62	14.30	67.08	0.00	---	---	PEAK	2	15690.00	46.04	74.00	-27.16	53.87	40.29	17.71	65.03	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	10460.00	45.43	68.20	-22.77	60.59	37.62	14.30	67.08	0.00	---	---	PEAK																																																																																																							
2	15690.00	47.01	74.00	-26.99	54.04	40.29	17.71	65.03	0.00	---	---	PEAK																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	10460.00	45.13	68.20	-23.07	60.29	37.62	14.30	67.08	0.00	---	---	PEAK																																																																																																							
2	15690.00	46.04	74.00	-27.16	53.87	40.29	17.71	65.03	0.00	---	---	PEAK																																																																																																							



Mode	21																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																																
ANT	6																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>45.70</td> <td>68.20</td> <td>-22.50</td> <td>60.65</td> <td>37.78</td> <td>14.34</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>54.04</td> <td>74.00</td> <td>-19.96</td> <td>60.63</td> <td>40.62</td> <td>17.77</td> <td>64.98</td> <td>0.00</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>43.47</td> <td>54.00</td> <td>-10.53</td> <td>50.07</td> <td>40.62</td> <td>17.77</td> <td>64.99</td> <td>0.00</td> <td>100</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	45.70	68.20	-22.50	60.65	37.78	14.34	67.07	0.00	---	---	PEAK	2	15810.00	54.04	74.00	-19.96	60.63	40.62	17.77	64.98	0.00	100	226	PEAK	3	15810.00	43.47	54.00	-10.53	50.07	40.62	17.77	64.99	0.00	100	226	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>45.94</td> <td>68.20</td> <td>-22.26</td> <td>60.89</td> <td>37.78</td> <td>14.34</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>47.83</td> <td>74.00</td> <td>-26.17</td> <td>54.42</td> <td>40.62</td> <td>17.77</td> <td>64.98</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	45.94	68.20	-22.26	60.89	37.78	14.34	67.07	0.00	---	---	PEAK	2	15810.00	47.83	74.00	-26.17	54.42	40.62	17.77	64.98	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10540.00	45.70	68.20	-22.50	60.65	37.78	14.34	67.07	0.00	---	---	PEAK																																																																																																																					
2	15810.00	54.04	74.00	-19.96	60.63	40.62	17.77	64.98	0.00	100	226	PEAK																																																																																																																					
3	15810.00	43.47	54.00	-10.53	50.07	40.62	17.77	64.99	0.00	100	226	AVERAGE																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10540.00	45.94	68.20	-22.26	60.89	37.78	14.34	67.07	0.00	---	---	PEAK																																																																																																																					
2	15810.00	47.83	74.00	-26.17	54.42	40.62	17.77	64.98	0.00	---	---	PEAK																																																																																																																					



Mode	22																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5121.92</td> <td>56.35</td> <td>74.00</td> <td>-17.65</td> <td>44.29</td> <td>34.26</td> <td>9.92</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5121.92	56.35	74.00	-17.65	44.29	34.26	9.92	32.12	0.00	100	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.57</td> <td>-----</td> <td>-----</td> <td>84.95</td> <td>34.46</td> <td>10.12</td> <td>31.96</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	97.57	-----	-----	84.95	34.46	10.12	31.96	0.00	100	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5121.92	56.35	74.00	-17.65	44.29	34.26	9.92	32.12	0.00	100	268	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	97.57	-----	-----	84.95	34.46	10.12	31.96	0.00	100	268	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.32</td> <td>45.12</td> <td>54.00</td> <td>-8.88</td> <td>33.05</td> <td>34.28</td> <td>9.91</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5112.32	45.12	54.00	-8.88	33.05	34.28	9.91	32.12	0.00	100	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>88.49</td> <td>-----</td> <td>-----</td> <td>75.95</td> <td>34.39</td> <td>10.10</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	88.49	-----	-----	75.95	34.39	10.10	31.95	0.00	100	268	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5112.32	45.12	54.00	-8.88	33.05	34.28	9.91	32.12	0.00	100	268	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	88.49	-----	-----	75.95	34.39	10.10	31.95	0.00	100	268	AVERAGE																																																																														



Mode	22																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																													
ANT	6																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>58.73</td> <td>74.00</td> <td>-15.27</td> <td>45.99</td> <td>34.60</td> <td>10.15</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	58.73	74.00	-15.27	45.99	34.60	10.15	32.01	0.00	100	268	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.00	58.73	74.00	-15.27	45.99	34.60	10.15	32.01	0.00	100	268	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>46.21</td> <td>54.00</td> <td>-7.79</td> <td>33.48</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	46.21	54.00	-7.79	33.48	34.60	10.15	32.02	0.00	100	268	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.20	46.21	54.00	-7.79	33.48	34.60	10.15	32.02	0.00	100	268	AVERAGE																																		



Mode	22																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.52</td> <td>54.65</td> <td>74.00</td> <td>-19.35</td> <td>42.59</td> <td>34.26</td> <td>9.92</td> <td>32.12</td> <td>0.00</td> <td>290</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5119.52	54.65	74.00	-19.35	42.59	34.26	9.92	32.12	0.00	290	79 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>94.81</td> <td>-----</td> <td>-----</td> <td>82.16</td> <td>34.50</td> <td>10.13</td> <td>31.98</td> <td>0.00</td> <td>290</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	94.81	-----	-----	82.16	34.50	10.13	31.98	0.00	290	79 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5119.52	54.65	74.00	-19.35	42.59	34.26	9.92	32.12	0.00	290	79 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5310.00	94.81	-----	-----	82.16	34.50	10.13	31.98	0.00	290	79 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.28</td> <td>44.89</td> <td>54.00</td> <td>-9.11</td> <td>32.81</td> <td>34.30</td> <td>9.90</td> <td>32.12</td> <td>0.00</td> <td>290</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5101.28	44.89	54.00	-9.11	32.81	34.30	9.90	32.12	0.00	290	79 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>84.26</td> <td>-----</td> <td>-----</td> <td>71.63</td> <td>34.48</td> <td>10.12</td> <td>31.97</td> <td>0.00</td> <td>290</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	84.26	-----	-----	71.63	34.48	10.12	31.97	0.00	290	79 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5101.28	44.89	54.00	-9.11	32.81	34.30	9.90	32.12	0.00	290	79 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5310.00	84.26	-----	-----	71.63	34.48	10.12	31.97	0.00	290	79 AVERAGE																																																																													



Mode	22																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.90</td> <td>54.69</td> <td>74.00</td> <td>-19.31</td> <td>41.96</td> <td>34.60</td> <td>10.16</td> <td>32.03</td> <td>0.00</td> <td>290</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.90	54.69	74.00	-19.31	41.96	34.60	10.16	32.03	0.00	290	79 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5358.90	54.69	74.00	-19.31	41.96	34.60	10.16	32.03	0.00	290	79 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.00</td> <td>45.56</td> <td>54.00</td> <td>-8.44</td> <td>32.82</td> <td>34.60</td> <td>10.15</td> <td>32.01</td> <td>0.00</td> <td>290</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.00	45.56	54.00	-8.44	32.82	34.60	10.15	32.01	0.00	290	79 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5358.00	45.56	54.00	-8.44	32.82	34.60	10.15	32.01	0.00	290	79 AVERAGE																																		



Mode	22																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																																													
ANT	6																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>46.54</td> <td>74.00</td> <td>-27.46</td> <td>61.29</td> <td>37.90</td> <td>14.39</td> <td>67.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>54.30</td> <td>74.00</td> <td>-19.70</td> <td>60.59</td> <td>40.83</td> <td>17.82</td> <td>64.94</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15930.00</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>50.88</td> <td>40.84</td> <td>17.82</td> <td>64.94</td> <td>0.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	46.54	74.00	-27.46	61.29	37.90	14.39	67.04	0.00	---	---	PEAK	2	15930.00	54.30	74.00	-19.70	60.59	40.83	17.82	64.94	0.00	100	224	PEAK	3	15930.00	44.60	54.00	-9.40	50.88	40.84	17.82	64.94	0.00	100	224	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>46.21</td> <td>74.00</td> <td>-27.79</td> <td>60.96</td> <td>37.90</td> <td>14.39</td> <td>67.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>51.67</td> <td>74.00</td> <td>-22.33</td> <td>57.96</td> <td>40.83</td> <td>17.82</td> <td>64.94</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15930.00</td> <td>41.57</td> <td>54.00</td> <td>-12.43</td> <td>47.85</td> <td>40.84</td> <td>17.82</td> <td>64.94</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	46.21	74.00	-27.79	60.96	37.90	14.39	67.04	0.00	---	---	PEAK	2	15930.00	51.67	74.00	-22.33	57.96	40.83	17.82	64.94	0.00	100	115	PEAK	3	15930.00	41.57	54.00	-12.43	47.85	40.84	17.82	64.94	0.00	100	115	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10620.00	46.54	74.00	-27.46	61.29	37.90	14.39	67.04	0.00	---	---	PEAK																																																																																																																																		
2	15930.00	54.30	74.00	-19.70	60.59	40.83	17.82	64.94	0.00	100	224	PEAK																																																																																																																																		
3	15930.00	44.60	54.00	-9.40	50.88	40.84	17.82	64.94	0.00	100	224	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10620.00	46.21	74.00	-27.79	60.96	37.90	14.39	67.04	0.00	---	---	PEAK																																																																																																																																		
2	15930.00	51.67	74.00	-22.33	57.96	40.83	17.82	64.94	0.00	100	115	PEAK																																																																																																																																		
3	15930.00	41.57	54.00	-12.43	47.85	40.84	17.82	64.94	0.00	100	115	AVERAGE																																																																																																																																		



Mode	23																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.24</td> <td>53.56</td> <td>74.00</td> <td>-20.44</td> <td>40.83</td> <td>34.60</td> <td>10.18</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.12</td> <td>54.66</td> <td>68.20</td> <td>-13.54</td> <td>41.75</td> <td>34.77</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.24	53.56	74.00	-20.44	40.83	34.60	10.18	32.05	0.00	100	302	PEAK	2	5467.12	54.66	68.20	-13.54	41.75	34.77	10.26	32.12	0.00	100	302	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>93.97</td> <td>-----</td> <td>-----</td> <td>81.12</td> <td>34.70</td> <td>10.29</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.97	-----	-----	81.12	34.70	10.29	32.14	0.00	100	302	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5376.24	53.56	74.00	-20.44	40.83	34.60	10.18	32.05	0.00	100	302	PEAK																																																																																									
2	5467.12	54.66	68.20	-13.54	41.75	34.77	10.26	32.12	0.00	100	302	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	93.97	-----	-----	81.12	34.70	10.29	32.14	0.00	100	302	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.95</td> <td>54.00</td> <td>-10.05</td> <td>31.04</td> <td>34.78</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.95	54.00	-10.05	31.04	34.78	10.25	32.12	0.00	100	302	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>84.56</td> <td>-----</td> <td>-----</td> <td>71.70</td> <td>34.70</td> <td>10.31</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	84.56	-----	-----	71.70	34.70	10.31	32.15	0.00	100	302	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.92	43.95	54.00	-10.05	31.04	34.78	10.25	32.12	0.00	100	302	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	84.56	-----	-----	71.70	34.70	10.31	32.15	0.00	100	302	AVERAGE																																																																																									



Mode	23																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5754.36</td> <td>54.66</td> <td>68.20</td> <td>-13.54</td> <td>41.84</td> <td>34.52</td> <td>10.52</td> <td>32.22</td> <td>0.00</td> <td>100</td> <td>302 PEAK</td> </tr> </tbody> </table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5754.36	54.66	68.20	-13.54	41.84	34.52	10.52	32.22	0.00	100	302 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5754.36	54.66	68.20	-13.54	41.84	34.52	10.52	32.22	0.00	100	302 PEAK																																		



	23																																																																																														
Mode	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																														
ANT	6																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.72</td> <td>53.94</td> <td>74.00</td> <td>-20.06</td> <td>41.23</td> <td>34.60</td> <td>10.20</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>53.89</td> <td>68.20</td> <td>-14.31</td> <td>40.99</td> <td>34.76</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5396.72	53.94	74.00	-20.06	41.23	34.60	10.20	32.09	0.00	300	77	PEAK	2	5470.00	53.89	68.20	-14.31	40.99	34.76	10.26	32.12	0.00	300	77	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>89.77</td> <td>-----</td> <td>-----</td> <td>76.91</td> <td>34.70</td> <td>10.31</td> <td>32.15</td> <td>0.00</td> <td>300</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	89.77	-----	-----	76.91	34.70	10.31	32.15	0.00	300	77	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5396.72	53.94	74.00	-20.06	41.23	34.60	10.20	32.09	0.00	300	77	PEAK																																																																																			
2	5470.00	53.89	68.20	-14.31	40.99	34.76	10.26	32.12	0.00	300	77	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	89.77	-----	-----	76.91	34.70	10.31	32.15	0.00	300	77	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>43.66</td> <td>54.00</td> <td>-10.34</td> <td>30.75</td> <td>34.78</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.12	43.66	54.00	-10.34	30.75	34.78	10.25	32.12	0.00	300	77	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>82.98</td> <td>-----</td> <td>-----</td> <td>70.13</td> <td>34.70</td> <td>10.29</td> <td>32.14</td> <td>0.00</td> <td>300</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5510.00	82.98	-----	-----	70.13	34.70	10.29	32.14	0.00	300	77	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5459.12	43.66	54.00	-10.34	30.75	34.78	10.25	32.12	0.00	300	77	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5510.00	82.98	-----	-----	70.13	34.70	10.29	32.14	0.00	300	77	AVERAGE																																																																																			



Mode	23																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.32</td> <td>55.13</td> <td>68.20</td> <td>-13.07</td> <td>42.32</td> <td>34.50</td> <td>10.50</td> <td>32.19</td> <td>0.00</td> <td>300</td> <td>77 PEAK</td> </tr> </tbody> </table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5735.32	55.13	68.20	-13.07	42.32	34.50	10.50	32.19	0.00	300	77 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5735.32	55.13	68.20	-13.07	42.32	34.50	10.50	32.19	0.00	300	77 PEAK																																		



Mode	23																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																																
ANT	6																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>45.22</td> <td>74.00</td> <td>-28.78</td> <td>59.59</td> <td>37.90</td> <td>14.62</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>54.94</td> <td>68.20</td> <td>-13.26</td> <td>61.02</td> <td>41.44</td> <td>18.29</td> <td>65.81</td> <td>0.00</td> <td>100</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.22	74.00	-28.78	59.59	37.90	14.62	66.89	0.00	---	---	PEAK	2	16530.00	54.94	68.20	-13.26	61.02	41.44	18.29	65.81	0.00	100	257	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>49.90</td> <td>74.00</td> <td>-24.10</td> <td>64.27</td> <td>37.90</td> <td>14.62</td> <td>66.89</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>41.95</td> <td>54.00</td> <td>-12.05</td> <td>56.32</td> <td>37.90</td> <td>14.62</td> <td>66.89</td> <td>0.00</td> <td>100</td> <td>117</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>49.46</td> <td>68.20</td> <td>-18.74</td> <td>55.62</td> <td>41.42</td> <td>18.27</td> <td>65.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	49.90	74.00	-24.10	64.27	37.90	14.62	66.89	0.00	100	117	PEAK	2	11020.00	41.95	54.00	-12.05	56.32	37.90	14.62	66.89	0.00	100	117	AVERAGE	3	16530.00	49.46	68.20	-18.74	55.62	41.42	18.27	65.85	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11020.00	45.22	74.00	-28.78	59.59	37.90	14.62	66.89	0.00	---	---	PEAK																																																																																																																					
2	16530.00	54.94	68.20	-13.26	61.02	41.44	18.29	65.81	0.00	100	257	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11020.00	49.90	74.00	-24.10	64.27	37.90	14.62	66.89	0.00	100	117	PEAK																																																																																																																					
2	11020.00	41.95	54.00	-12.05	56.32	37.90	14.62	66.89	0.00	100	117	AVERAGE																																																																																																																					
3	16530.00	49.46	68.20	-18.74	55.62	41.42	18.27	65.85	0.00	---	---	PEAK																																																																																																																					



Mode	24																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> </tr> <tr> <td>1</td> <td>11100.00</td> <td>44.86</td> <td>74.00</td> <td>-29.14</td> <td>59.12</td> <td>37.90</td> <td>14.69</td> <td>66.85</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>43.45</td> <td>54.00</td> <td>-10.55</td> <td>57.71</td> <td>37.90</td> <td>14.69</td> <td>66.85</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>55.35</td> <td>68.20</td> <td>-12.85</td> <td>60.94</td> <td>41.50</td> <td>18.39</td> <td>65.48</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11100.00	44.86	74.00	-29.14	59.12	37.90	14.69	66.85	2	11100.00	43.45	54.00	-10.55	57.71	37.90	14.69	66.85	3	16650.00	55.35	68.20	-12.85	60.94	41.50	18.39	65.48	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>cm</td> </tr> <tr> <td>1</td> <td>11100.00</td> <td>52.27</td> <td>74.00</td> <td>-21.73</td> <td>66.53</td> <td>37.90</td> <td>14.69</td> <td>66.85</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>43.45</td> <td>54.00</td> <td>-10.55</td> <td>57.71</td> <td>37.90</td> <td>14.69</td> <td>66.85</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>51.44</td> <td>68.20</td> <td>-16.76</td> <td>57.06</td> <td>41.50</td> <td>18.38</td> <td>65.50</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11100.00	52.27	74.00	-21.73	66.53	37.90	14.69	66.85	2	11100.00	43.45	54.00	-10.55	57.71	37.90	14.69	66.85	3	16650.00	51.44	68.20	-16.76	57.06	41.50	18.38	65.50
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1	11100.00	44.86	74.00	-29.14	59.12	37.90	14.69	66.85																																																																																																						
2	11100.00	43.45	54.00	-10.55	57.71	37.90	14.69	66.85																																																																																																						
3	16650.00	55.35	68.20	-12.85	60.94	41.50	18.39	65.48																																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1	11100.00	52.27	74.00	-21.73	66.53	37.90	14.69	66.85																																																																																																						
2	11100.00	43.45	54.00	-10.55	57.71	37.90	14.69	66.85																																																																																																						
3	16650.00	51.44	68.20	-16.76	57.06	41.50	18.38	65.50																																																																																																						







Mode	25																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																														
ANT	6																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.08</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>42.52</td> <td>34.60</td> <td>10.18</td> <td>32.07</td> <td>0.00</td> <td>112</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5478.00</td> <td>52.45</td> <td>68.20</td> <td>-15.75</td> <td>39.55</td> <td>34.76</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>112</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5384.08	55.23	74.00	-18.77	42.52	34.60	10.18	32.07	0.00	112	268	PEAK	2	5478.00	52.45	68.20	-15.75	39.55	34.76	10.26	32.12	0.00	112	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.34</td> <td>-----</td> <td>-----</td> <td>85.49</td> <td>34.54</td> <td>10.45</td> <td>32.14</td> <td>0.00</td> <td>112</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5670.00	98.34	-----	-----	85.49	34.54	10.45	32.14	0.00	112	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5384.08	55.23	74.00	-18.77	42.52	34.60	10.18	32.07	0.00	112	268	PEAK																																																																																			
2	5478.00	52.45	68.20	-15.75	39.55	34.76	10.26	32.12	0.00	112	268	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5670.00	98.34	-----	-----	85.49	34.54	10.45	32.14	0.00	112	268	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.12</td> <td>43.93</td> <td>54.00</td> <td>-10.07</td> <td>31.19</td> <td>34.60</td> <td>10.16</td> <td>32.02</td> <td>0.00</td> <td>112</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5355.12	43.93	54.00	-10.07	31.19	34.60	10.16	32.02	0.00	112	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>88.56</td> <td>-----</td> <td>-----</td> <td>75.71</td> <td>34.53</td> <td>10.46</td> <td>32.14</td> <td>0.00</td> <td>112</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5670.00	88.56	-----	-----	75.71	34.53	10.46	32.14	0.00	112	268	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5355.12	43.93	54.00	-10.07	31.19	34.60	10.16	32.02	0.00	112	268	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5670.00	88.56	-----	-----	75.71	34.53	10.46	32.14	0.00	112	268	AVERAGE																																																																																			



Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																													
ANT	6																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.88</td> <td>55.36</td> <td>68.20</td> <td>-12.84</td> <td>42.55</td> <td>34.50</td> <td>10.50</td> <td>32.19</td> <td>0.00</td> <td>112</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5735.88	55.36	68.20	-12.84	42.55	34.50	10.50	32.19	0.00	112	268	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5735.88	55.36	68.20	-12.84	42.55	34.50	10.50	32.19	0.00	112	268	PEAK																																		



Mode	25																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	 <table border="1" data-bbox="263 1131 774 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.40</td> <td>53.01</td> <td>74.00</td> <td>-20.99</td> <td>40.28</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>103</td> <td>326</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.00</td> <td>52.87</td> <td>68.20</td> <td>-15.33</td> <td>39.95</td> <td>34.78</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>103</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.40	53.01	74.00	-20.99	40.28	34.60	10.15	32.02	0.00	103	326	PEAK	2	5462.00	52.87	68.20	-15.33	39.95	34.78	10.26	32.12	0.00	103	326	PEAK	 <table border="1" data-bbox="901 1131 1412 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>91.49</td> <td>-----</td> <td>-----</td> <td>78.64</td> <td>34.53</td> <td>10.46</td> <td>32.14</td> <td>0.00</td> <td>103</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	91.49	-----	-----	78.64	34.53	10.46	32.14	0.00	103	326	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5352.40	53.01	74.00	-20.99	40.28	34.60	10.15	32.02	0.00	103	326	PEAK																																																																																										
2	5462.00	52.87	68.20	-15.33	39.95	34.78	10.26	32.12	0.00	103	326	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5670.00	91.49	-----	-----	78.64	34.53	10.46	32.14	0.00	103	326	PEAK																																																																																										
Avg	 <table border="1" data-bbox="263 1814 774 1971"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.32</td> <td>43.84</td> <td>54.00</td> <td>-10.16</td> <td>30.92</td> <td>34.79</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>103</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.32	43.84	54.00	-10.16	30.92	34.79	10.25	32.12	0.00	103	326	AVERAGE	 <table border="1" data-bbox="901 1814 1412 1971"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>83.16</td> <td>-----</td> <td>-----</td> <td>70.31</td> <td>34.53</td> <td>10.46</td> <td>32.14</td> <td>0.00</td> <td>103</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	83.16	-----	-----	70.31	34.53	10.46	32.14	0.00	103	326	AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5454.32	43.84	54.00	-10.16	30.92	34.79	10.25	32.12	0.00	103	326	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5670.00	83.16	-----	-----	70.31	34.53	10.46	32.14	0.00	103	326	AVERAGE																																																																																										



Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																													
ANT	6																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5747.88</td> <td>55.29</td> <td>68.20</td> <td>-12.91</td> <td>42.49</td> <td>34.50</td> <td>10.51</td> <td>32.21</td> <td>0.00</td> <td>103</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5747.88	55.29	68.20	-12.91	42.49	34.50	10.51	32.21	0.00	103	326	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5747.88	55.29	68.20	-12.91	42.49	34.50	10.51	32.21	0.00	103	326	PEAK																																		



Mode	25																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>44.91</td> <td>74.00</td> <td>-29.09</td> <td>58.68</td> <td>38.04</td> <td>14.91</td> <td>66.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>48.85</td> <td>68.20</td> <td>-19.35</td> <td>53.35</td> <td>41.40</td> <td>18.67</td> <td>64.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11340.00	44.91	74.00	-29.09	58.68	38.04	14.91	66.72	0.00	---	---	PEAK	2	17010.00	48.85	68.20	-19.35	53.35	41.40	18.67	64.57	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>52.97</td> <td>74.00</td> <td>-21.03</td> <td>66.74</td> <td>38.04</td> <td>14.91</td> <td>66.72</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>44.72</td> <td>54.00</td> <td>-9.28</td> <td>58.49</td> <td>38.04</td> <td>14.91</td> <td>66.72</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>50.64</td> <td>68.20</td> <td>-17.56</td> <td>55.16</td> <td>41.41</td> <td>18.66</td> <td>64.59</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11340.00	52.97	74.00	-21.03	66.74	38.04	14.91	66.72	0.00	100	115	PEAK	2	11340.00	44.72	54.00	-9.28	58.49	38.04	14.91	66.72	0.00	100	115	AVERAGE	3	17010.00	50.64	68.20	-17.56	55.16	41.41	18.66	64.59	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11340.00	44.91	74.00	-29.09	58.68	38.04	14.91	66.72	0.00	---	---	PEAK																																																																																																													
2	17010.00	48.85	68.20	-19.35	53.35	41.40	18.67	64.57	0.00	---	---	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11340.00	52.97	74.00	-21.03	66.74	38.04	14.91	66.72	0.00	100	115	PEAK																																																																																																													
2	11340.00	44.72	54.00	-9.28	58.49	38.04	14.91	66.72	0.00	100	115	AVERAGE																																																																																																													
3	17010.00	50.64	68.20	-17.56	55.16	41.41	18.66	64.59	0.00	---	---	PEAK																																																																																																													







Mode	26																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.08</td> <td>60.29</td> <td>74.00</td> <td>-13.71</td> <td>48.24</td> <td>34.22</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>110</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.08	60.29	74.00	-13.71	48.24	34.22	9.95	32.12	0.00	110	271	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>95.03</td> <td>-----</td> <td>-----</td> <td>82.83</td> <td>34.30</td> <td>10.01</td> <td>32.11</td> <td>0.00</td> <td>110</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	95.03	-----	-----	82.83	34.30	10.01	32.11	0.00	110	271	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5142.08	60.29	74.00	-13.71	48.24	34.22	9.95	32.12	0.00	110	271	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	95.03	-----	-----	82.83	34.30	10.01	32.11	0.00	110	271	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>50.04</td> <td>54.00</td> <td>-3.96</td> <td>38.01</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>110</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	50.04	54.00	-3.96	38.01	34.20	9.95	32.12	0.00	110	271	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>86.37</td> <td>-----</td> <td>-----</td> <td>74.20</td> <td>34.28</td> <td>10.00</td> <td>32.11</td> <td>0.00</td> <td>110</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	86.37	-----	-----	74.20	34.28	10.00	32.11	0.00	110	271	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.60	50.04	54.00	-3.96	38.01	34.20	9.95	32.12	0.00	110	271	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	86.37	-----	-----	74.20	34.28	10.00	32.11	0.00	110	271	AVERAGE																																																																														



Mode	26																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.42</td> <td>54.46</td> <td>74.00</td> <td>-19.54</td> <td>41.75</td> <td>34.60</td> <td>10.19</td> <td>32.00</td> <td>0.00</td> <td>110</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.42	54.46	74.00	-19.54	41.75	34.60	10.19	32.00	0.00	110	271	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5394.42	54.46	74.00	-19.54	41.75	34.60	10.19	32.00	0.00	110	271	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.00</td> <td>44.39</td> <td>54.00</td> <td>-9.61</td> <td>31.65</td> <td>34.60</td> <td>10.16</td> <td>32.02</td> <td>0.00</td> <td>110</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.00	44.39	54.00	-9.61	31.65	34.60	10.16	32.02	0.00	110	271	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5355.00	44.39	54.00	-9.61	31.65	34.60	10.16	32.02	0.00	110	271	AVERAGE																																	



Mode	26																																																																			
	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																			
ANT	6																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5145.44</td> <td>58.56</td> <td>74.00</td> <td>-15.44</td> <td>46.52</td> <td>34.21</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>275</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5145.44	58.56	74.00	-15.44	46.52	34.21	9.95	32.12	0.00	275	72 PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>91.73</td> <td>-----</td> <td>79.56</td> <td>34.28</td> <td>10.00</td> <td>32.11</td> <td>0.00</td> <td>275</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5210.00	91.73	-----	79.56	34.28	10.00	32.11	0.00	275	72	PEAK
	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5145.44	58.56	74.00	-15.44	46.52	34.21	9.95	32.12	0.00	275	72 PEAK																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5210.00	91.73	-----	79.56	34.28	10.00	32.11	0.00	275	72	PEAK																																																										
Avg	 <table border="1" data-bbox="263 1836 774 1971"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.12</td> <td>47.79</td> <td>54.00</td> <td>-6.21</td> <td>35.76</td> <td>34.20</td> <td>9.95</td> <td>32.12</td> <td>0.00</td> <td>275</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5149.12	47.79	54.00	-6.21	35.76	34.20	9.95	32.12	0.00	275	72 AVERAGE	 <table border="1" data-bbox="901 1836 1412 1971"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>83.45</td> <td>-----</td> <td>71.28</td> <td>34.28</td> <td>10.00</td> <td>32.11</td> <td>0.00</td> <td>275</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5210.00	83.45	-----	71.28	34.28	10.00	32.11	0.00	275	72	AVERAGE
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5149.12	47.79	54.00	-6.21	35.76	34.20	9.95	32.12	0.00	275	72 AVERAGE																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5210.00	83.45	-----	71.28	34.28	10.00	32.11	0.00	275	72	AVERAGE																																																										



Mode	26																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																		
ANT	6																																		
Pol.	Vertical	Fundamental																																	
Peak	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5357.16</td> <td>53.50</td> <td>74.00</td> <td>-20.50</td> <td>40.77</td> <td>34.60</td> <td>10.16</td> <td>32.03</td> <td>0.00</td> <td>275</td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5357.16	53.50	74.00	-20.50	40.77	34.60	10.16	32.03	0.00	275	72 PEAK	Blank
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
1 5357.16	53.50	74.00	-20.50	40.77	34.60	10.16	32.03	0.00	275	72 PEAK																									
Avg	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5380.20</td> <td>44.39</td> <td>54.00</td> <td>-9.61</td> <td>31.67</td> <td>34.60</td> <td>10.18</td> <td>32.06</td> <td>0.00</td> <td>275</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5380.20	44.39	54.00	-9.61	31.67	34.60	10.18	32.06	0.00	275	72 AVERAGE	Blank
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
1 5380.20	44.39	54.00	-9.61	31.67	34.60	10.18	32.06	0.00	275	72 AVERAGE																									



Mode	26																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																											
ANT	6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>45.06</td> <td>68.20</td> <td>-23.14</td> <td>60.31</td> <td>37.54</td> <td>14.28</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>46.91</td> <td>74.00</td> <td>-27.09</td> <td>54.04</td> <td>40.23</td> <td>17.69</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10420.00	45.06	68.20	-23.14	60.31	37.54	14.28	67.07	0.00	---	---	PEAK	2	15630.00	46.91	74.00	-27.09	54.04	40.23	17.69	65.05	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>44.67</td> <td>68.20</td> <td>-23.53</td> <td>59.92</td> <td>37.54</td> <td>14.28</td> <td>67.07</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>46.43</td> <td>74.00</td> <td>-27.57</td> <td>53.56</td> <td>40.23</td> <td>17.69</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10420.00	44.67	68.20	-23.53	59.92	37.54	14.28	67.07	0.00	---	---	PEAK	2	15630.00	46.43	74.00	-27.57	53.56	40.23	17.69	65.05	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	10420.00	45.06	68.20	-23.14	60.31	37.54	14.28	67.07	0.00	---	---	PEAK																																																																																																
2	15630.00	46.91	74.00	-27.09	54.04	40.23	17.69	65.05	0.00	---	---	PEAK																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	10420.00	44.67	68.20	-23.53	59.92	37.54	14.28	67.07	0.00	---	---	PEAK																																																																																																
2	15630.00	46.43	74.00	-27.57	53.56	40.23	17.69	65.05	0.00	---	---	PEAK																																																																																																



Mode	27																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.04</td> <td>55.11</td> <td>74.00</td> <td>-18.89</td> <td>43.06</td> <td>34.24</td> <td>9.93</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5131.04	55.11	74.00	-18.89	43.06	34.24	9.93	32.12	0.00	100	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>81.66</td> <td>34.39</td> <td>10.10</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	94.20	-----	-----	81.66	34.39	10.10	31.95	0.00	100	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5131.04	55.11	74.00	-18.89	43.06	34.24	9.93	32.12	0.00	100	268	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	94.20	-----	-----	81.66	34.39	10.10	31.95	0.00	100	268	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.84</td> <td>45.35</td> <td>54.00</td> <td>-8.65</td> <td>33.31</td> <td>34.22</td> <td>9.94</td> <td>32.12</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5139.84	45.35	54.00	-8.65	33.31	34.22	9.94	32.12	0.00	100	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>85.90</td> <td>-----</td> <td>-----</td> <td>73.50</td> <td>34.33</td> <td>10.07</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	85.90	-----	-----	73.50	34.33	10.07	32.00	0.00	100	268	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5139.84	45.35	54.00	-8.65	33.31	34.22	9.94	32.12	0.00	100	268	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	85.90	-----	-----	73.50	34.33	10.07	32.00	0.00	100	268	AVERAGE																																																																														



Mode	27																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																													
ANT	6																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>57.63</td> <td>74.00</td> <td>-16.37</td> <td>44.90</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	57.63	74.00	-16.37	44.90	34.60	10.15	32.02	0.00	100	268	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.10	57.63	74.00	-16.37	44.90	34.60	10.15	32.02	0.00	100	268	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>47.17</td> <td>54.00</td> <td>-6.83</td> <td>34.44</td> <td>34.60</td> <td>10.15</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	47.17	54.00	-6.83	34.44	34.60	10.15	32.02	0.00	100	268	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.10	47.17	54.00	-6.83	34.44	34.60	10.15	32.02	0.00	100	268	AVERAGE																																		



Mode	27																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.36</td> <td>54.81</td> <td>74.00</td> <td>-19.19</td> <td>42.73</td> <td>34.29</td> <td>9.91</td> <td>32.12</td> <td>0.00</td> <td>278</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5107.36	54.81	74.00	-19.19	42.73	34.29	9.91	32.12	0.00	278	73 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>91.32</td> <td>-----</td> <td>-----</td> <td>78.92</td> <td>34.33</td> <td>10.07</td> <td>32.00</td> <td>0.00</td> <td>278</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	91.32	-----	-----	78.92	34.33	10.07	32.00	0.00	278	73 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5107.36	54.81	74.00	-19.19	42.73	34.29	9.91	32.12	0.00	278	73 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5290.00	91.32	-----	-----	78.92	34.33	10.07	32.00	0.00	278	73 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.16</td> <td>45.47</td> <td>54.00</td> <td>-8.53</td> <td>33.42</td> <td>34.24</td> <td>9.93</td> <td>32.12</td> <td>0.00</td> <td>278</td> <td>73 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5128.16	45.47	54.00	-8.53	33.42	34.24	9.93	32.12	0.00	278	73 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>82.30</td> <td>-----</td> <td>-----</td> <td>69.90</td> <td>34.33</td> <td>10.07</td> <td>32.00</td> <td>0.00</td> <td>278</td> <td>73 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	82.30	-----	-----	69.90	34.33	10.07	32.00	0.00	278	73 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5128.16	45.47	54.00	-8.53	33.42	34.24	9.93	32.12	0.00	278	73 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5290.00	82.30	-----	-----	69.90	34.33	10.07	32.00	0.00	278	73 AVERAGE																																																																													



Mode	27																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																										
ANT	6																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5364.50</td> <td>54.10</td> <td>74.00</td> <td>-19.90</td> <td>41.37</td> <td>34.60</td> <td>10.17</td> <td>32.04</td> <td>0.00</td> <td>278</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5364.50	54.10	74.00	-19.90	41.37	34.60	10.17	32.04	0.00	278	73 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5364.50	54.10	74.00	-19.90	41.37	34.60	10.17	32.04	0.00	278	73 PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.90</td> <td>45.18</td> <td>54.00</td> <td>-8.82</td> <td>32.44</td> <td>34.60</td> <td>10.16</td> <td>32.02</td> <td>0.00</td> <td>278</td> <td>73 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5354.90	45.18	54.00	-8.82	32.44	34.60	10.16	32.02	0.00	278	73 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5354.90	45.18	54.00	-8.82	32.44	34.60	10.16	32.02	0.00	278	73 AVERAGE																																	



Mode	27																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																														
ANT	6																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7783.20</td> <td>43.40</td> <td>68.20</td> <td>-24.80</td> <td>62.25</td> <td>35.00</td> <td>12.32</td> <td>66.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10580.00</td> <td>43.76</td> <td>68.20</td> <td>-24.44</td> <td>58.60</td> <td>37.86</td> <td>14.36</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>53.45</td> <td>40.74</td> <td>17.79</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7783.20	43.40	68.20	-24.80	62.25	35.00	12.32	66.97	0.00	---	---	PEAK	2	10580.00	43.76	68.20	-24.44	58.60	37.86	14.36	67.06	0.00	---	---	PEAK	3	15870.00	47.02	74.00	-26.98	53.45	40.74	17.79	64.96	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>44.59</td> <td>68.20</td> <td>-23.61</td> <td>59.43</td> <td>37.86</td> <td>14.36</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.09</td> <td>40.74</td> <td>17.79</td> <td>64.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10580.00	44.59	68.20	-23.61	59.43	37.86	14.36	67.06	0.00	---	---	PEAK	2	15870.00	46.66	74.00	-27.34	53.09	40.74	17.79	64.96	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																						
1	7783.20	43.40	68.20	-24.80	62.25	35.00	12.32	66.97	0.00	---	---	PEAK																																																																																																																			
2	10580.00	43.76	68.20	-24.44	58.60	37.86	14.36	67.06	0.00	---	---	PEAK																																																																																																																			
3	15870.00	47.02	74.00	-26.98	53.45	40.74	17.79	64.96	0.00	---	---	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																						
1	10580.00	44.59	68.20	-23.61	59.43	37.86	14.36	67.06	0.00	---	---	PEAK																																																																																																																			
2	15870.00	46.66	74.00	-27.34	53.09	40.74	17.79	64.96	0.00	---	---	PEAK																																																																																																																			



Mode	28																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.96</td> <td>56.09</td> <td>74.00</td> <td>-17.91</td> <td>43.16</td> <td>34.80</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>106</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.60</td> <td>57.05</td> <td>68.20</td> <td>-11.15</td> <td>44.15</td> <td>34.76</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>106</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.96	56.09	74.00	-17.91	43.16	34.80	10.25	32.12	0.00	106	311	PEAK	2	5467.60	57.05	68.20	-11.15	44.15	34.76	10.26	32.12	0.00	106	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>90.47</td> <td>-----</td> <td>-----</td> <td>77.61</td> <td>34.70</td> <td>10.30</td> <td>32.14</td> <td>0.00</td> <td>106</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	90.47	-----	-----	77.61	34.70	10.30	32.14	0.00	106	311	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5450.96	56.09	74.00	-17.91	43.16	34.80	10.25	32.12	0.00	106	311	PEAK																																																																																										
2	5467.60	57.05	68.20	-11.15	44.15	34.76	10.26	32.12	0.00	106	311	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5530.00	90.47	-----	-----	77.61	34.70	10.30	32.14	0.00	106	311	PEAK																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>47.35</td> <td>54.00</td> <td>-6.65</td> <td>34.44</td> <td>34.78</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>106</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.80	47.35	54.00	-6.65	34.44	34.78	10.25	32.12	0.00	106	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>82.07</td> <td>-----</td> <td>-----</td> <td>69.21</td> <td>34.70</td> <td>10.30</td> <td>32.14</td> <td>0.00</td> <td>106</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	82.07	-----	-----	69.21	34.70	10.30	32.14	0.00	106	311	AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5458.80	47.35	54.00	-6.65	34.44	34.78	10.25	32.12	0.00	106	311	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5530.00	82.07	-----	-----	69.21	34.70	10.30	32.14	0.00	106	311	AVERAGE																																																																																										



Mode	28																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5750.20</td> <td>54.99</td> <td>68.20</td> <td>-13.21</td> <td>42.18</td> <td>34.50</td> <td>10.52</td> <td>32.21</td> <td>0.00</td> <td>106</td> <td>311 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5750.20	54.99	68.20	-13.21	42.18	34.50	10.52	32.21	0.00	106	311 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5750.20	54.99	68.20	-13.21	42.18	34.50	10.52	32.21	0.00	106	311 PEAK																																		



		28																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>54.58</td> <td>74.00</td> <td>-19.42</td> <td>41.67</td> <td>34.78</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.00</td> <td>55.52</td> <td>68.20</td> <td>-12.68</td> <td>42.61</td> <td>34.77</td> <td>10.26</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	54.58	74.00	-19.42	41.67	34.78	10.25	32.12	0.00	300	76	PEAK	2	5462.00	55.52	68.20	-12.68	42.61	34.77	10.26	32.12	0.00	300	76	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.56</td> <td>-----</td> <td>-----</td> <td>74.70</td> <td>34.70</td> <td>10.30</td> <td>32.14</td> <td>0.00</td> <td>300</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.56	-----	-----	74.70	34.70	10.30	32.14	0.00	300	76	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.76	54.58	74.00	-19.42	41.67	34.78	10.25	32.12	0.00	300	76	PEAK																																																																																									
2	5462.00	55.52	68.20	-12.68	42.61	34.77	10.26	32.12	0.00	300	76	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	87.56	-----	-----	74.70	34.70	10.30	32.14	0.00	300	76	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>46.02</td> <td>54.00</td> <td>-7.98</td> <td>33.11</td> <td>34.78</td> <td>10.25</td> <td>32.12</td> <td>0.00</td> <td>300</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.02	54.00	-7.98	33.11	34.78	10.25	32.12	0.00	300	76	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>79.17</td> <td>-----</td> <td>-----</td> <td>66.32</td> <td>34.70</td> <td>10.29</td> <td>32.14</td> <td>0.00</td> <td>300</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	79.17	-----	-----	66.32	34.70	10.29	32.14	0.00	300	76	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.92	46.02	54.00	-7.98	33.11	34.78	10.25	32.12	0.00	300	76	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	79.17	-----	-----	66.32	34.70	10.29	32.14	0.00	300	76	AVERAGE																																																																																									



Mode	28																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5758.68</td> <td>55.61</td> <td>68.20</td> <td>-12.59</td> <td>42.78</td> <td>34.53</td> <td>10.52</td> <td>32.22</td> <td>0.00</td> <td>300</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5758.68	55.61	68.20	-12.59	42.78	34.53	10.52	32.22	0.00	300	76 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5758.68	55.61	68.20	-12.59	42.78	34.53	10.52	32.22	0.00	300	76 PEAK																																		



Mode	28																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																											
ANT	6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>44.44</td> <td>74.00</td> <td>-29.56</td> <td>58.76</td> <td>37.90</td> <td>14.65</td> <td>66.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>46.39</td> <td>68.20</td> <td>-21.81</td> <td>52.15</td> <td>41.50</td> <td>18.35</td> <td>65.61</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11060.00	44.44	74.00	-29.56	58.76	37.90	14.65	66.87	0.00	---	---	PEAK	2	16590.00	46.39	68.20	-21.81	52.15	41.50	18.35	65.61	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>44.44</td> <td>74.00</td> <td>-29.56</td> <td>58.76</td> <td>37.90</td> <td>14.65</td> <td>66.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>46.15</td> <td>68.20</td> <td>-22.05</td> <td>52.09</td> <td>41.47</td> <td>18.31</td> <td>65.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11060.00	44.44	74.00	-29.56	58.76	37.90	14.65	66.87	0.00	---	---	PEAK	2	16590.00	46.15	68.20	-22.05	52.09	41.47	18.31	65.72	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11060.00	44.44	74.00	-29.56	58.76	37.90	14.65	66.87	0.00	---	---	PEAK																																																																																																
2	16590.00	46.39	68.20	-21.81	52.15	41.50	18.35	65.61	0.00	---	---	PEAK																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11060.00	44.44	74.00	-29.56	58.76	37.90	14.65	66.87	0.00	---	---	PEAK																																																																																																
2	16590.00	46.15	68.20	-22.05	52.09	41.47	18.31	65.72	0.00	---	---	PEAK																																																																																																



Mode	30																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																
ANT	6																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.60</td> <td>53.71</td> <td>68.20</td> <td>-14.49</td> <td>40.85</td> <td>34.60</td> <td>10.42</td> <td>32.16</td> <td>0.00</td> <td>109</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>51.00</td> <td>68.20</td> <td>-16.40</td> <td>38.92</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>109</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>60.25</td> <td>110.68</td> <td>-50.43</td> <td>47.42</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>109</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.80</td> <td>63.27</td> <td>112.72</td> <td>-49.45</td> <td>50.44</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>109</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	53.71	68.20	-14.49	40.85	34.60	10.42	32.16	0.00	109	267	PEAK	2	5650.00	51.00	68.20	-16.40	38.92	34.60	10.43	32.15	0.00	109	267	PEAK	3	5719.20	60.25	110.68	-50.43	47.42	34.50	10.49	32.16	0.00	109	267	PEAK	4	5720.80	63.27	112.72	-49.45	50.44	34.50	10.49	32.16	0.00	109	267	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.61</td> <td>-----</td> <td>-----</td> <td>90.80</td> <td>34.50</td> <td>10.51</td> <td>32.20</td> <td>0.00</td> <td>109</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.61	-----	-----	90.80	34.50	10.51	32.20	0.00	109	267	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5649.60	53.71	68.20	-14.49	40.85	34.60	10.42	32.16	0.00	109	267	PEAK																																																																																																																					
2	5650.00	51.00	68.20	-16.40	38.92	34.60	10.43	32.15	0.00	109	267	PEAK																																																																																																																					
3	5719.20	60.25	110.68	-50.43	47.42	34.50	10.49	32.16	0.00	109	267	PEAK																																																																																																																					
4	5720.80	63.27	112.72	-49.45	50.44	34.50	10.49	32.16	0.00	109	267	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	103.61	-----	-----	90.80	34.50	10.51	32.20	0.00	109	267	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.00</td> <td>-----</td> <td>-----</td> <td>82.27</td> <td>34.50</td> <td>10.51</td> <td>32.20</td> <td>0.00</td> <td>109</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.00	-----	-----	82.27	34.50	10.51	32.20	0.00	109	267	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	95.00	-----	-----	82.27	34.50	10.51	32.20	0.00	109	267	AVERAGE																																																																																																																					



Mode	30																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.40</td> <td>53.85</td> <td>68.20</td> <td>-14.35</td> <td>41.02</td> <td>34.60</td> <td>10.40</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>313 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>50.88</td> <td>68.50</td> <td>-17.62</td> <td>38.00</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>313 PEAK</td> </tr> <tr> <td>3</td> <td>5717.60</td> <td>57.97</td> <td>110.23</td> <td>-52.26</td> <td>45.14</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>313 PEAK</td> </tr> <tr> <td>4</td> <td>5723.20</td> <td>64.41</td> <td>118.20</td> <td>-53.79</td> <td>51.59</td> <td>34.50</td> <td>10.49</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>313 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.40	53.85	68.20	-14.35	41.02	34.60	10.40	32.17	0.00	100	313 PEAK	2	5650.40	50.88	68.50	-17.62	38.00	34.60	10.43	32.15	0.00	100	313 PEAK	3	5717.60	57.97	110.23	-52.26	45.14	34.50	10.49	32.16	0.00	100	313 PEAK	4	5723.20	64.41	118.20	-53.79	51.59	34.50	10.49	32.17	0.00	100	313 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.40</td> <td>-----</td> <td>-----</td> <td>86.58</td> <td>34.50</td> <td>10.51</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>313 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.40	-----	-----	86.58	34.50	10.51	32.19	0.00	100	313 PEAK
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5626.40	53.85	68.20	-14.35	41.02	34.60	10.40	32.17	0.00	100	313 PEAK																																																																																																			
2	5650.40	50.88	68.50	-17.62	38.00	34.60	10.43	32.15	0.00	100	313 PEAK																																																																																																			
3	5717.60	57.97	110.23	-52.26	45.14	34.50	10.49	32.16	0.00	100	313 PEAK																																																																																																			
4	5723.20	64.41	118.20	-53.79	51.59	34.50	10.49	32.17	0.00	100	313 PEAK																																																																																																			
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5745.00	99.40	-----	-----	86.58	34.50	10.51	32.19	0.00	100	313 PEAK																																																																																																			
Avg	Blank																																																																																																													
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>89.55</td> <td>-----</td> <td>-----</td> <td>76.73</td> <td>34.50</td> <td>10.51</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>313 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	89.55	-----	-----	76.73	34.50	10.51	32.19	0.00	100	313 AVERAGE																																																																								
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5745.00	89.55	-----	-----	76.73	34.50	10.51	32.19	0.00	100	313 AVERAGE																																																																																																			



Mode	30																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>48.47</td> <td>74.00</td> <td>-25.53</td> <td>61.89</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>100</td> <td>33</td> <td>PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>39.76</td> <td>54.00</td> <td>-14.24</td> <td>53.18</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>100</td> <td>33</td> <td>AVERAGE</td> </tr> <tr> <td>3 17235.00</td> <td>61.13</td> <td>68.20</td> <td>-7.07</td> <td>66.33</td> <td>40.87</td> <td>18.00</td> <td>64.87</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	48.47	74.00	-25.53	61.89	38.19	15.04	66.65	0.00	100	33	PEAK	2 11490.00	39.76	54.00	-14.24	53.18	38.19	15.04	66.65	0.00	100	33	AVERAGE	3 17235.00	61.13	68.20	-7.07	66.33	40.87	18.00	64.87	0.00	100	259	PEAK	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>53.44</td> <td>74.00</td> <td>-20.56</td> <td>66.86</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>100</td> <td>113</td> <td>PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>44.06</td> <td>54.00</td> <td>-9.94</td> <td>57.48</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>100</td> <td>113</td> <td>AVERAGE</td> </tr> <tr> <td>3 17235.00</td> <td>55.30</td> <td>68.20</td> <td>-12.90</td> <td>60.51</td> <td>40.86</td> <td>18.81</td> <td>64.88</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	53.44	74.00	-20.56	66.86	38.19	15.04	66.65	0.00	100	113	PEAK	2 11490.00	44.06	54.00	-9.94	57.48	38.19	15.04	66.65	0.00	100	113	AVERAGE	3 17235.00	55.30	68.20	-12.90	60.51	40.86	18.81	64.88	0.00	100	227	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 11490.00	48.47	74.00	-25.53	61.89	38.19	15.04	66.65	0.00	100	33	PEAK																																																																																																															
2 11490.00	39.76	54.00	-14.24	53.18	38.19	15.04	66.65	0.00	100	33	AVERAGE																																																																																																															
3 17235.00	61.13	68.20	-7.07	66.33	40.87	18.00	64.87	0.00	100	259	PEAK																																																																																																															
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 11490.00	53.44	74.00	-20.56	66.86	38.19	15.04	66.65	0.00	100	113	PEAK																																																																																																															
2 11490.00	44.06	54.00	-9.94	57.48	38.19	15.04	66.65	0.00	100	113	AVERAGE																																																																																																															
3 17235.00	55.30	68.20	-12.90	60.51	40.86	18.81	64.88	0.00	100	227	PEAK																																																																																																															






Mode	31																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>44.25</td> <td>74.00</td> <td>-29.75</td> <td>57.44</td> <td>38.27</td> <td>15.11</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>59.28</td> <td>68.20</td> <td>-8.92</td> <td>64.70</td> <td>40.74</td> <td>18.80</td> <td>65.04</td> <td>0.00</td> <td>102</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	44.25	74.00	-29.75	57.44	38.27	15.11	66.57	0.00	---	---	PEAK	2	17355.00	59.28	68.20	-8.92	64.70	40.74	18.80	65.04	0.00	102	259	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>55.96</td> <td>74.00</td> <td>-18.04</td> <td>69.15</td> <td>38.27</td> <td>15.11</td> <td>66.57</td> <td>0.00</td> <td>101</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>46.26</td> <td>54.00</td> <td>-7.74</td> <td>59.45</td> <td>38.27</td> <td>15.11</td> <td>66.57</td> <td>0.00</td> <td>101</td> <td>235</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>54.22</td> <td>68.20</td> <td>-13.98</td> <td>59.61</td> <td>40.75</td> <td>18.87</td> <td>65.01</td> <td>0.00</td> <td>287</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	55.96	74.00	-18.04	69.15	38.27	15.11	66.57	0.00	101	235	PEAK	2	11570.00	46.26	54.00	-7.74	59.45	38.27	15.11	66.57	0.00	101	235	AVERAGE	3	17355.00	54.22	68.20	-13.98	59.61	40.75	18.87	65.01	0.00	287	245	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11570.00	44.25	74.00	-29.75	57.44	38.27	15.11	66.57	0.00	---	---	PEAK																																																																																																													
2	17355.00	59.28	68.20	-8.92	64.70	40.74	18.80	65.04	0.00	102	259	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11570.00	55.96	74.00	-18.04	69.15	38.27	15.11	66.57	0.00	101	235	PEAK																																																																																																													
2	11570.00	46.26	54.00	-7.74	59.45	38.27	15.11	66.57	0.00	101	235	AVERAGE																																																																																																													
3	17355.00	54.22	68.20	-13.98	59.61	40.75	18.87	65.01	0.00	287	245	PEAK																																																																																																													



Mode	32																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5853.60</td> <td>64.74</td> <td>114.09</td> <td>-49.35</td> <td>51.46</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>283 PEAK</td> </tr> <tr> <td>2 5858.00</td> <td>59.54</td> <td>110.06</td> <td>-50.52</td> <td>46.24</td> <td>34.92</td> <td>10.63</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>283 PEAK</td> </tr> <tr> <td>3 5923.20</td> <td>52.15</td> <td>69.53</td> <td>-17.38</td> <td>38.59</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>283 PEAK</td> </tr> <tr> <td>4 5968.40</td> <td>55.14</td> <td>68.20</td> <td>-13.06</td> <td>41.36</td> <td>35.17</td> <td>10.75</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>283 PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.60	64.74	114.09	-49.35	51.46	34.91	10.62	32.25	0.00	100	283 PEAK	2 5858.00	59.54	110.06	-50.52	46.24	34.92	10.63	32.25	0.00	100	283 PEAK	3 5923.20	52.15	69.53	-17.38	38.59	35.05	10.70	32.19	0.00	100	283 PEAK	4 5968.40	55.14	68.20	-13.06	41.36	35.17	10.75	32.14	0.00	100	283 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>105.30</td> <td>-----</td> <td>-----</td> <td>92.18</td> <td>34.80</td> <td>10.59</td> <td>32.27</td> <td>0.00</td> <td>100</td> <td>283 PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.30	-----	-----	92.18	34.80	10.59	32.27	0.00	100	283 PEAK
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 5853.60	64.74	114.09	-49.35	51.46	34.91	10.62	32.25	0.00	100	283 PEAK																																																																																											
2 5858.00	59.54	110.06	-50.52	46.24	34.92	10.63	32.25	0.00	100	283 PEAK																																																																																											
3 5923.20	52.15	69.53	-17.38	38.59	35.05	10.70	32.19	0.00	100	283 PEAK																																																																																											
4 5968.40	55.14	68.20	-13.06	41.36	35.17	10.75	32.14	0.00	100	283 PEAK																																																																																											
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 5825.00	105.30	-----	-----	92.18	34.80	10.59	32.27	0.00	100	283 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4660.00</td> <td>47.00</td> <td>54.00</td> <td>-7.00</td> <td>35.51</td> <td>34.20</td> <td>9.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>283 AVERAGE</td> </tr> <tr> <td>2 5825.00</td> <td>95.94</td> <td>-----</td> <td>-----</td> <td>82.76</td> <td>34.84</td> <td>10.60</td> <td>32.26</td> <td>0.00</td> <td>100</td> <td>283 AVERAGE</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4660.00	47.00	54.00	-7.00	35.51	34.20	9.45	32.16	0.00	100	283 AVERAGE	2 5825.00	95.94	-----	-----	82.76	34.84	10.60	32.26	0.00	100	283 AVERAGE																																																							
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 4660.00	47.00	54.00	-7.00	35.51	34.20	9.45	32.16	0.00	100	283 AVERAGE																																																																																											
2 5825.00	95.94	-----	-----	82.76	34.84	10.60	32.26	0.00	100	283 AVERAGE																																																																																											





Mode	32																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																						
ANT	6																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1097 798 1276"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>53.84</td> <td>111.36</td> <td>-57.52</td> <td>40.56</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>300</td> <td></td> <td>67 PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>52.73</td> <td>105.36</td> <td>-52.63</td> <td>39.37</td> <td>34.95</td> <td>10.65</td> <td>32.24</td> <td>0.00</td> <td>300</td> <td></td> <td>67 PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>52.97</td> <td>69.23</td> <td>-16.26</td> <td>39.41</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>300</td> <td></td> <td>67 PEAK</td> </tr> <tr> <td>4</td> <td>5943.20</td> <td>54.24</td> <td>68.20</td> <td>-13.96</td> <td>40.60</td> <td>35.09</td> <td>10.72</td> <td>32.17</td> <td>0.00</td> <td>300</td> <td></td> <td>67 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	53.84	111.36	-57.52	40.56	34.91	10.62	32.25	0.00	300		67 PEAK	2	5874.80	52.73	105.36	-52.63	39.37	34.95	10.65	32.24	0.00	300		67 PEAK	3	5923.60	52.97	69.23	-16.26	39.41	35.05	10.70	32.19	0.00	300		67 PEAK	4	5943.20	54.24	68.20	-13.96	40.60	35.09	10.72	32.17	0.00	300		67 PEAK	 <table border="1" data-bbox="893 1097 1436 1276"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.58</td> <td>-----</td> <td>-----</td> <td>85.44</td> <td>34.82</td> <td>10.59</td> <td>32.27</td> <td>0.00</td> <td>300</td> <td></td> <td>67 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	98.58	-----	-----	85.44	34.82	10.59	32.27	0.00	300		67 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.80	53.84	111.36	-57.52	40.56	34.91	10.62	32.25	0.00	300		67 PEAK																																																																																																											
2	5874.80	52.73	105.36	-52.63	39.37	34.95	10.65	32.24	0.00	300		67 PEAK																																																																																																											
3	5923.60	52.97	69.23	-16.26	39.41	35.05	10.70	32.19	0.00	300		67 PEAK																																																																																																											
4	5943.20	54.24	68.20	-13.96	40.60	35.09	10.72	32.17	0.00	300		67 PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	98.58	-----	-----	85.44	34.82	10.59	32.27	0.00	300		67 PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1" data-bbox="893 1769 1436 1948"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>89.21</td> <td>-----</td> <td>-----</td> <td>76.03</td> <td>34.84</td> <td>10.60</td> <td>32.26</td> <td>0.00</td> <td>300</td> <td></td> <td>67 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	89.21	-----	-----	76.03	34.84	10.60	32.26	0.00	300		67 AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	89.21	-----	-----	76.03	34.84	10.60	32.26	0.00	300		67 AVERAGE																																																																																																											



Mode	32																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>45.80</td> <td>74.00</td> <td>-28.20</td> <td>58.70</td> <td>38.40</td> <td>15.19</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>58.76</td> <td>68.20</td> <td>-9.44</td> <td>64.37</td> <td>40.62</td> <td>18.95</td> <td>65.18</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	45.80	74.00	-28.20	58.70	38.40	15.19	66.49	0.00	---	---	PEAK	2	17475.00	58.76	68.20	-9.44	64.37	40.62	18.95	65.18	0.00	100	259	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>52.96</td> <td>74.00</td> <td>-21.04</td> <td>65.86</td> <td>38.40</td> <td>15.19</td> <td>66.49</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>44.18</td> <td>54.00</td> <td>-9.82</td> <td>57.09</td> <td>38.40</td> <td>15.18</td> <td>66.49</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17475.00</td> <td>52.68</td> <td>68.20</td> <td>-15.52</td> <td>58.30</td> <td>40.62</td> <td>18.95</td> <td>65.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	52.96	74.00	-21.04	65.86	38.40	15.19	66.49	0.00	100	233	PEAK	2	11650.00	44.18	54.00	-9.82	57.09	38.40	15.18	66.49	0.00	100	233	AVERAGE	3	17475.00	52.68	68.20	-15.52	58.30	40.62	18.95	65.19	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11650.00	45.80	74.00	-28.20	58.70	38.40	15.19	66.49	0.00	---	---	PEAK																																																																																																													
2	17475.00	58.76	68.20	-9.44	64.37	40.62	18.95	65.18	0.00	100	259	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11650.00	52.96	74.00	-21.04	65.86	38.40	15.19	66.49	0.00	100	233	PEAK																																																																																																													
2	11650.00	44.18	54.00	-9.82	57.09	38.40	15.18	66.49	0.00	100	233	AVERAGE																																																																																																													
3	17475.00	52.68	68.20	-15.52	58.30	40.62	18.95	65.19	0.00	---	---	PEAK																																																																																																													



Mode	32	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	32																																																																																																																																																																																																																															
	30-1G																																																																																																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																																																																																																																															
ANT	6																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.49</td><td>22.96</td><td>40.00</td><td>-17.04</td><td>31.75</td><td>22.72</td><td>0.53</td><td>32.04</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>107.96</td><td>23.10</td><td>43.50</td><td>-20.40</td><td>36.79</td><td>16.88</td><td>1.46</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>132.46</td><td>24.92</td><td>43.50</td><td>-18.58</td><td>37.77</td><td>17.58</td><td>1.60</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>200.60</td><td>26.00</td><td>43.50</td><td>-17.50</td><td>41.14</td><td>14.94</td><td>1.99</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>286.44</td><td>26.64</td><td>46.00</td><td>-19.36</td><td>37.18</td><td>19.15</td><td>2.38</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>558.77</td><td>26.64</td><td>46.00</td><td>-19.36</td><td>29.44</td><td>26.18</td><td>3.33</td><td>32.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	34.49	22.96	40.00	-17.04	31.75	22.72	0.53	32.04	0.00	---	---	Peak	2	107.96	23.10	43.50	-20.40	36.79	16.88	1.46	32.03	0.00	---	---	Peak	3	132.46	24.92	43.50	-18.58	37.77	17.58	1.60	32.03	0.00	---	---	Peak	4	200.60	26.00	43.50	-17.50	41.14	14.94	1.99	32.07	0.00	---	---	Peak	5	286.44	26.64	46.00	-19.36	37.18	19.15	2.38	32.07	0.00	---	---	Peak	6	558.77	26.64	46.00	-19.36	29.44	26.18	3.33	32.31	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.24</td><td>32.32</td><td>40.00</td><td>-7.68</td><td>40.98</td><td>22.85</td><td>0.53</td><td>32.04</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>57.28</td><td>32.68</td><td>40.00</td><td>-7.32</td><td>51.67</td><td>12.22</td><td>0.85</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>90.02</td><td>29.75</td><td>43.50</td><td>-13.75</td><td>45.06</td><td>14.68</td><td>1.28</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>200.60</td><td>24.53</td><td>43.50</td><td>-18.97</td><td>39.67</td><td>14.94</td><td>1.99</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>277.11</td><td>27.83</td><td>46.00</td><td>-18.17</td><td>38.73</td><td>18.84</td><td>2.33</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>628.73</td><td>27.11</td><td>46.00</td><td>-18.89</td><td>29.40</td><td>26.45</td><td>3.53</td><td>32.27</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	34.24	32.32	40.00	-7.68	40.98	22.85	0.53	32.04	0.00	---	---	Peak	2	57.28	32.68	40.00	-7.32	51.67	12.22	0.85	32.06	0.00	---	---	Peak	3	90.02	29.75	43.50	-13.75	45.06	14.68	1.28	32.07	0.00	---	---	Peak	4	200.60	24.53	43.50	-18.97	39.67	14.94	1.99	32.07	0.00	---	---	Peak	5	277.11	27.83	46.00	-18.17	38.73	18.84	2.33	32.07	0.00	---	---	Peak	6	628.73	27.11	46.00	-18.89	29.40	26.45	3.53	32.27	0.00	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	34.49	22.96	40.00	-17.04	31.75	22.72	0.53	32.04	0.00	---	---	Peak																																																																																																																																																																																																																				
2	107.96	23.10	43.50	-20.40	36.79	16.88	1.46	32.03	0.00	---	---	Peak																																																																																																																																																																																																																				
3	132.46	24.92	43.50	-18.58	37.77	17.58	1.60	32.03	0.00	---	---	Peak																																																																																																																																																																																																																				
4	200.60	26.00	43.50	-17.50	41.14	14.94	1.99	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
5	286.44	26.64	46.00	-19.36	37.18	19.15	2.38	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
6	558.77	26.64	46.00	-19.36	29.44	26.18	3.33	32.31	0.00	---	---	Peak																																																																																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	34.24	32.32	40.00	-7.68	40.98	22.85	0.53	32.04	0.00	---	---	Peak																																																																																																																																																																																																																				
2	57.28	32.68	40.00	-7.32	51.67	12.22	0.85	32.06	0.00	---	---	Peak																																																																																																																																																																																																																				
3	90.02	29.75	43.50	-13.75	45.06	14.68	1.28	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
4	200.60	24.53	43.50	-18.97	39.67	14.94	1.99	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
5	277.11	27.83	46.00	-18.17	38.73	18.84	2.33	32.07	0.00	---	---	Peak																																																																																																																																																																																																																				
6	628.73	27.11	46.00	-18.89	29.40	26.45	3.53	32.27	0.00	---	---	Peak																																																																																																																																																																																																																				



Mode	33																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5601.20</td> <td>52.44</td> <td>68.20</td> <td>-15.76</td> <td>39.64</td> <td>34.60</td> <td>10.38</td> <td>32.18</td> <td>0.00</td> <td>111</td> <td>267 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>51.69</td> <td>68.50</td> <td>-16.81</td> <td>38.81</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>111</td> <td>267 PEAK</td> </tr> <tr> <td>3</td> <td>5716.40</td> <td>63.90</td> <td>109.89</td> <td>-45.99</td> <td>51.08</td> <td>34.50</td> <td>10.48</td> <td>32.16</td> <td>0.00</td> <td>111</td> <td>267 PEAK</td> </tr> <tr> <td>4</td> <td>5723.60</td> <td>72.66</td> <td>119.11</td> <td>-46.45</td> <td>59.84</td> <td>34.50</td> <td>10.49</td> <td>32.17</td> <td>0.00</td> <td>111</td> <td>267 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5601.20	52.44	68.20	-15.76	39.64	34.60	10.38	32.18	0.00	111	267 PEAK	2	5650.40	51.69	68.50	-16.81	38.81	34.60	10.43	32.15	0.00	111	267 PEAK	3	5716.40	63.90	109.89	-45.99	51.08	34.50	10.48	32.16	0.00	111	267 PEAK	4	5723.60	72.66	119.11	-46.45	59.84	34.50	10.49	32.17	0.00	111	267 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.96</td> <td>-----</td> <td>-----</td> <td>93.14</td> <td>34.51</td> <td>10.52</td> <td>32.21</td> <td>0.00</td> <td>111</td> <td>267 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.96	-----	-----	93.14	34.51	10.52	32.21	0.00	111	267 PEAK
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5601.20	52.44	68.20	-15.76	39.64	34.60	10.38	32.18	0.00	111	267 PEAK																																																																																																			
2	5650.40	51.69	68.50	-16.81	38.81	34.60	10.43	32.15	0.00	111	267 PEAK																																																																																																			
3	5716.40	63.90	109.89	-45.99	51.08	34.50	10.48	32.16	0.00	111	267 PEAK																																																																																																			
4	5723.60	72.66	119.11	-46.45	59.84	34.50	10.49	32.17	0.00	111	267 PEAK																																																																																																			
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5745.00	105.96	-----	-----	93.14	34.51	10.52	32.21	0.00	111	267 PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.59</td> <td>-----</td> <td>-----</td> <td>83.77</td> <td>34.50</td> <td>10.51</td> <td>32.19</td> <td>0.00</td> <td>111</td> <td>267 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.59	-----	-----	83.77	34.50	10.51	32.19	0.00	111	267 AVERAGE																																																																								
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5745.00	96.59	-----	-----	83.77	34.50	10.51	32.19	0.00	111	267 AVERAGE																																																																																																			



Mode	33																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.20</td> <td>53.69</td> <td>68.20</td> <td>-14.51</td> <td>40.83</td> <td>34.60</td> <td>10.42</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>50.11</td> <td>68.50</td> <td>-18.39</td> <td>37.23</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>57.19</td> <td>110.68</td> <td>-53.49</td> <td>44.36</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>61.72</td> <td>111.81</td> <td>-50.09</td> <td>48.89</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5643.20	53.69	68.20	-14.51	40.83	34.60	10.42	32.16	0.00	100	317	PEAK	2	5650.40	50.11	68.50	-18.39	37.23	34.60	10.43	32.15	0.00	100	317	PEAK	3	5719.20	57.19	110.68	-53.49	44.36	34.50	10.49	32.16	0.00	100	317	PEAK	4	5720.40	61.72	111.81	-50.09	48.89	34.50	10.49	32.16	0.00	100	317	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.44</td> <td>-----</td> <td>-----</td> <td>85.63</td> <td>34.50</td> <td>10.51</td> <td>32.20</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	98.44	-----	-----	85.63	34.50	10.51	32.20	0.00	100	317	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5643.20	53.69	68.20	-14.51	40.83	34.60	10.42	32.16	0.00	100	317	PEAK																																																																																																											
2	5650.40	50.11	68.50	-18.39	37.23	34.60	10.43	32.15	0.00	100	317	PEAK																																																																																																											
3	5719.20	57.19	110.68	-53.49	44.36	34.50	10.49	32.16	0.00	100	317	PEAK																																																																																																											
4	5720.40	61.72	111.81	-50.09	48.89	34.50	10.49	32.16	0.00	100	317	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	98.44	-----	-----	85.63	34.50	10.51	32.20	0.00	100	317	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>89.78</td> <td>-----</td> <td>-----</td> <td>76.97</td> <td>34.50</td> <td>10.51</td> <td>32.20</td> <td>0.00</td> <td>100</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	89.78	-----	-----	76.97	34.50	10.51	32.20	0.00	100	317	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	89.78	-----	-----	76.97	34.50	10.51	32.20	0.00	100	317	AVERAGE																																																																																																											



Mode	33																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>44.68</td> <td>74.00</td> <td>-29.32</td> <td>58.10</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>60.49</td> <td>68.20</td> <td>-7.71</td> <td>65.70</td> <td>40.86</td> <td>18.81</td> <td>64.88</td> <td>0.00</td> <td>107</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11490.00	44.68	74.00	-29.32	58.10	38.19	15.04	66.65	0.00	---	---	PEAK	2	17235.00	60.49	68.20	-7.71	65.70	40.86	18.81	64.88	0.00	107	259	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>55.16</td> <td>74.00</td> <td>-18.84</td> <td>68.58</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>45.20</td> <td>54.00</td> <td>-8.80</td> <td>58.62</td> <td>38.19</td> <td>15.04</td> <td>66.65</td> <td>0.00</td> <td>100</td> <td>237</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17235.00</td> <td>56.08</td> <td>68.20</td> <td>-12.12</td> <td>61.27</td> <td>40.87</td> <td>18.80</td> <td>64.86</td> <td>0.00</td> <td>100</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11490.00	55.16	74.00	-18.84	68.58	38.19	15.04	66.65	0.00	100	237	PEAK	2	11490.00	45.20	54.00	-8.80	58.62	38.19	15.04	66.65	0.00	100	237	AVERAGE	3	17235.00	56.08	68.20	-12.12	61.27	40.87	18.80	64.86	0.00	100	247	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11490.00	44.68	74.00	-29.32	58.10	38.19	15.04	66.65	0.00	---	---	PEAK																																																																																																													
2	17235.00	60.49	68.20	-7.71	65.70	40.86	18.81	64.88	0.00	107	259	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11490.00	55.16	74.00	-18.84	68.58	38.19	15.04	66.65	0.00	100	237	PEAK																																																																																																													
2	11490.00	45.20	54.00	-8.80	58.62	38.19	15.04	66.65	0.00	100	237	AVERAGE																																																																																																													
3	17235.00	56.08	68.20	-12.12	61.27	40.87	18.80	64.86	0.00	100	247	PEAK																																																																																																													






Mode	34																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> </tr> <tr> <td>1</td> <td>11570.00</td> <td>44.38</td> <td>74.00</td> <td>-29.62</td> <td>57.57</td> <td>38.27</td> <td>15.11</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>57.40</td> <td>68.20</td> <td>-10.80</td> <td>62.80</td> <td>40.75</td> <td>18.87</td> <td>65.02</td> <td>0.00</td> <td>100</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	44.38	74.00	-29.62	57.57	38.27	15.11	66.57	0.00	---	---	PEAK	2	17355.00	57.40	68.20	-10.80	62.80	40.75	18.87	65.02	0.00	100	257	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> </tr> <tr> <td>1</td> <td>11570.00</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>68.56</td> <td>38.27</td> <td>15.11</td> <td>66.57</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>45.47</td> <td>54.00</td> <td>-8.53</td> <td>58.66</td> <td>38.27</td> <td>15.11</td> <td>66.57</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>53.77</td> <td>68.20</td> <td>-14.43</td> <td>59.17</td> <td>40.75</td> <td>18.87</td> <td>65.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11570.00	55.37	74.00	-18.63	68.56	38.27	15.11	66.57	0.00	100	234	PEAK	2	11570.00	45.47	54.00	-8.53	58.66	38.27	15.11	66.57	0.00	100	234	AVERAGE	3	17355.00	53.77	68.20	-14.43	59.17	40.75	18.87	65.02	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11570.00	44.38	74.00	-29.62	57.57	38.27	15.11	66.57	0.00	---	---	PEAK																																																																																																													
2	17355.00	57.40	68.20	-10.80	62.80	40.75	18.87	65.02	0.00	100	257	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11570.00	55.37	74.00	-18.63	68.56	38.27	15.11	66.57	0.00	100	234	PEAK																																																																																																													
2	11570.00	45.47	54.00	-8.53	58.66	38.27	15.11	66.57	0.00	100	234	AVERAGE																																																																																																													
3	17355.00	53.77	68.20	-14.43	59.17	40.75	18.87	65.02	0.00	---	---	PEAK																																																																																																													



Mode	35																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																										
ANT	6																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.80</td> <td>67.89</td> <td>115.92</td> <td>-48.03</td> <td>54.61</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.60</td> <td>64.17</td> <td>110.17</td> <td>-46.00</td> <td>50.87</td> <td>34.92</td> <td>10.63</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>52.38</td> <td>68.94</td> <td>-16.56</td> <td>38.82</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5954.40</td> <td>54.10</td> <td>68.20</td> <td>-14.10</td> <td>40.40</td> <td>35.12</td> <td>10.74</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5852.80	67.89	115.92	-48.03	54.61	34.91	10.62	32.25	0.00	100	280	PEAK	2	5857.60	64.17	110.17	-46.00	50.87	34.92	10.63	32.25	0.00	100	280	PEAK	3	5924.00	52.38	68.94	-16.56	38.82	35.05	10.70	32.19	0.00	100	280	PEAK	4	5954.40	54.10	68.20	-14.10	40.40	35.12	10.74	32.16	0.00	100	280	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.88</td> <td>-----</td> <td>-----</td> <td>92.76</td> <td>34.80</td> <td>10.59</td> <td>32.27</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	105.88	-----	-----	92.76	34.80	10.59	32.27	0.00	100	280	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5852.80	67.89	115.92	-48.03	54.61	34.91	10.62	32.25	0.00	100	280	PEAK																																																																																															
2	5857.60	64.17	110.17	-46.00	50.87	34.92	10.63	32.25	0.00	100	280	PEAK																																																																																															
3	5924.00	52.38	68.94	-16.56	38.82	35.05	10.70	32.19	0.00	100	280	PEAK																																																																																															
4	5954.40	54.10	68.20	-14.10	40.40	35.12	10.74	32.16	0.00	100	280	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	105.88	-----	-----	92.76	34.80	10.59	32.27	0.00	100	280	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4660.00</td> <td>46.84</td> <td>54.00</td> <td>-7.16</td> <td>35.35</td> <td>34.20</td> <td>9.45</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>280</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>96.23</td> <td>-----</td> <td>-----</td> <td>83.09</td> <td>34.82</td> <td>10.59</td> <td>32.27</td> <td>0.00</td> <td>100</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	4660.00	46.84	54.00	-7.16	35.35	34.20	9.45	32.16	0.00	100	280	Average	2	5825.00	96.23	-----	-----	83.09	34.82	10.59	32.27	0.00	100	280	AVERAGE																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	4660.00	46.84	54.00	-7.16	35.35	34.20	9.45	32.16	0.00	100	280	Average																																																																																															
2	5825.00	96.23	-----	-----	83.09	34.82	10.59	32.27	0.00	100	280	AVERAGE																																																																																															



Mode	35																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.40</td> <td>61.31</td> <td>116.83</td> <td>-55.52</td> <td>48.04</td> <td>34.90</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>310</td> <td>64 PEAK</td> </tr> <tr> <td>2</td> <td>5872.40</td> <td>54.41</td> <td>106.03</td> <td>-51.62</td> <td>41.07</td> <td>34.94</td> <td>10.64</td> <td>32.24</td> <td>0.00</td> <td>310</td> <td>64 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>51.82</td> <td>68.35</td> <td>-16.53</td> <td>38.26</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>310</td> <td>64 PEAK</td> </tr> <tr> <td>4</td> <td>5934.00</td> <td>55.77</td> <td>68.20</td> <td>-12.43</td> <td>42.17</td> <td>35.07</td> <td>10.71</td> <td>32.18</td> <td>0.00</td> <td>310</td> <td>64 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.40	61.31	116.83	-55.52	48.04	34.90	10.62	32.25	0.00	310	64 PEAK	2	5872.40	54.41	106.03	-51.62	41.07	34.94	10.64	32.24	0.00	310	64 PEAK	3	5924.80	51.82	68.35	-16.53	38.26	35.05	10.70	32.19	0.00	310	64 PEAK	4	5934.00	55.77	68.20	-12.43	42.17	35.07	10.71	32.18	0.00	310	64 PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.12</td> <td>-----</td> <td>-----</td> <td>86.98</td> <td>34.82</td> <td>10.59</td> <td>32.27</td> <td>0.00</td> <td>310</td> <td>64 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.12	-----	-----	86.98	34.82	10.59	32.27	0.00	310	64 PEAK
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5852.40	61.31	116.83	-55.52	48.04	34.90	10.62	32.25	0.00	310	64 PEAK																																																																																																			
2	5872.40	54.41	106.03	-51.62	41.07	34.94	10.64	32.24	0.00	310	64 PEAK																																																																																																			
3	5924.80	51.82	68.35	-16.53	38.26	35.05	10.70	32.19	0.00	310	64 PEAK																																																																																																			
4	5934.00	55.77	68.20	-12.43	42.17	35.07	10.71	32.18	0.00	310	64 PEAK																																																																																																			
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5825.00	100.12	-----	-----	86.98	34.82	10.59	32.27	0.00	310	64 PEAK																																																																																																			
Avg	Blank																																																																																																													
		 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>90.84</td> <td>-----</td> <td>-----</td> <td>77.70</td> <td>34.82</td> <td>10.59</td> <td>32.27</td> <td>0.00</td> <td>310</td> <td>64 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	90.84	-----	-----	77.70	34.82	10.59	32.27	0.00	310	64 AVERAGE																																																																								
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5825.00	90.84	-----	-----	77.70	34.82	10.59	32.27	0.00	310	64 AVERAGE																																																																																																			



Mode	35																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																
ANT	6																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>44.37</td> <td>74.00</td> <td>-29.63</td> <td>57.27</td> <td>38.40</td> <td>15.19</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>48.29</td> <td>68.20</td> <td>-19.91</td> <td>53.89</td> <td>40.63</td> <td>18.94</td> <td>65.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.37	74.00	-29.63	57.27	38.40	15.19	66.49	0.00	---	---	PEAK	2	17475.00	48.29	68.20	-19.91	53.89	40.63	18.94	65.17	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>53.07</td> <td>74.00</td> <td>-20.93</td> <td>65.97</td> <td>38.40</td> <td>15.19</td> <td>66.49</td> <td>0.00</td> <td>100</td> <td>232</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>43.36</td> <td>54.00</td> <td>-10.64</td> <td>56.26</td> <td>38.40</td> <td>15.19</td> <td>66.49</td> <td>0.00</td> <td>100</td> <td>232</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17475.00</td> <td>53.17</td> <td>68.20</td> <td>-15.03</td> <td>58.77</td> <td>40.63</td> <td>18.94</td> <td>65.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	53.07	74.00	-20.93	65.97	38.40	15.19	66.49	0.00	100	232	PEAK	2	11650.00	43.36	54.00	-10.64	56.26	38.40	15.19	66.49	0.00	100	232	AVERAGE	3	17475.00	53.17	68.20	-15.03	58.77	40.63	18.94	65.17	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11650.00	44.37	74.00	-29.63	57.27	38.40	15.19	66.49	0.00	---	---	PEAK																																																																																																																					
2	17475.00	48.29	68.20	-19.91	53.89	40.63	18.94	65.17	0.00	---	---	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11650.00	53.07	74.00	-20.93	65.97	38.40	15.19	66.49	0.00	100	232	PEAK																																																																																																																					
2	11650.00	43.36	54.00	-10.64	56.26	38.40	15.19	66.49	0.00	100	232	AVERAGE																																																																																																																					
3	17475.00	53.17	68.20	-15.03	58.77	40.63	18.94	65.17	0.00	---	---	PEAK																																																																																																																					



Mode	36																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.92</td> <td>53.03</td> <td>68.20</td> <td>-15.17</td> <td>40.19</td> <td>34.60</td> <td>10.41</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>281 PEAK</td> </tr> <tr> <td>2</td> <td>5651.93</td> <td>51.97</td> <td>69.63</td> <td>-17.66</td> <td>39.09</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>281 PEAK</td> </tr> <tr> <td>3</td> <td>5719.04</td> <td>66.56</td> <td>110.63</td> <td>-44.07</td> <td>53.73</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>281 PEAK</td> </tr> <tr> <td>4</td> <td>5720.59</td> <td>72.18</td> <td>112.25</td> <td>-40.07</td> <td>59.35</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>281 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.92	53.03	68.20	-15.17	40.19	34.60	10.41	32.17	0.00	100	281 PEAK	2	5651.93	51.97	69.63	-17.66	39.09	34.60	10.43	32.15	0.00	100	281 PEAK	3	5719.04	66.56	110.63	-44.07	53.73	34.50	10.49	32.16	0.00	100	281 PEAK	4	5720.59	72.18	112.25	-40.07	59.35	34.50	10.49	32.16	0.00	100	281 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>88.93</td> <td>34.50</td> <td>10.53</td> <td>32.24</td> <td>0.00</td> <td>100</td> <td>281 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.00	-----	-----	88.93	34.50	10.53	32.24	0.00	100	281 PEAK
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5629.92	53.03	68.20	-15.17	40.19	34.60	10.41	32.17	0.00	100	281 PEAK																																																																																																			
2	5651.93	51.97	69.63	-17.66	39.09	34.60	10.43	32.15	0.00	100	281 PEAK																																																																																																			
3	5719.04	66.56	110.63	-44.07	53.73	34.50	10.49	32.16	0.00	100	281 PEAK																																																																																																			
4	5720.59	72.18	112.25	-40.07	59.35	34.50	10.49	32.16	0.00	100	281 PEAK																																																																																																			
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5755.00	101.00	-----	-----	88.93	34.50	10.53	32.24	0.00	100	281 PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>92.09</td> <td>-----</td> <td>-----</td> <td>79.22</td> <td>34.50</td> <td>10.53</td> <td>32.24</td> <td>0.00</td> <td>100</td> <td>281 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	92.09	-----	-----	79.22	34.50	10.53	32.24	0.00	100	281 AVERAGE																																																																								
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5755.00	92.09	-----	-----	79.22	34.50	10.53	32.24	0.00	100	281 AVERAGE																																																																																																			



Mode	36																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																		
ANT	6																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>51.65</td> <td>112.15</td> <td>-60.50</td> <td>38.37</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.98</td> <td>53.70</td> <td>105.87</td> <td>-52.17</td> <td>40.35</td> <td>34.95</td> <td>10.64</td> <td>32.24</td> <td>0.00</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.68</td> <td>53.43</td> <td>69.18</td> <td>-15.75</td> <td>39.87</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.92</td> <td>54.65</td> <td>68.20</td> <td>-13.55</td> <td>41.07</td> <td>35.06</td> <td>10.71</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.45	51.65	112.15	-60.50	38.37	34.91	10.62	32.25	0.00	100	281	PEAK	2	5872.98	53.70	105.87	-52.17	40.35	34.95	10.64	32.24	0.00	100	281	PEAK	3	5923.68	53.43	69.18	-15.75	39.87	35.05	10.70	32.19	0.00	100	281	PEAK	4	5929.92	54.65	68.20	-13.55	41.07	35.06	10.71	32.19	0.00	100	281	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.45	51.65	112.15	-60.50	38.37	34.91	10.62	32.25	0.00	100	281	PEAK																																																							
2	5872.98	53.70	105.87	-52.17	40.35	34.95	10.64	32.24	0.00	100	281	PEAK																																																							
3	5923.68	53.43	69.18	-15.75	39.87	35.05	10.70	32.19	0.00	100	281	PEAK																																																							
4	5929.92	54.65	68.20	-13.55	41.07	35.06	10.71	32.19	0.00	100	281	PEAK																																																							



Mode	36																																																																																								
	Band Edge - L																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																								
ANT	6																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5622.79</th> <th>53.16</th> <th>68.20</th> <th>-15.04</th> <th>40.33</th> <th>34.60</th> <th>10.40</th> <th>32.17</th> <th>0.00</th> <th>100</th> <th>318</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5650.22</td> <td>51.45</td> <td>68.36</td> <td>-16.91</td> <td>38.57</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.82</td> <td>65.88</td> <td>110.85</td> <td>-44.97</td> <td>53.05</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>60.68</td> <td>111.54</td> <td>-50.86</td> <td>47.85</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5622.79	53.16	68.20	-15.04	40.33	34.60	10.40	32.17	0.00	100	318	PEAK	2	5650.22	51.45	68.36	-16.91	38.57	34.60	10.43	32.15	0.00	100	318	PEAK	3	5719.82	65.88	110.85	-44.97	53.05	34.50	10.49	32.16	0.00	100	318	PEAK	4	5720.28	60.68	111.54	-50.86	47.85	34.50	10.49	32.16	0.00	100	318	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5755.00</th> <th>95.77</th> <th>-----</th> <th>-----</th> <th>82.95</th> <th>34.51</th> <th>10.52</th> <th>32.21</th> <th>0.00</th> <th>100</th> <th>318</th> <th>PEAK</th> </tr> </thead> <tbody> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5755.00	95.77	-----	-----	82.95	34.51	10.52	32.21	0.00	100	318	PEAK
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
1	5622.79	53.16	68.20	-15.04	40.33	34.60	10.40	32.17	0.00	100	318	PEAK																																																																													
2	5650.22	51.45	68.36	-16.91	38.57	34.60	10.43	32.15	0.00	100	318	PEAK																																																																													
3	5719.82	65.88	110.85	-44.97	53.05	34.50	10.49	32.16	0.00	100	318	PEAK																																																																													
4	5720.28	60.68	111.54	-50.86	47.85	34.50	10.49	32.16	0.00	100	318	PEAK																																																																													
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
1	5755.00	95.77	-----	-----	82.95	34.51	10.52	32.21	0.00	100	318	PEAK																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5755.00</th> <th>86.06</th> <th>-----</th> <th>-----</th> <th>73.24</th> <th>34.50</th> <th>10.51</th> <th>32.19</th> <th>0.00</th> <th>100</th> <th>318</th> <th>AVERAGE</th> </tr> </thead> <tbody> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	5755.00	86.06	-----	-----	73.24	34.50	10.51	32.19	0.00	100	318	AVERAGE																																																															
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
1	5755.00	86.06	-----	-----	73.24	34.50	10.51	32.19	0.00	100	318	AVERAGE																																																																													






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																				
ANT	6																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>53.15</td> <td>111.26</td> <td>-58.11</td> <td>39.87</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.73</td> <td>53.49</td> <td>105.38</td> <td>-51.89</td> <td>40.13</td> <td>34.95</td> <td>10.65</td> <td>32.24</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.07</td> <td>55.01</td> <td>68.89</td> <td>-13.88</td> <td>41.45</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.60</td> <td>54.84</td> <td>68.20</td> <td>-13.36</td> <td>41.24</td> <td>35.07</td> <td>10.71</td> <td>32.18</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	53.15	111.26	-58.11	39.87	34.91	10.62	32.25	0.00	100	318	PEAK	2	5874.73	53.49	105.38	-51.89	40.13	34.95	10.65	32.24	0.00	100	318	PEAK	3	5924.07	55.01	68.89	-13.88	41.45	35.05	10.70	32.19	0.00	100	318	PEAK	4	5934.60	54.84	68.20	-13.36	41.24	35.07	10.71	32.18	0.00	100	318	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	53.15	111.26	-58.11	39.87	34.91	10.62	32.25	0.00	100	318	PEAK																																																																									
2	5874.73	53.49	105.38	-51.89	40.13	34.95	10.65	32.24	0.00	100	318	PEAK																																																																									
3	5924.07	55.01	68.89	-13.88	41.45	35.05	10.70	32.19	0.00	100	318	PEAK																																																																									
4	5934.60	54.84	68.20	-13.36	41.24	35.07	10.71	32.18	0.00	100	318	PEAK																																																																									



Mode	36																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> </tr> <tr> <td>1</td> <td>11510.00</td> <td>45.08</td> <td>74.00</td> <td>-28.92</td> <td>58.44</td> <td>38.21</td> <td>15.06</td> <td>66.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>53.81</td> <td>68.20</td> <td>-14.39</td> <td>59.06</td> <td>40.84</td> <td>18.82</td> <td>64.91</td> <td>0.00</td> <td>100</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11510.00	45.08	74.00	-28.92	58.44	38.21	15.06	66.63	0.00	---	---	PEAK	2	17265.00	53.81	68.20	-14.39	59.06	40.84	18.82	64.91	0.00	100	256	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> </tr> <tr> <td>1</td> <td>11510.00</td> <td>53.55</td> <td>74.00</td> <td>-20.45</td> <td>66.91</td> <td>38.21</td> <td>15.06</td> <td>66.63</td> <td>0.00</td> <td>100</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>44.17</td> <td>54.00</td> <td>-9.83</td> <td>57.53</td> <td>38.21</td> <td>15.06</td> <td>66.63</td> <td>0.00</td> <td>100</td> <td>236</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17265.00</td> <td>50.42</td> <td>68.20</td> <td>-17.78</td> <td>55.68</td> <td>40.83</td> <td>18.83</td> <td>64.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11510.00	53.55	74.00	-20.45	66.91	38.21	15.06	66.63	0.00	100	236	PEAK	2	11510.00	44.17	54.00	-9.83	57.53	38.21	15.06	66.63	0.00	100	236	AVERAGE	3	17265.00	50.42	68.20	-17.78	55.68	40.83	18.83	64.92	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11510.00	45.08	74.00	-28.92	58.44	38.21	15.06	66.63	0.00	---	---	PEAK																																																																																																													
2	17265.00	53.81	68.20	-14.39	59.06	40.84	18.82	64.91	0.00	100	256	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11510.00	53.55	74.00	-20.45	66.91	38.21	15.06	66.63	0.00	100	236	PEAK																																																																																																													
2	11510.00	44.17	54.00	-9.83	57.53	38.21	15.06	66.63	0.00	100	236	AVERAGE																																																																																																													
3	17265.00	50.42	68.20	-17.78	55.68	40.83	18.83	64.92	0.00	---	---	PEAK																																																																																																													






Mode	37																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1097 766 1276"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5615.20</td> <td>55.46</td> <td>68.20</td> <td>-12.74</td> <td>42.64</td> <td>34.60</td> <td>10.39</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>51.06</td> <td>68.20</td> <td>-17.14</td> <td>38.18</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>51.11</td> <td>105.75</td> <td>-54.64</td> <td>38.27</td> <td>34.50</td> <td>10.47</td> <td>32.13</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>52.88</td> <td>112.72</td> <td>-59.84</td> <td>40.05</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5615.20	55.46	68.20	-12.74	42.64	34.60	10.39	32.17	0.00	100	276	PEAK	2	5650.00	51.06	68.20	-17.14	38.18	34.60	10.43	32.15	0.00	100	276	PEAK	3	5701.60	51.11	105.75	-54.64	38.27	34.50	10.47	32.13	0.00	100	276	PEAK	4	5720.00	52.88	112.72	-59.84	40.05	34.50	10.49	32.16	0.00	100	276	PEAK	 <table border="1" data-bbox="893 1097 1404 1276"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>101.80</td> <td>-----</td> <td>-----</td> <td>88.87</td> <td>34.65</td> <td>10.55</td> <td>32.27</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	101.80	-----	-----	88.87	34.65	10.55	32.27	0.00	100	276	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5615.20	55.46	68.20	-12.74	42.64	34.60	10.39	32.17	0.00	100	276	PEAK																																																																																																											
2	5650.00	51.06	68.20	-17.14	38.18	34.60	10.43	32.15	0.00	100	276	PEAK																																																																																																											
3	5701.60	51.11	105.75	-54.64	38.27	34.50	10.47	32.13	0.00	100	276	PEAK																																																																																																											
4	5720.00	52.88	112.72	-59.84	40.05	34.50	10.49	32.16	0.00	100	276	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5795.00	101.80	-----	-----	88.87	34.65	10.55	32.27	0.00	100	276	PEAK																																																																																																											
Avg	Blank	 <table border="1" data-bbox="893 1769 1404 1948"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>92.20</td> <td>-----</td> <td>-----</td> <td>79.20</td> <td>34.72</td> <td>10.57</td> <td>32.29</td> <td>0.00</td> <td>100</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	92.20	-----	-----	79.20	34.72	10.57	32.29	0.00	100	276	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5795.00	92.20	-----	-----	79.20	34.72	10.57	32.29	0.00	100	276	AVERAGE																																																																																																											



Mode	37																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>54.90</td> <td>112.27</td> <td>-57.37</td> <td>41.62</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>53.54</td> <td>105.80</td> <td>-52.26</td> <td>40.19</td> <td>34.95</td> <td>10.64</td> <td>32.24</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>52.75</td> <td>68.64</td> <td>-15.89</td> <td>39.19</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5974.80</td> <td>56.31</td> <td>68.20</td> <td>-11.89</td> <td>42.49</td> <td>35.20</td> <td>10.76</td> <td>32.14</td> <td>0.00</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	54.90	112.27	-57.37	41.62	34.91	10.62	32.25	0.00	100	276	PEAK	2	5873.20	53.54	105.80	-52.26	40.19	34.95	10.64	32.24	0.00	100	276	PEAK	3	5924.40	52.75	68.64	-15.89	39.19	35.05	10.70	32.19	0.00	100	276	PEAK	4	5974.80	56.31	68.20	-11.89	42.49	35.20	10.76	32.14	0.00	100	276	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	54.90	112.27	-57.37	41.62	34.91	10.62	32.25	0.00	100	276	PEAK																																																																								
2	5873.20	53.54	105.80	-52.26	40.19	34.95	10.64	32.24	0.00	100	276	PEAK																																																																								
3	5924.40	52.75	68.64	-15.89	39.19	35.05	10.70	32.19	0.00	100	276	PEAK																																																																								
4	5974.80	56.31	68.20	-11.89	42.49	35.20	10.76	32.14	0.00	100	276	PEAK																																																																								



Mode	37																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																														
ANT	6																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="263 1097 766 1276"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.40</td> <td>55.58</td> <td>68.20</td> <td>-12.62</td> <td>42.75</td> <td>34.60</td> <td>10.40</td> <td>32.17</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>49.02</td> <td>68.20</td> <td>-19.18</td> <td>36.14</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>52.97</td> <td>105.75</td> <td>-52.78</td> <td>40.13</td> <td>34.50</td> <td>10.47</td> <td>32.13</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>52.69</td> <td>112.72</td> <td>-60.03</td> <td>39.86</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.40	55.58	68.20	-12.62	42.75	34.60	10.40	32.17	0.00	112	329	PEAK	2	5650.00	49.02	68.20	-19.18	36.14	34.60	10.43	32.15	0.00	112	329	PEAK	3	5701.60	52.97	105.75	-52.78	40.13	34.50	10.47	32.13	0.00	112	329	PEAK	4	5720.00	52.69	112.72	-60.03	39.86	34.50	10.49	32.16	0.00	112	329	PEAK	 <table border="1" data-bbox="893 1097 1404 1276"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>96.10</td> <td>-----</td> <td>-----</td> <td>83.10</td> <td>34.72</td> <td>10.57</td> <td>32.29</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.10	-----	-----	83.10	34.72	10.57	32.29	0.00	112	329	PEAK
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5626.40	55.58	68.20	-12.62	42.75	34.60	10.40	32.17	0.00	112	329	PEAK																																																																																																			
2	5650.00	49.02	68.20	-19.18	36.14	34.60	10.43	32.15	0.00	112	329	PEAK																																																																																																			
3	5701.60	52.97	105.75	-52.78	40.13	34.50	10.47	32.13	0.00	112	329	PEAK																																																																																																			
4	5720.00	52.69	112.72	-60.03	39.86	34.50	10.49	32.16	0.00	112	329	PEAK																																																																																																			
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5795.00	96.10	-----	-----	83.10	34.72	10.57	32.29	0.00	112	329	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="893 1769 1404 1948"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>86.58</td> <td>-----</td> <td>-----</td> <td>73.58</td> <td>34.72</td> <td>10.57</td> <td>32.29</td> <td>0.00</td> <td>112</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	86.58	-----	-----	73.58	34.72	10.57	32.29	0.00	112	329	AVERAGE																																																																										
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5795.00	86.58	-----	-----	73.58	34.72	10.57	32.29	0.00	112	329	AVERAGE																																																																																																			






Mode	37																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																			
ANT	6																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>51.18</td> <td>112.27</td> <td>-61.09</td> <td>37.90</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>52.87</td> <td>105.58</td> <td>-52.71</td> <td>39.51</td> <td>34.95</td> <td>10.65</td> <td>32.24</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.20</td> <td>52.75</td> <td>69.53</td> <td>-16.78</td> <td>39.19</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5976.40</td> <td>54.53</td> <td>68.20</td> <td>-13.67</td> <td>40.70</td> <td>35.21</td> <td>10.76</td> <td>32.14</td> <td>0.00</td> <td>112</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.40	51.18	112.27	-61.09	37.90	34.91	10.62	32.25	0.00	112	329	PEAK	2	5874.00	52.87	105.58	-52.71	39.51	34.95	10.65	32.24	0.00	112	329	PEAK	3	5923.20	52.75	69.53	-16.78	39.19	35.05	10.70	32.19	0.00	112	329	PEAK	4	5976.40	54.53	68.20	-13.67	40.70	35.21	10.76	32.14	0.00	112	329	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	5854.40	51.18	112.27	-61.09	37.90	34.91	10.62	32.25	0.00	112	329	PEAK																																																																								
2	5874.00	52.87	105.58	-52.71	39.51	34.95	10.65	32.24	0.00	112	329	PEAK																																																																								
3	5923.20	52.75	69.53	-16.78	39.19	35.05	10.70	32.19	0.00	112	329	PEAK																																																																								
4	5976.40	54.53	68.20	-13.67	40.70	35.21	10.76	32.14	0.00	112	329	PEAK																																																																								



Mode	37																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>43.71</td> <td>74.00</td> <td>-30.29</td> <td>56.84</td> <td>38.29</td> <td>15.13</td> <td>66.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>47.84</td> <td>68.20</td> <td>-20.36</td> <td>53.27</td> <td>40.73</td> <td>18.88</td> <td>65.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11590.00	43.71	74.00	-30.29	56.84	38.29	15.13	66.55	0.00	---	---	PEAK	2	17385.00	47.84	68.20	-20.36	53.27	40.73	18.88	65.04	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>50.12</td> <td>74.00</td> <td>-23.88</td> <td>63.25</td> <td>38.29</td> <td>15.13</td> <td>66.55</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11590.00</td> <td>42.60</td> <td>54.00</td> <td>-11.40</td> <td>55.73</td> <td>38.29</td> <td>15.13</td> <td>66.55</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17385.00</td> <td>49.07</td> <td>68.20</td> <td>-19.13</td> <td>54.50</td> <td>40.73</td> <td>18.88</td> <td>65.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11590.00	50.12	74.00	-23.88	63.25	38.29	15.13	66.55	0.00	100	233	PEAK	2	11590.00	42.60	54.00	-11.40	55.73	38.29	15.13	66.55	0.00	100	233	AVERAGE	3	17385.00	49.07	68.20	-19.13	54.50	40.73	18.88	65.04	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11590.00	43.71	74.00	-30.29	56.84	38.29	15.13	66.55	0.00	---	---	PEAK																																																																																																													
2	17385.00	47.84	68.20	-20.36	53.27	40.73	18.88	65.04	0.00	---	---	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11590.00	50.12	74.00	-23.88	63.25	38.29	15.13	66.55	0.00	100	233	PEAK																																																																																																													
2	11590.00	42.60	54.00	-11.40	55.73	38.29	15.13	66.55	0.00	100	233	AVERAGE																																																																																																													
3	17385.00	49.07	68.20	-19.13	54.50	40.73	18.88	65.04	0.00	---	---	PEAK																																																																																																													






Mode	38																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																														
ANT	6																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	 <table border="1" data-bbox="263 1097 766 1276"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.60</td> <td>55.25</td> <td>68.20</td> <td>-12.95</td> <td>42.41</td> <td>34.60</td> <td>10.41</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>51.74</td> <td>68.80</td> <td>-17.06</td> <td>38.86</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.20</td> <td>59.08</td> <td>110.12</td> <td>-51.04</td> <td>46.25</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>66.08</td> <td>113.64</td> <td>-47.56</td> <td>53.25</td> <td>34.50</td> <td>10.49</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5629.60	55.25	68.20	-12.95	42.41	34.60	10.41	32.17	0.00	100	279	PEAK	2	5650.80	51.74	68.80	-17.06	38.86	34.60	10.43	32.15	0.00	100	279	PEAK	3	5717.20	59.08	110.12	-51.04	46.25	34.50	10.49	32.16	0.00	100	279	PEAK	4	5721.20	66.08	113.64	-47.56	53.25	34.50	10.49	32.16	0.00	100	279	PEAK	 <table border="1" data-bbox="893 1097 1404 1276"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.99</td> <td>-----</td> <td>-----</td> <td>83.02</td> <td>34.70</td> <td>10.56</td> <td>32.29</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.99	-----	-----	83.02	34.70	10.56	32.29	0.00	100	279	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																			
1	5629.60	55.25	68.20	-12.95	42.41	34.60	10.41	32.17	0.00	100	279	PEAK																																																																																																																			
2	5650.80	51.74	68.80	-17.06	38.86	34.60	10.43	32.15	0.00	100	279	PEAK																																																																																																																			
3	5717.20	59.08	110.12	-51.04	46.25	34.50	10.49	32.16	0.00	100	279	PEAK																																																																																																																			
4	5721.20	66.08	113.64	-47.56	53.25	34.50	10.49	32.16	0.00	100	279	PEAK																																																																																																																			
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5775.00	95.99	-----	-----	83.02	34.70	10.56	32.29	0.00	100	279	PEAK																																																																																																																			
Avg	Blank	 <table border="1" data-bbox="893 1769 1404 1948"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>85.85</td> <td>-----</td> <td>-----</td> <td>72.88</td> <td>34.70</td> <td>10.56</td> <td>32.29</td> <td>0.00</td> <td>100</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	85.85	-----	-----	72.88	34.70	10.56	32.29	0.00	100	279	AVERAGE																																																																														
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5775.00	85.85	-----	-----	72.88	34.70	10.56	32.29	0.00	100	279	AVERAGE																																																																																																																			



Mode	38																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																										
ANT	6																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>54.34</td> <td>113.18</td> <td>-58.84</td> <td>41.06</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.80</td> <td>54.76</td> <td>106.47</td> <td>-51.71</td> <td>41.42</td> <td>34.94</td> <td>10.64</td> <td>32.24</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>52.52</td> <td>68.35</td> <td>-15.83</td> <td>38.96</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.80</td> <td>53.86</td> <td>68.20</td> <td>-14.34</td> <td>40.26</td> <td>35.07</td> <td>10.71</td> <td>32.18</td> <td>0.00</td> <td>100</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	54.34	113.18	-58.84	41.06	34.91	10.62	32.25	0.00	100	279	PEAK	2	5870.80	54.76	106.47	-51.71	41.42	34.94	10.64	32.24	0.00	100	279	PEAK	3	5924.80	52.52	68.35	-15.83	38.96	35.05	10.70	32.19	0.00	100	279	PEAK	4	5932.80	53.86	68.20	-14.34	40.26	35.07	10.71	32.18	0.00	100	279	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																	
1	5854.00	54.34	113.18	-58.84	41.06	34.91	10.62	32.25	0.00	100	279	PEAK																																																															
2	5870.80	54.76	106.47	-51.71	41.42	34.94	10.64	32.24	0.00	100	279	PEAK																																																															
3	5924.80	52.52	68.35	-15.83	38.96	35.05	10.70	32.19	0.00	100	279	PEAK																																																															
4	5932.80	53.86	68.20	-14.34	40.26	35.07	10.71	32.18	0.00	100	279	PEAK																																																															



Mode	38																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	 <table border="1" data-bbox="263 1097 766 1276"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.00</td> <td>53.45</td> <td>68.20</td> <td>-14.75</td> <td>40.60</td> <td>34.60</td> <td>10.41</td> <td>32.16</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.40</td> <td>52.48</td> <td>69.99</td> <td>-17.51</td> <td>39.60</td> <td>34.60</td> <td>10.43</td> <td>32.15</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5706.00</td> <td>54.03</td> <td>106.98</td> <td>-52.95</td> <td>41.19</td> <td>34.50</td> <td>10.48</td> <td>32.14</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.00</td> <td>57.82</td> <td>115.46</td> <td>-57.64</td> <td>45.00</td> <td>34.50</td> <td>10.49</td> <td>32.17</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.00	53.45	68.20	-14.75	40.60	34.60	10.41	32.16	0.00	101	319	PEAK	2	5652.40	52.48	69.99	-17.51	39.60	34.60	10.43	32.15	0.00	101	319	PEAK	3	5706.00	54.03	106.98	-52.95	41.19	34.50	10.48	32.14	0.00	101	319	PEAK	4	5722.00	57.82	115.46	-57.64	45.00	34.50	10.49	32.17	0.00	101	319	PEAK	 <table border="1" data-bbox="893 1097 1404 1276"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>89.20</td> <td>-----</td> <td>76.38</td> <td>34.51</td> <td>10.52</td> <td>32.21</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	89.20	-----	76.38	34.51	10.52	32.21	0.00	101	319	PEAK
Peak	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5634.00	53.45	68.20	-14.75	40.60	34.60	10.41	32.16	0.00	101	319	PEAK																																																																																																						
2	5652.40	52.48	69.99	-17.51	39.60	34.60	10.43	32.15	0.00	101	319	PEAK																																																																																																						
3	5706.00	54.03	106.98	-52.95	41.19	34.50	10.48	32.14	0.00	101	319	PEAK																																																																																																						
4	5722.00	57.82	115.46	-57.64	45.00	34.50	10.49	32.17	0.00	101	319	PEAK																																																																																																						
Peak	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5775.00	89.20	-----	76.38	34.51	10.52	32.21	0.00	101	319	PEAK																																																																																																							
Avg	Blank	 <table border="1" data-bbox="893 1769 1404 1948"> <thead> <tr> <th>Peak</th> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>80.05</td> <td>-----</td> <td>67.23</td> <td>34.51</td> <td>10.52</td> <td>32.21</td> <td>0.00</td> <td>101</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	80.05	-----	67.23	34.51	10.52	32.21	0.00	101	319	AVERAGE																																																																												
Peak	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5775.00	80.05	-----	67.23	34.51	10.52	32.21	0.00	101	319	AVERAGE																																																																																																							



Mode	38																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																											
ANT	6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>52.23</td> <td>111.36</td> <td>-59.13</td> <td>38.95</td> <td>34.91</td> <td>10.62</td> <td>32.25</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>53.28</td> <td>105.47</td> <td>-52.19</td> <td>39.92</td> <td>34.95</td> <td>10.65</td> <td>32.24</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>52.55</td> <td>68.35</td> <td>-15.80</td> <td>38.99</td> <td>35.05</td> <td>10.70</td> <td>32.19</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.80</td> <td>54.43</td> <td>68.20</td> <td>-13.77</td> <td>40.81</td> <td>35.08</td> <td>10.72</td> <td>32.18</td> <td>0.00</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	52.23	111.36	-59.13	38.95	34.91	10.62	32.25	0.00	101	319	PEAK	2	5874.40	53.28	105.47	-52.19	39.92	34.95	10.65	32.24	0.00	101	319	PEAK	3	5924.80	52.55	68.35	-15.80	38.99	35.05	10.70	32.19	0.00	101	319	PEAK	4	5940.80	54.43	68.20	-13.77	40.81	35.08	10.72	32.18	0.00	101	319	PEAK	Blank
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	5854.80	52.23	111.36	-59.13	38.95	34.91	10.62	32.25	0.00	101	319	PEAK																																																																
2	5874.40	53.28	105.47	-52.19	39.92	34.95	10.65	32.24	0.00	101	319	PEAK																																																																
3	5924.80	52.55	68.35	-15.80	38.99	35.05	10.70	32.19	0.00	101	319	PEAK																																																																
4	5940.80	54.43	68.20	-13.77	40.81	35.08	10.72	32.18	0.00	101	319	PEAK																																																																




Mode	38																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																											
ANT	6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> </tr> <tr> <td>1</td> <td>11550.00</td> <td>44.55</td> <td>74.00</td> <td>-29.45</td> <td>57.79</td> <td>38.25</td> <td>15.10</td> <td>66.59</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>47.47</td> <td>68.20</td> <td>-20.73</td> <td>52.89</td> <td>40.74</td> <td>18.88</td> <td>65.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11550.00	44.55	74.00	-29.45	57.79	38.25	15.10	66.59	0.00	---	---	PEAK	2	17325.00	47.47	68.20	-20.73	52.89	40.74	18.88	65.04	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> </tr> <tr> <td>1</td> <td>11550.00</td> <td>45.33</td> <td>74.00</td> <td>-28.67</td> <td>58.57</td> <td>38.25</td> <td>15.10</td> <td>66.59</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>47.57</td> <td>68.20</td> <td>-20.63</td> <td>52.96</td> <td>40.75</td> <td>18.87</td> <td>65.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11550.00	45.33	74.00	-28.67	58.57	38.25	15.10	66.59	0.00	---	---	PEAK	2	17325.00	47.57	68.20	-20.63	52.96	40.75	18.87	65.01	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11550.00	44.55	74.00	-29.45	57.79	38.25	15.10	66.59	0.00	---	---	PEAK																																																																																																
2	17325.00	47.47	68.20	-20.73	52.89	40.74	18.88	65.04	0.00	---	---	PEAK																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11550.00	45.33	74.00	-28.67	58.57	38.25	15.10	66.59	0.00	---	---	PEAK																																																																																																
2	17325.00	47.57	68.20	-20.63	52.96	40.75	18.87	65.01	0.00	---	---	PEAK																																																																																																



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	95.43	1.362	0.734	0.75kHz
802.11n HT20	95.13	1.275	0.784	0.82KHz
802.11n HT40	90.72	0.638	1.568	1.6KHz
802.11ac VHT80	84.09	0.322	3.108	3.3KHz


802.11a



Date: 4.FEB.2026 01:34:15




802.11n HT20



Date: 4.FEB.2026 01:35:12


802.11n HT40



Date: 4.FEB.2026 01:39:08



802.11ac VHT80



Date: 4.FEB.2026 01:40:40