




Conducted Spurious Emissions


Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Freq_Range	Result	Limit	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.453	-13	PASS
66	15	5	349000	1712.5	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.424	-13	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.367	-13	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.406	-13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.607	-13	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-40.916	-13	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.474	-13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.43	-13	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	30.0MHz-17800.0MHz	-41.375	-13	PASS



Test Graphs








Conducted Band Edge


Test Result


NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS



Test Graphs









Software Version: 23.06.1602

FR1 N71_ANT0

Transmitter Conducted Output Power And ERP, (G_T - L_C)= -8.0 dB

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	ERP(dBm)	ERP(W)
71	15	5	133100	665.5	DFT-s-OFDM PI/2 BPSK	1@1	24.14	13.99	0.0251
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@1	23.86	13.71	0.0235
71	15	5	133100	665.5	DFT-s-OFDM 16 QAM	1@1	24.04	13.89	0.0245
71	15	5	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.35	14.20	0.0263
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@1	23.91	13.76	0.0238
71	15	5	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.69	13.54	0.0226
71	15	5	139100	695.5	DFT-s-OFDM PI/2 BPSK	1@1	24.11	13.96	0.0249
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@1	24.55	14.40	0.0275
71	15	5	139100	695.5	DFT-s-OFDM 16 QAM	1@1	23.84	13.69	0.0234
71	15	10	133600	668	DFT-s-OFDM PI/2 BPSK	1@1	23.94	13.79	0.0239
71	15	10	133600	668	DFT-s-OFDM QPSK	1@1	24.14	13.99	0.0251
71	15	10	133600	668	DFT-s-OFDM 16 QAM	1@1	23.79	13.64	0.0231
71	15	10	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.17	14.02	0.0252
71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@1	24.45	14.30	0.0269
71	15	10	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.80	13.65	0.0232
71	15	10	138600	693	DFT-s-OFDM PI/2 BPSK	1@1	24.15	14.00	0.0251
71	15	10	138600	693	DFT-s-OFDM QPSK	1@1	23.93	13.78	0.0239
71	15	10	138600	693	DFT-s-OFDM 16 QAM	1@1	24.33	14.18	0.0262
71	15	15	134100	670.5	DFT-s-OFDM PI/2 BPSK	1@1	23.99	13.84	0.0242
71	15	15	134100	670.5	DFT-s-OFDM QPSK	1@1	24.15	14.00	0.0251
71	15	15	134100	670.5	DFT-s-OFDM 16 QAM	1@1	23.85	13.70	0.0234
71	15	15	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.03	13.88	0.0244
71	15	15	136100	680.5	DFT-s-OFDM QPSK	1@1	24.35	14.20	0.0263
71	15	15	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.79	13.64	0.0231
71	15	15	138100	690.5	DFT-s-OFDM PI/2 BPSK	1@1	24.20	14.05	0.0254
71	15	15	138100	690.5	DFT-s-OFDM QPSK	1@1	24.03	13.88	0.0244
71	15	15	138100	690.5	DFT-s-OFDM 16 QAM	1@1	24.43	14.28	0.0268
71	15	20	134600	673	DFT-s-OFDM PI/2 BPSK	1@1	24.04	13.89	0.0245
71	15	20	134600	673	DFT-s-OFDM QPSK	1@1	24.30	14.15	0.0260
71	15	20	134600	673	DFT-s-OFDM 16 QAM	1@1	23.64	13.49	0.0223
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.05	13.90	0.0245
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@1	23.75	13.60	0.0229
71	15	20	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.97	13.82	0.0241
71	15	20	137600	688	DFT-s-OFDM PI/2 BPSK	1@1	24.42	14.27	0.0267
71	15	20	137600	688	DFT-s-OFDM QPSK	1@1	24.32	14.17	0.0261



71	15	20	137600	688	DFT-s-OFDM 16 QAM	1@1	24.23	14.08	0.0256
71	15	25	135100	675.5	DFT-s-OFDM PI/2 BPSK	1@1	24.11	13.96	0.0249
71	15	25	135100	675.5	DFT-s-OFDM QPSK	1@1	23.98	13.83	0.0242
71	15	25	135100	675.5	DFT-s-OFDM 16 QAM	1@1	24.10	13.95	0.0248
71	15	25	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	23.98	13.83	0.0242
71	15	25	136100	680.5	DFT-s-OFDM QPSK	1@1	24.08	13.93	0.0247
71	15	25	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.77	13.62	0.0230
71	15	25	137100	685.5	DFT-s-OFDM PI/2 BPSK	1@1	24.24	14.09	0.0256
71	15	25	137100	685.5	DFT-s-OFDM QPSK	1@1	24.53	14.38	0.0274
71	15	25	137100	685.5	DFT-s-OFDM 16 QAM	1@1	23.91	13.76	0.0238
71	15	30	135600	678	DFT-s-OFDM PI/2 BPSK	1@1	24.08	13.93	0.0247
71	15	30	135600	678	DFT-s-OFDM QPSK	1@1	24.03	13.88	0.0244
71	15	30	135600	678	DFT-s-OFDM 16 QAM	1@1	23.90	13.75	0.0237
71	15	30	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.01	13.86	0.0243
71	15	30	136100	680.5	DFT-s-OFDM QPSK	1@1	23.86	13.71	0.0235
71	15	30	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.97	13.82	0.0241
71	15	30	136600	683	DFT-s-OFDM PI/2 BPSK	1@1	24.14	13.99	0.0251
71	15	30	136600	683	DFT-s-OFDM QPSK	1@1	24.03	13.88	0.0244
71	15	30	136600	683	DFT-s-OFDM 16 QAM	1@1	23.76	13.61	0.0230
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.13	13.98	0.0250
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@0	23.57	13.42	0.0220
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@186	24.20	14.05	0.0254
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	2@0	23.69	13.54	0.0226
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	90@45	24.10	13.95	0.0248
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	2@186	23.69	13.54	0.0226
71	15	35	136100	680.5	DFT-s-OFDM PI/2 BPSK	180@0	23.62	13.47	0.0222
71	15	35	136100	680.5	DFT-s-OFDM QPSK	1@1	24.36	14.21	0.0264
71	15	35	136100	680.5	DFT-s-OFDM QPSK	1@0	23.83	13.68	0.0233
71	15	35	136100	680.5	DFT-s-OFDM QPSK	1@186	23.88	13.73	0.0236
71	15	35	136100	680.5	DFT-s-OFDM QPSK	2@0	23.71	13.56	0.0227
71	15	35	136100	680.5	DFT-s-OFDM QPSK	90@45	24.16	14.01	0.0252
71	15	35	136100	680.5	DFT-s-OFDM QPSK	2@186	23.70	13.55	0.0226
71	15	35	136100	680.5	DFT-s-OFDM QPSK	180@0	23.65	13.50	0.0224
71	15	35	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.71	13.56	0.0227
71	15	35	136100	680.5	DFT-s-OFDM 64 QAM	1@1	23.29	13.14	0.0206
71	15	35	136100	680.5	DFT-s-OFDM 256 QAM	1@1	20.43	10.28	0.0107
71	15	35	136100	680.5	DFT-s-OFDM 16 QAM	180@0	22.67	12.52	0.0179
71	15	35	136100	680.5	DFT-s-OFDM 64 QAM	180@0	22.19	12.04	0.0160
71	15	35	136100	680.5	DFT-s-OFDM 256 QAM	180@0	18.44	8.29	0.0067
71	15	35	136100	680.5	CP-OFDM QPSK	1@1	23.16	13.01	0.0200
71	15	35	136100	680.5	CP-OFDM 16 QAM	1@1	22.48	12.33	0.0171



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0019	PASS	NV
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0012	PASS	LV
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0013	PASS	HV
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0000	PASS	-30°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0018	PASS	-20°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0015	PASS	-10°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0012	PASS	0°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0016	PASS	10°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0017	PASS	20°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0016	PASS	30°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0021	PASS	40°C
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	0.0012	PASS	50°C




Peak to Average Ratio

Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	100@0	5.12	13
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@0	4.23	13
71	15	20	136100	680.5	DFT-s-OFDM QPSK	100@0	5.88	13
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	4.73	13



Test Graphs






Occupied Bandwidth


Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	OBW(MHz)	26dB OBW(MHz)
71	15	5	136100	680.5	CP-OFDM QPSK	25@0	4.48	4.904
71	15	5	136100	680.5	CP-OFDM 16 QAM	25@0	4.48	4.905
71	15	10	136100	680.5	CP-OFDM QPSK	52@0	9.29	9.856
71	15	10	136100	680.5	CP-OFDM 16 QAM	52@0	9.3	9.805
71	15	15	136100	680.5	CP-OFDM QPSK	79@0	14.13	14.73
71	15	15	136100	680.5	CP-OFDM 16 QAM	79@0	14.15	14.83
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	18.93	19.63
71	15	20	136100	680.5	CP-OFDM 16 QAM	106@0	18.95	19.73
71	15	25	136100	680.5	CP-OFDM QPSK	133@0	23.66	24.73
71	15	25	136100	680.5	CP-OFDM 16 QAM	133@0	23.74	24.56
71	15	30	136100	680.5	CP-OFDM QPSK	160@0	28.62	29.56
71	15	30	136100	680.5	CP-OFDM 16 QAM	160@0	28.57	29.62
71	15	35	136100	680.5	CP-OFDM QPSK	188@0	33.69	34.86
71	15	35	136100	680.5	CP-OFDM 16 QAM	188@0	33.64	34.72



Test Graphs








Conducted Spurious Emissions


Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Freq_Range	Result	Limit	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-42.943	-13	PASS
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-43.045	-13	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-41.528	-13	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-42.853	-13	PASS
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-42.527	-13	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-43.002	-13	PASS
71	15	30	135600	678.0	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-43.082	-13	PASS
71	15	30	136100	680.5	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-41.476	-13	PASS
71	15	30	136600	683.0	DFT-s-OFDM BPSK	1@0	30.0MHz-6980.0MHz	-41.494	-13	PASS



Test Graphs








Conducted Band Edge









Test Result









NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM BPSK	160@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM QPSK	160@0	see graph	PASS
71	15	30	136600	683.0	DFT-s-OFDM BPSK	1@159	see graph	PASS
71	15	30	136600	683.0	DFT-s-OFDM QPSK	1@159	see graph	PASS
71	15	30	136600	683.0	DFT-s-OFDM BPSK	160@0	see graph	PASS
71	15	30	136600	683.0	DFT-s-OFDM QPSK	160@0	see graph	PASS



Test Graphs









Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Simle Wang	Temperature :	22~23°C
		Relative Humidity :	40~42%

n5 SA / NR 25MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1648	-62.55	-13	-49.55	-69.52	1.58	10.70	H
	2472	-59.06	-13	-46.06	-67.31	2.102	12.50	H
	3304	-57.06	-13	-44.06	-65.95	2.856	13.90	H
	1648	-61.90	-13	-48.90	-68.87	1.58	10.70	V
	2472	-57.12	-13	-44.12	-65.37	2.10	12.50	V
	3304	-57.31	-13	-44.31	-66.20	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n7 SA / NR 50MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5022	-56.02	-25	-31.02	-66.23	3.03	13.24	H
	7528	-53.99	-25	-28.99	-63.44	3.56	13.01	H
	10048	-40.04	-25	-15.04	-49.56	3.92	13.44	H
	12554	-53.03	-25	-28.03	-62.95	4.44	14.36	H
	5022	-53.89	-25	-28.89	-64.10	3.03	13.24	V
	7528	-52.80	-25	-27.80	-62.25	3.56	13.01	V
	10048	-42.99	-25	-17.99	-52.51	3.92	13.44	V
	12554	-54.60	-25	-29.60	-64.52	4.44	14.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n41 SA / NR 100MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5092	-48.75	-25	-23.75	-58.96	3.03	13.24	H
	7626	-51.39	-25	-26.39	-60.84	3.56	13.01	H
	10370	-55.38	-25	-30.38	-64.90	3.92	13.44	H
	12722	-55.10	-25	-30.10	-65.02	4.44	14.36	H
	5092	-56.55	-25	-31.55	-66.76	3.03	13.24	V
	7626	-45.10	-25	-20.10	-54.55	3.56	13.01	V
	10370	-51.78	-25	-26.78	-61.30	3.92	13.44	V
	12722	-55.66	-25	-30.66	-65.58	4.44	14.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n66 SA / NR 40MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-54.24	-13	-41.24	-64.98	2.604	13.34	H
	5205	-51.30	-13	-38.30	-61.81	3.011	13.52	H
	6930	-53.63	-13	-40.63	-63.83	3.271	13.47	H
	3465	-56.75	-13	-43.75	-67.49	2.604	13.34	V
	5205	-53.93	-13	-40.93	-64.44	3.011	13.52	V
	6930	-52.06	-13	-39.06	-62.26	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n71 SA / NR 35MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1328	-64.06	-13	-51.06	-65.81	1.02	4.92	H
	2008	-59.96	-13	-46.96	-61.93	1.27	5.39	H
	2680	-57.40	-13	-44.40	-60.33	1.49	6.57	H
	1328	-61.85	-13	-48.85	-63.60	1.02	4.92	V
	2008	-58.77	-13	-45.77	-60.74	1.27	5.39	V
	2680	-56.86	-13	-43.86	-59.79	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.